

Genus/Species	Skull	Ht	Lt	Wt	Stage	Range
Absarokius					L-M.Eocene	W USA
cf. A. sp.					Wasatchian-Bridgerian	Wyoming (US)
A. abboti	1.3cm?			430 g	Wasatchian	Wyoming, Colorado (US)
A. australis				535 g	Wasatchian-Bridgerian	Colorado (US)
A. gazini				340 g	Wasatchian	Wyoming (US)
A. metoecus				430 g	Wasatchian	Colorado, Wyoming (US)
A. nocera				415 g	Wasatchian-Bridgerian	Colorado, Wyoming (US)
A. noctivagus	see Absarokius	abboti?			Uintan-Wasatchian	Nevada, Wyoming, New Mexico?, California? (US)
A. nr. Abbotti	see Absarokius	gazini			Wasatchian	Wyoming (US)
A. sp.					Wasatchian	California? (US)
A. witteri				580 g	Wasatchian	Wyoming (US)
Acidomomys					U.Paleocene	W USA
A. hebeticus	3 cm?				Clarkforkian	Wyoming (US)
Adaetotherium	see Dryopithecus					
Adapis			41 cm		L.Eocene-L.Oligocene	France, Greece, Switzerland
A. aff. Betillei					Priabonian	France
A. betillei					Eocene	France, Greece
A. bruni						
A. cf. Parisiensis						France
A. collinsonae						
A. duvernoyi					Eocene	France, Greece
A. hambresii					Eocene	France, Greece
A. laharpei					Lutetian	
A. magnus					Lutetian	France
A. minor					Eocene	France
A. parisiensis (parisiensis)	8 cm?			1.5 kg	M-U.Eocene	France, Switzerland
A. p. angustidens						
A. p. crassus						
A. p. curvirostris						
A. p. mutans						
A. p. mutatus						
A. priscus					Lutetian	
A. rouxi					Eocene	France, Switzerland
A. r. angustidens						
A. r. crassus						
A. r. curvirostris						
A. r. mutans						
A. r. mutatus						
A. ruetimeyeri					Lutetian	Egerkingen
A. sciureus					Lutetian	
A. stintoni					U.Eocene	France
A. sudrei					Lutetian	
A. wegneri					Eocene	Macedonia?
Adapoides					M.Eocene	China
A. troglodytes					Lutetian	Jiangsu (China)
Adelopithecus	see Dolichopithecus					
Aegyptopithecus	9.5 cm	46 cmq	1.5 m	6 kg	U.Eocene-L.Oligocene	Egypt
A. zeuxis	5 cm?			5 kg	L.Oligocene	Egypt
Aeolopithecus	see Propithecus				L.Oligocene	Egypt
A. chirobates	11 cm				L.Oligocene	Egypt
Aframomys					L-U.Eocene	Egypt
A. dieides				1.6 kg	Fayumian	Egypt
Africanthropus	see Homo					
A. helmeri	see Homo sapiens					S Africa
A. njarascensis	see Homo sapiens	rhodesiensis				
Afropithecus					L-M.Miocene	Kenya, Asia
A. turkanensis	18 cm?			35 kg	Vindobonian	Kenya

Genus/Species	Skull	Ht	Lt	Wt	Stage	Range	
Afrotarsius				215 g	L-M.Oligocene	Egypt, Arabia	
A. chatrathi					Fayumian	Egypt	
Ageitodendron					M.Eocene	W USA	
A. matthewi					Bridgerian	Wyoming (US)	
Agerina	preoccupied, see Agerinia						
Agerinia					L-M.Eocene	Spain, Pakistan	
cf. A. sp.					M.Eocene	Chorlakk (Pakistan)	
A. roselli					Rhenanian	Spain	
A. sp.							
Algeripithecus					L-M.Eocene	Algeria	
A. minutus				300 g?	L.Eocene	Algeria	
Allochrocebus	see Cercopithecus						
Alouata					Pleistocene-Recent	C & S America	
A. primaevus	see Callithrix?					Pleistocene	Brazil
A. seniculus	living Howler Monkey						
A. s. fossilis					Pleistocene	Brazil	
Alsatia	see Europolemur					M.Eocene	
Altanius				10 g	L.Eocene	Mongolia	
A. orlovi					Ypresian	Mongolia	
Altiatlasius				100 g?	U.Paleocene	Morocco, Egypt	
A. koulchii					U.Paleocene	Morocco	
Alveojunctus					M.Eocene	W USA	
A. bowni							
A. minutus					Bridgerian	Wyoming (US)	
Ameranthropoides	see Ateles						
Amphipithecus					U.Eocene	Myanmar	
A. mongaungensis					U.Eocene	Myanmar	
Anapithecus	see Pliopithecus					U.Miocene	Hungary, Austria, Germany
A. cf. Hernyaki					Turolian	Germany	
A. hernyaki					Vallesian-Turolian	Hungary, Austria	
Anaptogale	actually an Anagalid, see					Rodentia	
Anaptomorphus					L-M.Eocene	W USA	
A. abboti							
A. aemulus	3.5cm?			500 g	Wasatchian-Bridgerian	Wyoming (US)	
A. a. fallax					Wasatchian-Bridgerian	Wyoming (US)	
A. a. venustus					Wasatchian-Bridgerian	Wyoming (US)	
A. amplus						S Dakota (US)	
A. angulatus	see Pelycodon angulatus					Wasatchian	New Mexico (US)
A. bridgerensis						Wyoming (US)	
A. gracilis	see Hemiacodon gracilis					Bridgerian	Wyoming (US)
A. homunculus	3 cm?				Wasatchian	Wyoming (US)	
A. insignis					Wasatchian	Wyoming (US)	
A. louei						Wyoming (US)	
A. nanus	see Hemiacodon nanus					Bridgerian	Wyoming (US)
A. pucillus	see Hemiacodon pucillus					Bridgerian	Wyoming (US)
A. spierianus	see Microsyops spierianus					Wasatchian	Wyoming (US)
A. uintensis	see Microsyops uintensis					Uintan	Utah (US)
A. vagus	see Palaeacodon vagus					Bridgerian	Wyoming (US)
A. westi				675 g	Bridgerian	Wyoming (US)	
A. wortmani				350 g			
Anasazia					L-M.Paleocene	W USA	
A. williamsoni					Torrejonian	New Mexico (US)	
Anatomorphus	probably Anaptomorphus						
Ancepsoides	see Plesiadapis					M-U.Paleocene	W USA, W Canada, Germany
A. anceps	see Plesiadapis anceps					U.Paleocene	Montana (US)
A. jepseni	see Plesiadapis anceps					U.Paleocene	Montana (US)
A. paskapoensis	see Plesiadapis paskapoensis						Alberta (Cnda)

Genus/Species	Skull	Ht	Lt	Wt	Stage	Range
A. rex	see	Plesiadapis	rex		Tiffanian	Montana (US)
A. walbeckensis	see	Plesiadapis	walbeckensis			Walbeck (Germany)
Anchomomys				50 g	M.Eocene-L.Oligocene	France, Switzerland, Egypt
A. crocheti						
A. gaillardi				50 g	Lutetian	
A. milleri					Lutetian	Egypt
A. pygmaeus						
A. quercyi						
A. sp.1						
A. sp.2						
A. stehlini					Lutetian	
Anemorhysis	see	Tetonius			L.Eocene	W USA
cf. A. minutus	see	Tetonius	mckennai			
A. natronensis					Bridgerian	Wyoming (US)
A. nettingi						
A. pattersoni				240 g	Wasatchian	Wyoming (US)
A. pearcei (pearci)					Wasatchian	Wyoming, N Dakota (US)
A. savagei					Wasatchian	Wyoming (US)
A. sublettensis				155 g	Wasatchian-Bridgerian	Wyoming, Utah, N Dakota (US)
A. tenuiculus					Wasatchian	Wyoming (US)
A. wortmani	1.2cm?			205 g	Wasatchian	Wyoming (US)
Anisazia	see	Anasazia			M.Paleocene	W USA
A. williamsoni					Torrejonian	New Mexico (US)
Ankarapithecus	see	Dryopithecus			U.Miocene	Turkey
A. meteai	12 cm?			30 kg	Vallesian	Turkey
Anthropodus	see	Mesopithecus	or	Dryopithecus		
A. brancoi	see	Dryopithecus	brancoi			
A. rouvillei					Pliocene	France
Anthropopithecus					Pliocene	India
A. erectus	see	Homo	erectus			Java
A. sivalensis					Pliocene	India
Anthropops	see	Homunculus			L-M.Miocene	Argentina
A. perfectus	see	Homunculus	patagonicus			Argentina
Anthropus	see	Homo				
A. heidelbergensis	see	Homo	sapiens			Germany
A. neanderthalensis	see	Homo	sapiens			Germany
A. njarasensis	see	Homo	sapiens			Tanzania
Antillothrix					U.Pleistocene-Recent	Hispaniola
A. bernensis					L-M.Holocene	Dominican Republic, Haiti
Aotus					M.Miocene-Recent	Colombia
cf. A. dindensis					Laurentan	Colombia
A. dindensis	3 cm?				Laurentan	Colombia
Aphanolemur	see	Smilodectes				
A. gibossus	see	Smilodectes	gracilis		Bridgerian	Wyoming (US)
Aphelotherium	see	Adapis				
Apidium					L-M.Oligocene	Egypt
A. bowni					Fayumian	Egypt
A. fraasi					Fayumian	Egypt
A. moustafai					Fayumian	Egypt
A. phiomense	3 cm		91 cm	1.1 kg	Fayumian	Egypt
Arapahovius					L.Eocene	W USA
A. advena	2 cm?				Wasatchian	Wyoming (US)
A. gazini	2 cm?			410 g	Wasatchian	Wyoming (US)
Archaeoindris	27 cm	1.5 m		200 kg	Recent	Madagascar
A. fontoyonti (fontoyontii)	27 cm	1.5 m		200 kg	L.Holocene	Madagascar
A. fontoyonti	see	Archaeoindris	fontoyonti			
Archaeolemur		50 cm?	1.5 m?	22 kg	Pleistocene-Holocene	Madagascar

Genus/Species	Skull	Ht	Lt	Wt	Stage	Range	
A. australis					Pleistocene	Madagascar	
A. bastardi	see Archaeolemur australis					Madagascar	
A. edwardsi	15 cm			24 kg	Holocene	Madagascar	
A. majori (major)	13.5cm			14 kg	U.Holocene	Madagascar	
A. robustus					Pleistocene	Madagascar	
A. sp. Cf. Edwardsi					Holocene	Madagascar	
A. sp. Cf. Majori					Holocene	Madagascar	
Archaeopithecus	actually a Notoungulate, see Conylarth Index						
A. rogeri					Paleocene	Argentina	
Archanthropus	see Homo						
A. primigenius	see Homo sapiens					France	
Arcius				160 g	L-M.Eocene	France?	
A. fuscus							
A. lapparenti							
A. rougieri							
Arctodontomys					U.Paleocene-L.Eocene	W USA	
A. nuptus					Clarkforkian	Wyoming (US)	
A. simplicidens					Clarkforkian	Wyoming (US)	
A. wilsoni					Wasatchian	Colorado (US)	
Ardapithecus	see Ardipithecus ramidus					Ethiopia	
A. ramidus	see Ardipithecus ramidus					Ethiopia	
Ardepithecus	see Ardipithecus ramidus						
A. ramidus	see Ardipithecus ramidus						
Ardipithecus	see Australopithecus				M.Pliocene	Ethiopia	
A. kadabba					L.Pliocene	Ethiopia	
A. ramidus		1.4 m		27 kg	M.Pliocene	Ethiopia	
A. r. kadabba	see Ardipithecus kadabba					L.Pliocene	Ethiopia
A. r. ramidus	see Ardipithecus ramidus					U.Miocene	Ethiopia
Arhinolemus	may be a Notoungulate, but newer data isn't forth coming						
A. scalabrinii					Miocene	Parana (ARG)	
Arisella	see Adapis						
Arsinoea				350 g	U.Eocene-M.Oligocene	Egypt	
A. kallimos (kallamos)	2.5cm?				Fayumian	Egypt	
Asiomomys					M.Eocene	China	
A. changbaicus	2 cm?				Lutetian	China	
Ataxopithecus	see Dryopithecus						
Ateles					Pleistocene-Recent	Cuba, N & S America	
Ateleus	see Ateles						
Atlanthropus	see Homo						
A. mauritanicus	see Homo erectus				M.Pleistocene	Algeria, Morocco	
Aulacinus	see Macaca						
Aulaxinuus	see Macaca						
A. libycus					Pliocene	Egypt	
Australopithecus		1.75 m			U.Miocene-L.Pleistocene	S & E Africa	
A. aethiopicus					U.Pliocene	Kenya, Ethiopia	
A. afarensis		151 cm		45 kg	M.Pliocene-L.Pleistocene	Ethiopia, Tanzania, Kenya, S Africa	
A. africaensis	see Australopithecus africanus						
A. africanus	16.5cm	145 cm		45 kg	M.Pliocene-L.Pleistocene	Ethiopia, Kenya, S Africa, Tanzania	
A. a. africanus					M.Pliocene-L.Pleistocene	S Africa	
A. a. ethiopicus	probably A. aethiopicus				M.Pliocene-L.Pleistocene	Ethiopia	
A. a. tanzaniensis					M.Pliocene-L.Pleistocene	Tanzania	
A. a. transvaalensis					M.Pliocene-L.Pleistocene	S Africa	
A. anamensis	14 cm?			51 kg	M.Pliocene	Kenya, Ethiopia	
A. bahrelghazali					M-U.Pliocene	Chad	
A. boisei	18 cm	1.75 m		100 kg	M.Pliocene-L.Pleistocene	Ethiopia, Tanzania, Kenya	
A. crassidens	17.5cm	1.6 m		50 kg	L-M.Pleistocene	S Africa	
A. ethiopicus	see A. africanus ethiopicus?					Ethiopia	

Genus/Species	Skull	Ht	Lt	Wt	Stage	Range
A. garhi					U.Blancan	Ethiopia, Kenya
A. gracilis						S Africa?
A. habilis	possibly Homo habilis?				U.Pliocene	S Africa
A. prometheus						
A. ramidus	see Ardipithecus ramidus					Ethiopia
A. robustus	16.5cm	1.6 m		70 kg	M.Pliocene-L.Pleistocene	S Africa, Tanzania
A. tanzaniensis	see A. africanus tanzaniensis?					Tanzania
A. transvaalensis	see A. africanus transvaalensis?					S Africa
Austriacopithecus	see Dryopithecus					
A. abeli	see Griphopithecus darwini					
A. weinfurteri	see Griphopithecus darwini					
Avahi			85 cm	1.2 kg	Recent	Madagascar
A. laniger	living Avahi				M.Holocene-Recent	Madagascar
A. sp.					Holocene	Madagascar
Avenius					L.Eocene	Europe
Aycrossia	see Absarokius				L-M.Eocene	W USA
A. lovei	2.4cm?			455 g	Bridgerian	Wyoming (US)
Azibius					M.Eocene	Algeria
A. trearki						Gour Lazib (Algeria)
Babakotia	11.4cm	40 cm?	75 cm?	20 kg	Holocene	Madagascar
B. radofilai	11.4cm	40 cm?	75 cm?	20 kg	Holocene	Madagascar
Bahinia				400 g	M.Eocene	Myanmar
B. pondaungensis	2.9cm?				M.Eocene	Myanmar
Barnesia					M.Eocene	Germany
B. hauboldi					Lutetian	Germany
Bathrodon	see Microsyops					
B. annectens	see Microsyops annectens				Bridgerian	Wyoming (US)
B. typus	see Microsyops typus				Bridgerian	Wyoming (US)
Berruvius				20 g	U.Paleocene-L.Eocene	France, N America?
B. gingerichi					U.Paleocene	France
B. lesseroni					U.Paleocene	France
Biretia					U.Eocene	Egypt, Algeria
B. piveteaui					U.Eocene	Algeria
Bodvapathecus	see Ramapithecus					
B. altipalatus	see Dryopithecus carinthiacus					
Brachygnathopithecus	see Theropithecus					
B. peppercorni	see Theropithecus darti					
Brachytanytes	see Hylobates					
Brachyteles					Pleistocene-Recent	Brazil, Argentina
B. bonariensis	probably Protopithecus bonariensis					Argentina
B. brasiliensis	see Protopithecus brasiliensis					Brazil
Bradylemur	see Archaeolemur					
B. robustus	see Archaeolemur robustus				Pleistocene	Madagascar
Bradytherium	see Palaeopropithecus					
Bramapithecus	see Ramapithecus					
Branisella			41 cm		U.Oligocene	Bolivia
B. boliviana				1 kg	Deseadan	Bolivia
Bugtilemur					U.Oligocene	Pakistan
B. mathesoni				85 g	Chattian	Bugti (Pakistan)
Bunopithecus	see Hylobates					
Buxella					M.Eocene	France, Germany?
B. magna					Lutetian	Germany?
B. prisca					Lutetian	France
Caenopithecus					M.Eocene	Switzerland
C. lemuroides				3.5 kg	Lutetian	Switzerland
C. pygmaeus					Lutetian	Switzerland
Caipora					U.Pleistocene-L.Holocene	Brazil

Genus/Species	Skull	Ht	Lt	Wt	Stage	Range	
C. bambuiorum	4 cm?				U.Pleistocene-L.Holocene	Brazil	
Callicebus					Pleistocene-Recent	S America	
Callithrix					Pleistocene-Recent	S America	
C. chlorocnemis					Pleistocene	Brazil	
C. grandis	see Callithrix				jacchus grandis	Brazil	
C. jacchus							
C. j. grandis					Pleistocene	Brazil	
C. personata	living?				Pleistocene	Brazil	
C. p. fossilis	see Callithrix				personata	Pleistocene	Brazil
Callotus	see Galago						
Calyptrocebus	see Cebus						
Cantius				1 kg	L-M.Eocene	W USA, Europe	
C. abditus					Wasatchian	Wyoming (US)	
C. angulatus							
C. antediluvius							
C. cf. Frugivorus					Wasatchian	Wyoming (US)	
C. cf. Venticolus					Wasatchian	Wyoming (US)	
C. eppi					Ypresian	England, France	
C. frugivorus					Wasatchian	New Mexico, Wyoming (US)	
C. mckennai					Wasatchian	Colorado, Wyoming (US)	
C. nunienus					Wasatchian	Wyoming (US)	
C. ralstoni					Wasatchian	Wyoming (US)	
C. savagei					Ypresian		
C. torresi				1.2 kg	Wasatchian	W N America	
C. trigonodus					Wasatchian	Wyoming (US)	
C. venticolus					Wasatchian	Wyoming (US)	
Carlocebus					L.Miocene	Argentina	
C. carmenensis				2.5 kg	Santacrucian	Santa Cruz (ARG)	
C. intermedius					Santacrucian	Santa Cruz (ARG)	
Carpocristes					M.Paleocene-L.Eocene	W USA, W Canada, China	
C. cygneus	see Carpodaptes				cygneus	M-U.Paleocene	Alberta (Cnda)
C. hobackensis	see Carpodaptes				cygneus	M-U.Paleocene	Wyoming (US)
C. oriens					Bumbanian	China	
C. rosei					Tiffanian	Wyoming (US)	
Carpodaptes					L.Paleocene-L.Eocene	W USA, W Canada	
C. aulacodon					U.Paleocene	Colorado (US)	
C. cf. Cygneus					M-U.Paleocene	Alberta (Cnda)	
C. cf. Hazelae					Tiffanian	Alberta (Cnda) Wyoming, N Dakota (US)	
C. cf. Hobackensis					M-U.Paleocene	N Dakota (US)	
C. cf. Stonleyi					M-U.Paleocene	Alberta (Cnda)	
C. cygneus					Tiffanian	Wyoming, N Dakota (US) Alberta, Saskatchewan (Cnda)	
C. hazelae	4 mm				Tiffanian	Montana, Wyoming (US) Alberta (Cnda)	
C. hobackensis	see Carpodaptes				cygneus	M-U.Paleocene	Wyoming (US)
C. jepseni	see Carpomegodon				jepseni	U.Paleocene	Wyoming (US)
C. stonleyi					M-U.Paleocene	Saskatchewan (Cnda)	
Carpolestes					U.Paleocene-L.Eocene	W USA	
C. aquilae	see Carpolestes				nigridens	U.Paleocene	Montana (US)
C. dubius					Clarkforkian	Wyoming (US)	
C. jepseni	see Carpomegodon				jepseni?	U.Paleocene	Wyoming (US)
C. nigridens					U.Paleocene	Montana (US)	
C. simpsoni					U.Paleocene	Wyoming (US)	
Carpomegodon					U.Paleocene	W USA	
C. jepseni					U.Paleocene	Wyoming (US)	
Catopithecus				760 g	U.Eocene-M.Oligocene	Egypt, Oman	
C. browni	4.5cm?				Fayumian	Egypt	
Cebupithecia			60 cm		M.Miocene	Colombia	
C. sarmientoi (sermientoi)				2.2 kg	Laventan	Colombia	

Genus/Species	Skull	Ht	Lt	Wt	Stage	Range
Cebus					Pleistocene-Recent	C & S America, Hispaniola, Jamaica?
C. apella						
C. a. fossilis	see Cebus fatuellus					
C. fatuellus					Pleistocene	Brazil
C. f. fossilis	see Cebus fatuellus				Pleistocene	Brazil
Cephalopachus	see Tarsius					
Cercamonius					U.Eocene-L.Oligocene	France
C. brachyrhynchus				7 kg	Bartonian	France
Cercocebus					U.Pliocene-Recent	Africa
C. sp.					L.Pleistocene	S Africa
Cercolophocebus	see Cercocebus					
Cercopithecoides					U.Pliocene-M.Pleistocene	Kenya, S Africa, Tanzania
C. kimeui					M.Pleistocene	Tanzania, Kenya
C. molletti	see Cercopithecoides williamsi					
C. williamsi	11 cm				L.Pleistocene	S Africa, Kenya
Cercopithecus					U.Pliocene-Recent	Ethiopia
C. cf. Aethiops						Ethiopia
C. sp.						Ethiopia
Chaeropithecus	see Papio					
Chalicomomys					L.Eocene	W USA
C. antelucanus					Clarkforkian	Wyoming (US)
C. willwoodensis					Wasatchian	Wyoming (US)
Chasselasia					M.Eocene	Europe
Cheirogaleus					Recent	Madagascar
C. major	living Dwarf Lemur				Holocene-Recent	Madagascar
C. medius	living Dwarf Lemur				Holocene-Recent	Madagascar
C. sp.					Holocene	Madagascar
Cheiron	see Hylobates					
Chilecebus					L.Miocene	Chile
C. carrascoensis				1 kg	Colhuehuapian	Chile
Chinjipithecus	see Dryopithecus					
C. atavus						
Chipetaia					M.Eocene	W USA
C. lamporea					Bridgerian	Utah (US)
Chiromyoides					U.Paleocene-L.Eocene	France, W USA
C. caesor					Tiffanian	Wyoming (US)
C. campanicus	5 cm?				Thanetian	France
C. major					Clarkforkian	Wyoming (US)
C. minor					Tiffanian	Wyoming (US)
C. potior					Tiffanian	Colorado (US)
Chlorocebus	see Cercopithecus					
Chlororhysis					L.Eocene	W USA
C. incomptus					Wasatchian	Wyoming (US)
C. knightensis	1.3cm?				Wasatchian	Wyoming (US)
Choeropithecus	see Papio					
Chronolestes					L.Eocene	China
C. oriens					Bumbanian	China
C. simul					L.Eocene	Shandong (China)
Chryptadapis					U.Eocene	Europe
Chrysothrix	see Saimiri					
Chumachius	probably Chumashius					
C. balchi	probably Chumashius balchi					
Chumashius					M-U.Eocene	W USA
C. balchi	1.8cm?			380 g	Uintan-Duchesnean	California (US)
Cocomys					L.Eocene	E Asia
C. lingchaensis						
Coenopithecus	see Adapis				Eocene	Switzerland

Genus/Species	Skull	Ht	Lt	Wt	Stage	Range
C. lemuroides					Eocene	Switzerland
Colobolus	see	Colobus				
Colobus					U.Miocene-Recent	Africa
C. cf. Guereza						Andalee (Ethiopia)
C. flandrini					U.Miocene	Algeria
C. grandaevus	see	Choeromorus pygmaeus	(listed in Artiodactylids)			France
C. guereza					Pleistocene	Sudan
C. sp.						Ethiopia
Comopithecus	see	Papio				
Copelemur					L.Eocene	W USA
C. angulatus					Wasatchian	New Mexico (US)
C. australotutus					Bridgerian	Wyoming (US)
C. consortutus	see	Cantius nunienus			Bridgerian	Wyoming (US)
C. feretutus						
C. nr. Feretutus	see	Cantius nunienus			Bridgerian	Wyoming (US)
C. praetutus					Wasatchian	Wyoming (US)
C. tutus					Wasatchian	New Mexico (US)
Corypithecus	see	Presbytis				
Craecopithecus						
C. freybergi						
C. macedoniensis	see	Ouranopithecus macedoniensis				
Craseops					M-U.Eocene	W USA
C. sylvestris					Uintan-Duchesnean	California (US)
Crecamoni						
C. brachyrhynchys	see	Protoadapis brachyrhynchys				
Creoadapis	see	Arctocyonides,	listed in Condylarth index			
C. douvillei					Eocene	France
Crouzelia	see	Pliopithecus				
C. auscitanensis	see	Plesiopliopithecus auscitanensis				
C. rhodanica	see	Plesiopliopithecus rhodanica				
Cryptadapis					U.Eocene	Europe
C. laharpei						
C. tertius				1.5 kg		
Cryptopithecus	a	Cimolestid,	see Marsupials, etc. index			Germany
C. macrognathus					L.Miocene?	Germany
C. siderolithicus					Oligocene?	Germany
Cynamolgus	see	Macaca				
Cynocephalus	see	Papio,	not Cynocephalus (genus of Colugos/Flying Lemurs) of which no fossil record is known			
C. atlanticus						Algeria
C. falconeri	see	Procynocephalus subhimalayanus				
Cynodontomys	see	Microsyops			L.Eocene	W USA
C. alfi	see	Microsyops angustidens				
C. knightensis	see	Microsyops knightensis	or Microsyops cf. Scottianus			
C. latidens	3.5cm?				Wasatchian	Wyoming (US)
Cynomacaca	see	Macaca				
Cynopithecus	see	Macaca				
Cyphanthropus	see	Homo				
C. rhodesiensis	see	Homo sapiens				Zambia
Daubentonia			135cm?	13 kg	Recent	Madagascar
D. madagascariensis	living	Aye-Aye			Holocene-Recent	Madagascar
D. robusta			135cm?	13 kg	L-U.Holocene	Madagascar
Decoredon					L.Paleocene	China
D. anhuiensis					Puercan	Qianshan Basin (China)
D. elongatus (elongatus)					Puercan	Qianshan Basin (China)
Dendropithecus		60 cm?			U.Oligocene-M.Miocene	E Africa, Asia
D. macinnesi	13 cm?				U.Oligocene-L.Miocene	Kenya, Uganda
Dermotherium					U.Eocene	Thailand

Genus/Species	Skull	Ht	Lt	Wt	Stage	Range
Diacronus	actually an Anagalid, see Rodentia					
D. anhuiensis	see Decoredon anhuiensis					Qianshan Basin (China)
Diademia	see Cercopithecus					
Diana	see Cercopithecus					
Dillerlemur					U.Paleocene-L.Eocene	W USA
D. pagei					Tiffanian-Clarkforkian	Wyoming (US)
Dinolemur					Pleistocene	Madagascar
D. grevei	see Palaeopropithecus ingens					Madagascar
Dinopithecus		74 cm	2.5 m		U.Pliocene-L.Pleistocene	S Africa
D. brumpti					L.Pleistocene	Ethiopia
D. cf. Ingens	see Papio					Ethiopia
D. ingens	see Papio ingens					S Africa
Dinysopithecus					M.Miocene	China
Dionysopithecus					L-M.Miocene	China, Thailand, Pakistan
D. orientalis					L.Miocene	Thailand
D. shuangouensis					M.Miocene	Jiangsu (China) Pakistan
Djebelemur					L.Eocene	Tunisia
D. martinezi					Ypresian	Tunisia
Dolichocebus	see Homunculus					U.Oligocene
D. gaimanensis	5.5cm?			2.7 kg	Colhuehuapian	Chubut (ARG)
Dolichopithecus					U.Miocene-U.Pliocene	Europe
D. arvernensis					Astian-Biharian	France?
D. cf. Arvernensis	see Dolichopithecus rusciniensis					
D. eohanuman					U.Pliocene	Japan
D. rusciniensis					L-U.Pliocene	France, Hungary, Greece, Russia, Macedonia
Donrussellia					L.Eocene	France
D. gallica					Ypresian	France
D. lousi						
D. magna						
D. provincialis					Ypresian	
D. russelli						
Draconodus					L-M.Paleocene	W USA
D. apertus					Torrejonian	Utah (US)
Dracontolestes					L-M.Paleocene	W USA
D. aphantus					Torrejonian	Utah (US)
Drill	see Papio					
Dryopithecus		108 cm		45 kg	L-U.Miocene	E Asia, E Africa, Europe
cf. D. sp.	see Paidopithecus rhenanus?					Vallesian
D. africanus	see Proconsul africanus					Eppelsheim (Germany)
D. brancoi					U.Miocene	Kenya
D. carinthiacus					Vallesian	Germany, Hungary, Austria, Georgia,
D. cautleyi (cauteleyi)	see Sivapithecus sivalensis					Austria, Hungary
D. chinjiensis					U.Miocene	
D. crusafonti					Vallesian	Spain
D. darwini	see Griphopithecus darwini					Hungary, Czech Republic
D. eppelsheimensis	see Dryopithecus rhenanus?					U.Miocene
D. fontani					Vallesian	Germany
D. f. darwini	see Griphopithecus darwini?					Spain, Germany, France, Switzerland, Austria
D. frickae	see Sivapithecus sivalensis					
D. giganteus	see Gigantopithecus giganteus					
D. gordonii	see Proconsul gordonii					L.Miocene
D. gregoryi						Kenya
D. himalayensis						India?
D. hungaricus					Vallesian	Hungary
D. indicus	see Dryopithecus sivalensis?					Pakistan
D. keyuanensis	see Lufengpithecus keyuanensis					China
D. koruensis (karuensis)					M.Miocene	Kenya

Genus/Species	Skull	Ht	Lt	Wt	Stage	Range
D. laietanus		108cm?		35 kg	Vallesian	Spain
D. macedoniensis	see Graecopithecus freybergi					
D. major	see Proconsul major				L.Miocene	Kenya
D. meteai	probably Ankarapithecus meteai					Turkey
D. mogharensis					L.Miocene	Egypt
D. nyanzae	possibly Proconsul?				L.Miocene	Kenya
D. orientalis						
D. pilgrimi	see Sivapithecus sivalensis					India
D. piveteaui	see Dryopithecus laietanus					
D. punjabicus	see Ramapithecus punjabicus					India
D. rhenanus	see Dryopithecus brancoi				U.Miocene	Germany
D. salmonatus					U.Miocene	India
D. sivalensis	see Sivapithecus sivalensis					
D. sp.					U.Miocene	Germany
D. vancouveringi	see Proconsul vancouveringi					Kenya
D. wuduensis					U.Miocene	Gansu (China)
Dyseolemur					M.Eocene	W USA
D. pacificus				250 g	Uintan-Duchesnean	California (US)
Ecphantodon	see Homunculus					
E. ceboides	see Homunculus patagonicus					
Egarapithecus					U.Miocene	Spain
E. narcisoi					Vallesian	Spain
Ekgmowechashala					U.Oligocene-L.Miocene	W USA
E. philotae					Geringian-Arikareean	Oregon, S Dakota (US)
Ellesmene					L.Eocene	N America
Elphidotarsius					L-U.Paleocene	W USA, W Canada
E. cf. Florencae					Torrejonian	Montana (US)
E. florencae					Torrejonian	Montana (US)
E. russelli	4 mm				Torrejonian-Tiffanian	Montana (US) Alberta (Cnda)
E. shotgunensis					Torrejonian-Tiffanian	Wyoming (US)
E. wightoni					Torrejonian-Tiffanian	Alberta (Cnda)
Elpidophorus					L-U.Paleocene	W USA, W Canada
E. cf. Minor					Torrejonian-Tiffanian	Alberta (Cnda)
E. elegans					M-U.Paleocene	Alberta (Cnda)
E. minor					M-U.Paleocene	Montana (US)
E. patratius	see Elpidophorus elegans					Montana (US)
Elwynella					M.Eocene	W USA
E. oreas	3 cm?				Bridgerian	Wyoming (US)
Eoanthropus	see Homo					
E. dawsoni	a Hoax (modified orangutan jaw, a large quantity of restoration material plus lots of imagination)					
Eopithecus	not a primate, see Hyracotherium (see Perissodactylid Index)					
E. eocaenus	see Hyracotherium cuniculus					
Eosimias				135 g	M.Eocene	China
E. centennicus	2.5cm?				M.Eocene	Shanxi (China)
E. sinensis				135 g	M.Eocene	Jiangsu (China)
Epanthropos	see Homo					
Epipliopithecus	see Pliopithecus?				L-M.Miocene	Slovakia
E. vindobonensis					Astaracian	Slovakia
Equatorius	see Griphopithecus				M.Miocene	Kenya
E. africanus	see Griphopithecus africanus					Kenya
Eriodes						
E. protopithecus	see Protopithecus brasiliensis					
Eucebus	see Cebus					
Eudaemonema					L-M.Paleocene	W USA
E. cuspidata					Torrejonian	Montana (US)
Eudiastatus					L.Miocene	Argentina
E. lingulatus					L.Miocene	Argentina

Genus/Species	Skull	Ht	Lt	Wt	Stage	Range
Eudiastus	probably	Eudiastatus			Eocene?	Argentina
E. lingulatus					Eocene?	Argentina
Eulemur					Holocene-Recent	Madagascar
E. coronatus	living	Crowned Lemur			Holocene-Recent	Madagascar
E. fulvus	living	Brown Lemur			Holocene-Recent	Madagascar
E. mongoz	living	Mongoose Lemur			Holocene-Recent	Madagascar
Eupithecops	may be a Notoungulate, but newer data isn't forth coming					
E. proximus					Puercan?	Argentina
Euranthropus	see	Homo				
Europanthropus	see	Homo				
Europolemur					M.Eocene	China, Germany
E. dunaifi (dunaefi)						
E. kelleri					Lutetian	Germany
E. klatti						
E. koenigswaldi					Lutetian	Germany
Euryacodon	see	Omomys				
E. lepidus					Bridgerian	Wyoming (US)
Fendantia					M.Eocene	Europe
F. pygmaeus	see	Anchomomys pygmaeus				
Galago					U.Pliocene-Recent	Ethiopia
G. cf. Senegalensis					U.Pliocene	Ethiopia
G. howelli					U.Pliocene	Ethiopia
G. sadimanensis					L-M.Pleistocene	Kenya, Tanzania
G. senegalensis	living	Galago			U.Pliocene-Recent	Tanzania
Galagoides	see	Galago				
Galeocebus	see	Lepilemur				
Gallacho	see	Galago				
Gazinius	see	Anaptomorphus			M.Eocene	W USA
G. amplus (amblus)					Bridgerian	Wyoming (US)
G. boweni					Bridgerian	Wyoming (US)
Gelada	see	Theropithecus				
Gigantanthropus	see	Gigantopithecus				
Giganthropus	see	Gigantopithecus				
Gigantopithecus		3 m?		270 kg	U.Miocene-M.Pleistocene	China, India
G. bilaspurensis	see	Gigantopithecus giganteus				
G. blacki	20 cm?				U.Miocene-M.Pleistocene	China, Vietnam
G. giganteus	22 cm?				U.Miocene	India, Pakistan
Globilemur	see	Archaeolemur				
G. flacourti	see	Archaeolemur australis			Pleistocene	Madagascar
Godinotia					M.Eocene	Germany
G. neglectus					M.Eocene	Germany
Gorgopithecus	see	Papio?			U.Pliocene-L.Pleistocene	S Africa
G. major	25 cm				L.Pleistocene	S Africa
Graecopithecus					U.Miocene	Greece
G. freybergi	6.2 cm				Turolian	Greece
Griphopithecus	see	Dryopithecus			M.Miocene	Austria, Turkey, Slovakia, Kenya
G. africanus					M.Miocene	Kenya
G. alpani					M.Miocene	Turkey
G. darwini					M.Miocene	Austria, Turkey, Slovakia
G. sp.					M.Miocene	Turkey
G. suessi	see	Griphopithecus darwini				
Gryphopithecus	probably	Griphopithecus				
G. suessi	probably	Griphopithecus suessi				Slovakia
Guangxilemur					U.Eocene	China
G. tongi					U.Eocene	China
Guereza	see	Colobus				
Gymnopyga	see	Macaca				

Genus/Species	Skull	Ht	Lt	Wt	Stage	Range
Hadropithecus		75 cm?	80 cm?		Pleistocene-Holocene	Madagascar
H. stenognathus	14 cm			27 kg	U.Holocene	Madagascar
Hallelemur					M.Eocene	Europe
Hamadryas	see Papio					
Hapale	see Callithrix				Pleistocene-Recent	S America
H. grandis					Pleistocene	Brazil
H. penicillatus					Pleistocene	Brazil
Hapalemur					M.Holocene-Recent	Madagascar
H. griseus	living Bamboo Lemur				M.Holocene-Recent	Madagascar
H. simus	living Gentle Lemur				Holocene-Recent	Madagascar
H. sp.					Holocene	Madagascar
Helacyton	see Homo					
Heliopithecus	see Afropithecus				M.Miocene	Saudi Arabia
H. leakeyi	see Afropithecus turkanensis					Saudi Arabia
Hemanthropus	see Homo					
Hemiacodon					L-M.Eocene	W USA
cf. H.					Uintan	Wyoming (US)
H. casamissus					Wasatchian	Wyoming (US)
H. gracilis					Bridgerian-Uintan	Wyoming (US)
H. manus					Bridgerian	Wyoming (US)
H. pusillus					Bridgerian	Wyoming (US)
H. sp.	see Washakius sp?				Bridgerian-Uintan	Colorado (US)
H. sp.					Uintan	California (US)
H. sp. Near Gracilis					Bridgerian	California (US)
Hemiaconon	probably Hemiaconon					
H. gracilis	probably Hemiaconon gracilis					
Hemianthropus	see Homo					
Hemigalago	see Galago					
Heoanthropus	see Homo					
Hesperolemur					M.Eocene	W USA
H. actius				4.5 kg	Bridgerian	California (US)
Hesperolemus	probably Hesperolemur					
H. actius	probably Hesperolemur actius					
Hesperopithecus					L.Miocene	W USA
H.					Arikareean	Nebraska (US)
Hipposyus	see Notharctus					
H. formosus	see Notharctus formosus				Bridgerian	Wyoming (US)
H. robustior	see Notharctus robustior				Bridgerian	Wyoming (US)
Hispanopithecus	see Dryopithecus					
H. laietanus	see Dryopithecus laietanus					
Hoanghoni					M-U.Eocene	China
H. stehlini					Lutetian	China
Homo					U.Pliocene-Recent	Worldwide
H. acheulensis moustieri	see Homo sapiens					France
H. aff. Erectus					L-M.Pleistocene	S Africa
H. africanus	see Australopithecus africanus					
H. alpinus	see Homo sapiens					Croatia
H. antecessor					L.Pleistocene	Spain
H. antiquus	see Homo sapiens					Croatia
H. aurnignacensis	see Homo sapiens					
H. a. hauseri	see Homo sapiens					France
H. australoideus africanus	see Homo sapiens					S Africa
H. brelandensis	see Homo sapiens					England
H. calpicus	see Homo sapiens					Gibraltar
H. capensis	see Homo sapiens					S Africa
H. cf. Erectus					U.Pliocene-U.Pleistocene	Kenya
H. cf. Habilis					L-M.Pleistocene	S Africa

Genus/Species	Skull	Ht	Lt	Wt	Stage	Range
H. chapellensis	see	Homo	sapiens			France
H. drennani	see	Homo	sapiens			S Africa
H. dubius						Java
H. ehringsdorfensis	see	Homo	sapiens			Germany
H. erectus	30 cm	1.8 m			U.Pleistocene	Italy, Africa (widespread), S Asia (widespread)
H. e. erectus						
H. e. gongwanglingensis					M.Pleistocene	Shaanxi (China)
H. e. heidelbergensis					M.Pleistocene	Germany
H. e. hexianensis						Anhui (China)
H. e. lantienensis					L-M.Pleistocene	Shaanxi (China)
H. e. nanjingensis					M.Pleistocene	Jiangsu (China)
H. e. pekinensis (pekingensis)					M.Pleistocene	Java, China
H. e. soloensis					Pleistocene	Java
H. e. yuanmouensis					L.Pleistocene	Yunnan (China)
H. e. yunxianensis					M.Pleistocene	Hubei (China)
H. ergaster (ergaster)		1.8 m		66 kg	U.Pleistocene	Kenya
H. europaeus	see	Homo	sapiens			
H. e. primigenius	see	Homo	sapiens			Germany
H. florisbadensis	see	Homo	sapiens			S Africa
H. fossilis proto-aethiopicus	see	Homo	sapiens			France
H. galilensis	see	Homo	sapiens			Israel
H. gibraltarensis	see	Homo	sapiens			Gibraltar
H. grimaldi (grimaldicus)	see	Homo	sapiens			France
H. habilis	26 cm	131 cm		37 kg	U.Pliocene-L.Pleistocene	Kenya, Ethiopia, Tanzania, S Africa
H. heidelbergensis	see	Homo	sapiens		L-U.Pleistocene	Germany
H. helmei	see	Homo	sapiens			S Africa
H. kanamensis					Pliocene	Kenya
H. kiik-kobiensis	see	Homo	sapiens			Ukraine
H. laterti	see	Homo	sapiens			France
H. leakeyi	see	Homo	erectus			Tanzania, Kenya
H. marstoni	see	Homo	erectus			England
H. mediterraneus fossilis	see	Homo	sapiens			Germany
H. meridionalis	see	Homo	sapiens			
H. m. protoaethiopicus	see	Homo	sapiens			France
H. modjokertensis						Java
H. mousteriensis	see	Homo	sapiens			
H. m. hauseri	see	Homo	sapiens			France
H. murrensis	see	Homo	sapiens			Germany
H. naulettensis	see	Homo	sapiens			Belgium
H. neanderthalensis	see	Homo	sapiens	neanderthalensis		
H. niger	see	Homo	sapiens			France
H. palaeohungaricus	see	Homo	sapiens			Hungary
H. pekinensis	see	Homo	erectus	pekingensis		
H. predmostensis	see	Homo	sapiens			Czech Republic
H. predmosti	see	Homo	sapiens			Czech Republic
H. preedmostensis	see	Homo	sapiens			Czech Republic
H. primigenius	hypothetical	citation				
H. p. africanus	see	Homo	sapiens			Zambia
H. p. asiaticus	see	Homo	sapiens			Indonesia
H. p. galilaeensis	see	Homo	sapiens			Israel
H. priscus	see	Homo	sapiens			France, Belgium
H. rhodensis	see	Homo	sapiens			Zambia
H. rudolfensis		1.6 m		60 kg	U.Pliocene	Malawi, Kenya
H. sagensis	see	Homo	sapiens			Belgium
H. saldensis	see	Homo	sapiens			S Africa
H. sapiens	living	1.75m		58 kg	M.Pleistocene-Recent	China
H. s. afer					Pleistocene	S Africa

Genus/Species	Skull	Ht	Lt	Wt	Stage	Range
H. s. capensis					M-U.Pleistocene	S Africa
H. s. cf. Rhodesiensis						Bodo (Ethiopia)
H. s. cromagnon					U.Pleistocene	
H. s. fossilis					U.Pleistocene	Europe
H. s. idaltu					U.Pleistocene	Ethiopia
H. s. neanderthalensis	21 cm	1.7 m			U.Pleistocene	Libya, Morocco, Germany
H. s. palestinus						
H. s. presapiens					Recent	
H. s. proto-sapiens						England
H. s. rhodesiensis	22 cm				Pleistocene	Zambia, S Africa, Tanzania
H. semiprimigenius	see Homo sapiens					
H. s. palestinus	see Homo sapiens					Israel
H. soloensis	see Homo erectus	soloensis				Java, Indonesia
H. spelaeus	see Homo sapiens					France
H. spyensis	see Homo sapiens					Belgium
H. steiheimensis	see Homo sapiens					Germany
H. swanscombensis	see Homo sapiens					England
H. transprimigenius	see Homo sapiens					
H. t. mousteriensis	see Homo sapiens					France
H. wadjakensis	see Homo sapiens					Indonesia
Homocentrus					L.Miocene	Argentina
H. argentinus					L.Miocene	Argentina
Homopithecus	see Homo					
Homunculites	actually a Marsupial, see that Index					
H. pristinus					Colhuehuapian	Argentina
Homunculus					L-M.Miocene	Argentina, Colombia
H. ameghinoi	unsubstantiated				Santacrucian	Argentina
H. harringtoni	see Tremacebus harringtoni				Colhuehuapian	Argentina
H. imago					Santacrucian	Argentina
H. patagonicus	6 cm?				Santacrucian	Santa Cruz (ARG)
H. tatacoensis					Miocene	Colombia
Huerfanius	see Uintanius					
Huerzeleris					M-U.Eocene	Europe
H. quercyi	see Anchomomys quercyi					
Hydropithecus	see Hadropithecus?					
H. stenognathus						
Hylobates					M.Miocene-Recent	Asia, E Indies
H. fontani	see Paidopithecus rhenanus				U.Miocene	Germany
Hylopithecus	see Dryopithecus					
Hypsicebus	see Tarsius					
Ignacius					U.Paleocene-M.Eocene	W USA, W Canada
I. Cf. Fremontensis					Torrejonian-Tiffanian	Alberta (Cnda)
I. Fremontensis					Tiffanian	Wyoming (US) Alberta (Cnda)
I. Frugivorus					Tiffanian	Colorado, Wyoming (US)
I. Graybullianus (greybullianus)					Wasatchian	Wyoming (US)
I. Hemontensis						W USA
I. Mcgrewi					Wasatchian	Wyoming (US)
Indoadapis	see Sivaladapis					
Indopithecus	see Dryopithecus					
Indraloris					U.Miocene	India
I. Himalayensis (Hymalayensis)					U.Miocene	India
I. Lulli					U.Miocene	India
Indri			96 cm	10 kg	Recent	Madagascar
I. Indri	living Indri				M.Holocene-Recent	Madagascar
Indrodon	see Mixodectes					
I. Malaris	see Mixodectes malaris				Puercan	New Mexico (US)
Insignicebus	see Cercopithecus					

Genus/Species	Skull	Ht	Lt	Wt	Stage	Range
Inuus	see	Macaca				
Jattadectes					M.Eocene	Pakistan
J. mamikheli					M.Eocene	Pakistan
Javanthropus	see	Homo				
J. soloensis	see	Homo soloensis				Indonesia
Jemezius	see	Uintanius			L-M.Eocene	W USA
J. szalayi					Wasatchian	New Mexico (US)
Kalepithecus					L.Miocene	Kenya
K. songhorensis				5 kg	L.Miocene	Kenya
Kamoyapithecus					U.Oligocene	Kenya
K. hamiltoni					U.Oligocene	Kenya
Kansupithecus	nomen nudum				U.Oligocene	China
Kasi	see	Presbytis				
Kenyanthropus					M.Pliocene	Kenya
K. platyops					M.Pliocene	Lake Turkana (Kenya)
Kenyapithecus	see	Ramapithecus			U.Miocene	Kenya
K. africanus	see	Equatorius africanus				
K. sp.						
K. wickeri					U.Miocene	Kenya
Kohatius					L-M.Eocene	Pakistan
cf. Kohatius sp.					Lutetian	Shah (Pakistan)
K. coppensi					Lutetian	Pakistan
K. sp.A					Lutetian	Kuldana (Pakistan)
Komba					L-M.Miocene	E Africa
K. minor			32 cm		L.Miocene	Kenya, Uganda
K. robusta	see	Komba robustus			L.Miocene	Kenya
K. robustus			48 cm		L.Miocene	Kenya, Uganda
K. winamensis					Orleanian-Astaracian	Kenya
Kondous	see	Stirtonia			Miocene	Colombia
K. laventicus	see	Stirtonia				
Krishnapithecus	see	Pliopithecus				
Kuseracolobus					L.Pliocene	Ethiopia
K. aramisi					L.Pliocene	Ethiopia
Laccopithecus					U.Miocene	China
L. robustus					Turolian	Yunnan (China)
Lagonimico					M.Miocene	Colombia
L. concludatus					Laventan	Colombia
Langsonia					M.Pleistocene	China
Lasiopyga	see	Cercopithecus				
Laurasia	see	Anchomomys				
Laventiana	see	Saimiri?			M.Miocene	Colombia
L. annectens	3 cm?				Laventan	Colombia
Lemur					Pliocene-Recent	Madagascar
L. catta	living	Ringtailed Lemur			Holocene-Recent	Madagascar
L. insignis					Pliocene-Pleistocene	Madagascar
L. intermedius	see	Lemur insignis			Pliocene	Madagascar
L. sp.					Holocene	Madagascar
Lemuravus	see	Hyopsodus a Condylarth			(see appropriate index)	
L. distans						
Lemuridotherium	see	Archaeoindris				
Lepidilemur	see	Lepilemur				
Lepidolemur	see	Lepilemur				
Lepilemur					Recent	Madagascar
L. edwardsi	living	Sportive Lemur			Holocene-Recent	Madagascar
L. leucopus	living	Sportive Lemur			Holocene-Recent	Madagascar
L. microdon	living	Sportive Lemur			Holocene-Recent	Madagascar
L. mustelinus	living	Sportive Lemur			M.Holocene-Recent	Madagascar

Genus/Species	Skull	Ht	Lt	Wt	Stage	Range
L. sp.					Holocene	Madagascar
Leptadapis	see Adapis?			4 kg	M-U.Eocene	France
L. assolicus						
L. capellae						
L. leenhardtii						
L. magnus	12 cm			8 kg	Lutetian	France
L. priscus						
L. ruetimeyeri						
Leptocebus	see Cercocebus					
Libypithecus	12 cm				U.Miocene-L.Pliocene	Egypt
L. markgrafi	12 cm				Hemphillian	Egypt
Limnopithecus					L-M.Miocene	Kenya, Asia
L. evansi	see Limnopithecus	legetet				Kenya, Uganda
L. legetet	7.6cm?				L-M.Miocene	Kenya, Uganda
L. macinnesi	see Limnopithecus	legetet			or Dendropithecus	macinnesi
Limnotherium	see Notharctus					
L. affine (affinis)	see Notharctus	affinis			Bridgerian	Wyoming (US)
L. elegans	see Notharctus	elegans			Bridgerian	Wyoming (US)
L. tyrannus	see Notharctus	tyrannus			Bridgerian	Wyoming (US)
Litotherium	see Carpolestes				U.Paleocene	W USA
L. complicatum	see Carpolestes	nigridens				Montana (US)
Lophiolemur					Pleistocene	Madagascar
L. edwardsi	possibly	Megaladapis			Pleistocene	Madagascar
Lophocebus	see Cercocebus					
Lophocolobus	see Colobus					
Lophopithecus	see Presbytis					
Loveina					L.Eocene	W USA
L. minuta				185 g	Wasatchian	Wyoming (US)
L. sheai	see Loveina	zephyri			Wasatchian	Wyoming (US)
L. sp.					Wasatchian	Wyoming (US)
L. wapitiensis					Wasatchian	Wyoming (US)
L. zephyri				345 g	Wasatchian	Wyoming, Colorado (US)
Lufengopithecus	see Lufengpithecus				U.Miocene	China
Lufengpithecus					U.Miocene	China, Thailand
L. chiangmuanensis				70 kg	Tunggurian-Baodean	Thailand
L. hudienensis					U.Miocene	Yunnan (China)
L. keiyuanensis					U.Miocene	Yunnan (China)
L. lufengensis	16 cm?				U.Miocene	Yunnan (China)
L. yuanmouensis	see Lufengpithecus	hudienensis				
Lushius				2.9 kg	M-U.Eocene	China
L. qinlinensis					U.Eocene	China
Lyssodes	see Macaca					
Mabokopithecus	see Ramapithecus?				M.Miocene	Kenya
M. clarki					M.Miocene	Kenya
Macaca			71 cm		U.Miocene-Recent	N Africa, Europe, Asia, E Indies
M. anderssoni					L-M.Pleistocene	Shaanxi, Sichuan (China)
M. arctoides					U.Pleistocene	Jiangsu (China)
M. a. subfossilis					U.Pleistocene	Vietnam
M. cf. Fuscata					Pleistocene	Japan
M. cf. Nemestrina	possibly	Macaca	nemestrina?			
M. cf. Thibetana					Pleistocene	Guangdong (China)
M. fascicularis					U.Pleistocene-Recent	Malaysia, Java, Sarawak, Sunda Islands
M. flandrini	see Colobus	flandrini			U.Miocene	Algeria
M. florentinus (florentina)	probably	M. s. florentina			Astian-Biharian	France, Holland, Hungary, Italy
M. jiangchuanensis					L.Pleistocene	Yunnan (China)
M. libyca					U.Miocene-L.Pliocene	Egypt
M. majori	probably	M. s. majori				

Genus/Species	Skull	Ht	Lt	Wt	Stage	Range
M. mulatta					Pleistocene-Holocene	China, India, Vietnam
M. nemestrina					Holocene-Recent	Sumatra, Java, Sarawak
M. palaeindica						
M. pliocaena			71 cm		M.Pleistocene	Great Britain
M. prisca	probably	M. s. prisca			Astian	France, Germany, Hungary, Italy
M. robustus					M.Pleistocene	Shaanxi (China)
M. sivalensis					Pliocene	India
M. sp.					U.Miocene	Casablanca M(Spain)
M. sp.					U.Pleistocene	Caucasus (Russia)
M. sp.					U.Pliocene	Morocco
M. suevicus					Pliocene	Germany
M. sylvanus (sylvana)	living Barbary Ape				Biharian-Recent	Romania, Czechia
M. s. cf. Sylvanus					Pleistocene	Tunisia
M. s. florentina					U.Pliocene	France, Holland, Hungary, Italy
M. s. majori					U.Pleistocene	Sardinia
M. s. prisca					L-M.Pliocene	Italy, France, Hungary, Spain, Germany
M. trarensis					Pleistocene	Algeria
Macaco	see Macaca					
Macacus	see Macaca					
M. eocaenus	see Hyracotherium cuniculus (in Perissodactylid Index)					
M. florentinus	see Macaca florentinus				Pliocene	Italy
? Fossilis	see Macacus Innuus?				Pleistocene	France? Spain?
M. innuus	possibly Macaca sylvana					
M. pliocaenus	see Macaca pliocaena				Pliocene	England
M. priscus	see Macaca prisca				Pliocene	France
? Proinnuus	see Macacus trarensis					
M. ruscinensis	see Dolichopithecus ruscinensis					
M. sivalensis	see Macaca sivalensis				Pliocene	India
M. suevicus	see Macaca suevicus				Pliocene	Germany
? Tolosanus	see Macacus Innuus?				Pleistocene	France?Spain?
M. trarensis					Pleistocene	Algeria
Mackennamorphus	see Tetonius					
Macrobrates	see Pongo					
Macrotarsius					M.Eocene-L.Oligocene	W USA, W Canada, China
M. cf. Montanus					Duchesnean	Saskatchewan (Cnda)
M. jepseni					Uintan	Utah (US)
M. macrorhysis				1.6 kg	Lutetian	China
M. montanus	3 cm?				Uintan	Montana (US)
M. roederi					Uintan-Duchesnean	California (US)
M. seigerti					Bridgerian	Wyoming (US)
M. sp.					M.Eocene	Texas (US)
M. sp. Cf. Siegerti					Uintan	Wyoming (US)
Macrotarsus	see Tarsius					
Magotus	see Macaca					
Magus	see Macaca					
Mahgarita					U.Eocene	W USA
M. stevensi					Uintan	Texas (US)
Maimon	see Macaca					
Mamatelesus	see Ateles					
Mandrillus	see Papio					
Margarita	preoccupied, see Mahgarita					
Maueranthropus	see Homo					
M. heidelbergensis	see Homo sapiens					Germany
Mckennamorphus	see Tetonius				L.Eocene	N America
Megadelphus					L-M.Eocene	W USA
M. lundeliusi					Bridgerian	Colorado, Wyoming (US)
Megaladapis	32 cm		1.5 m	100 kg	Pleistocene-L.Holocene	Madagascar

Genus/Species	Skull	Ht	Lt	Wt	Stage	Range
M. brachycephalus	see	Megaladapis	insignis		Holocene	Madagascar
M. cf. Grandidieri/Madagascariensis					Holocene	Madagascar
M. dubius	see	Megaladapis	insignis		Holocene	Madagascar
M. edwardsi	32 cm		1.5 m	80 kg	M-U.Holocene	Madagascar
M. grandidieri	30 cm			63 kg	Holocene	Madagascar
M. insignis	see	Megaladapis	edwardsi		Holocene	Madagascar
M. madagascariensis	24.5cm			38 kg	Pleistocene-L.Holocene	Madagascar
Megalapis	see	Megaladapis				
Megalindris	see	Megaladapis				
Megamacaca	see	Pygathrix				
Meganthropus	see	Homo				
M. africanus						Tanzania
M. palaeojavanicus						Java
Megapterna	see	Picrodus				
Megatarsius	see	Europolemur				
Megopterna	see	Picrodus			M.Paleocene	W USA
M. minuta	see	Picrodus	silberlingi			Montana (US)
Melanocebus	see	Cercopithecus				
Menatherium	see	Plesiadapis			U.Paleocene	France
M. insignis	see	Plesiadapis	insignis			Menat (France)
Mesacodon	see	Microsyops				
M. speciosus					Bridgerian	Wyoming (US)
Mesoadapis						
? Brachycephalus	see	Megaladapis	edwardsi		Pleistocene	Madagascar
M. destructus	see	Megaladapis	edwardsi		Pleistocene	Madagascar
? Dubius	see	Megaladapis	edwardsi		Pleistocene	Madagascar
? Insignis	see	Megaladapis	edwardsi		Pleistocene	Madagascar
Mesopithecus	7.6 cm	20 cmq	41 cm		U.Miocene-U.Pliocene	Europe, W Asia
cf. M. pentelicus					U.Miocene	Hungary
M. aff. Pentelicus					Turolian	Greece
M. cf. Delsoni					Turolian	Bulgaria
M. cf. Monspessulanus					U.Miocene	Greece
M. cf. Pentelicus					U.Miocene-L.Pliocene	Italy, Hungary, Greece, Bulgaria
M. delsoni	see	Mesopithecus	pentelicus			Greece
M. major	see	Mesopithecus	pentelicus			
M. monspessulanus (monspesulanus)					U.Miocene-L.Pliocene	England to Romania, Greece, France
M. pentehei					U.Miocene-U.Pliocene	Europe, Asia
M. penteleicum		35 cm	85 cm?		U.Miocene	Greece
M. pentelicus (pentelici)	6.4 cm				Turolian-Ruscinian	SE Europe (widespread), Sw Asia
M. p. microdon	see	Mesopithecus	pentelicus			
M. sp.					U.Miocene-L.Pliocene	Italy
M. ukrainicus	see	Mesopithecus	pentelicus			
Mesopropithecus	10 cm			10 kg	Pleistocene-Recent	Madagascar
M. dolichobrachion	10.2cm			11 kg	M.Holocene	Madagascar
M. globiceps	9.4 cm			9 kg	M.Holocene	Madagascar
M. pithecoides	10 cm			10 kg	M.Holocene	Madagascar
Metanthropos	see	Homo				
Metanthropus	see	Homo				
Methylobates	see	Hylobates				
Micodon					M.Miocene	Colombia
M. kiotensis					Laurentan	Colombia
Microadapis					M.Eocene	Europe
M. lynnae						
M. sciureus						
Microcebus					Holocene-Recent	Madagascar
M. griseorufus	living	Mouse Lemur			Holocene-Recent	Madagascar
M. murinus	living	Mouse Lemur			Holocene-Recent	Madagascar

Genus/Species	Skull	Ht	Lt	Wt	Stage	Range
M. sp.					Holocene	Madagascar
Microchaerus	see Microchoerus					
Microchoerus			30 cm		M.Eocene-L.Oligocene	G Britain, France, Switzerland, Spain
M. creechbarrowensis					M-U.Eocene	England
M. edwardsi					U.Eocene	G Britain, France
M. erinaceus (erinaceous)	2 cm?			1.7 kg	U.Eocene	G Britain
M. ornatus	2 cm?				U.Eocene	Switzerland, Spain
M. siderolithicus	see Cryptopithecus siderolithicus (a Cimolestid, see the Marsupial index)					
M. wardi					M-U.Eocene	England
Microcolobus					U.Miocene	Kenya
M. tugenensis					U.Miocene	Kenya
Micromomys					U.Paleocene-L.Eocene	W USA, W Canada
cf. M. willwoodensis					Clarkforkian	Wyoming (US)
M. fremdi					Tiffanian	Alberta (Cnda)
M. silvercouleei					Tiffanian-Clarkforkian	Wyoming (US)
M. willwoodensis					Wasatchian	Wyoming (US)
M. vossae					U.Paleocene	Saskatchewan (Canada)
Micropithecus				4 kg	M.Miocene	Kenya, Uganda
M. clarki	6 cm?				L.Miocene	Kenya, Uganda
M. leakeyorum					M.Miocene	Kenya
M. songhorensis						
Microsyops					U.Paleocene-M.Eocene	W USA
M. angustidens					Wasatchian	Colorado (US)
M. annectens					Bridgerian-Uintan	Wyoming, Colorado, Texas (US)
M. cf. Annectens					Uintan	California, Wyoming (US)
M. cf. elegans					Wasatchian-Bridgerian	Wyoming (US)
M. cf. Scottianus					Wasatchian	Wyoming, Colorado (US)
M. cuspidatus					Bridgerian	Wyoming (US)
M. elegans					Wasatchian-Bridgerian	Wyoming (US)
M. gracilis	see Microsyops elegans?				Bridgerian	Wyoming (US)
M. knightensis					Wasatchian	Wyoming (US)
M. kratos					Uintan	California (US)
M. latidens					Wasatchian	Wyoming (US)
M. lundeliusi	see Megadelphus lundeliusi					Colorado, Wyoming (US)
M. scottianus					Bridgerian	Wyoming (US)
M. simplicidens	see Arctodontomys simplicidens					
M. sp.					Bridgerian	Colorado, Wyoming (US)
M. speciosus					Bridgerian	Wyoming (US)
M. spierianus					Wasatchian	Wyoming (US)
M. typus					Bridgerian	Wyoming (US)
M. uintensis	see Ourayia uintensis				Uintan	Utah (US)
M. verus					Bridgerian	Wyoming (US)
M. vicarius	see Hyopsodus vicarius, an Ungulate					
M. wilsoni	see Arctodontomys wilsoni					
Mioeuoticus	see Progalago				L.Miocene	Kenya, Uganda
M. bishopi			30 cm		L.Miocene	Uganda
M. shipmani	5.5cm?				L.Miocene	Kenya
M. sp. Nov.	see Mioeuoticus shipmani				L.Miocene	Kenya
Miolophus	see Platychoerops					
Miopithecus	see Cercopithecus					
Mixocebus	see Lepilemur					
Mixodectes					L-U.Paleocene	W USA
M. cf. Malaris	see Mixodectes malaris					
M. crassiculus	possibly M. crassiusculus?				Puercan	New Mexico (US)
M. crassiusculus	see Mixodectes pungens				Torrejonian	New Mexico (US)
M. malaris					Torrejonian	New Mexico (US)
M. pungens	5 cm?				Puercan-Torrejonian	New Mexico (US)

Genus/Species	Skull	Ht	Lt	Wt	Stage	Range
Moeripithecus	see	Propliopithecus?			Oligocene	Egypt, Oman
M. markgrafi	see	Propliopithecus	markgrafi?			Egypt, Oman
Mohanamico					M.Miocene	Colombia
M. hershkovitzii	4 cm?				Laventan	Colombia
Montaneia	see	Ateles				
M. anthropomorpha	invalid material	(non-fossil)				Cuba, Jamaica, Dominican Republic
Mormon	see	Papio				
Morotopithecus	see	Ugandapithecus	&	Afropithecus		Uganda
M. bishopi					Arikareean	Uganda
Mycetes	see	Alouatta				
Myrmekomomys					L.Eocene	N America
Mytonius	see	Ourayia				
M. hopsoni	see	Ourayia	hopsoni		Uintan	Utah (US)
M. travisi	see	Ourayia	travisi?	Or	Yaquius travisi?	California (US)
Nacholapithecus					M.Miocene	Kenya
N. kerioi					Astaracian	Kenya
Nannodectes					U.Paleocene	W USA
N. aff. Gidleyi					Tiffanian	
N. gazini					Tiffanian	Wyoming (US)
N. gidleyi	5 cm?				Tiffanian	Colorado (US)
N. intermedius					Tiffanian	Wyoming (US)
N. simpsoni					Tiffanian	Wyoming (US)
Nannopithecus					L-M.Eocene	England, France, Germany
N. abderhaldeni	see	Nannopithecus	raabi			
N. barnesi	see	Nannopithecus	raabi			
N. filholi				230 g	L-M.Eocene	
N. humilidens					Lutetian	Germany
N. pollicaris						
N. quaylei					Lutetian	England
N. raabi				240 g	Lutetian	Germany
N. zuccolae					Ypresian	France
Navajovius					U.Paleocene-L.Eocene	W USA
N. kohlhaasae					U.Paleocene	Colorado (US)
Necrolemur	3.6 cm		25 cm		M-U.Eocene	Europe
cf. N. sp.					Lutetian	France
N. antiquus	3.6 cm		45 cm?	320 g	M-U.Eocene	France, Switzerland
N. cartieri					U.Eocene	Switzerland
N. edwardsi					U.Eocene	France
N. parvulus					Eocene	France
N. zitteli					M-U.Eocene	France, Germany
Neocantius	see	Cantius				
N. angulatus	see	Cantius	angulatus			
N. frugivorus	see	Cantius	frugivorus			
N. venticolus	see	Cantius	venticolus			
Neocebus	see	Cercopithecus				
Neopithecus	see	Cercopithecus	or	Dryopithecus		
N. brancoi	see	Dryopithecus	brancoi			
Neopropithecus	see	Mesopropithecus			Pleistocene	Madagascar
N. globiceps	see	Mesopropithecus	globiceps			Madagascar
N. platyfrons	see	Neopropithecus	globiceps			Madagascar
Neosaimiri	see	Saimiri?			M.Miocene	Colombia
N. fieldsi	1.5cm?			840 g	Laventan	Colombia
Nesopithecus	see	Archaeolemur				
N. roberti	see	Archaeolemur	australis		Pleistocene	Madagascar
Nipponanthropus	see	Homo				
N. akasiensis	see	Homo	sapiens			Japan
Niptomomys					U.Paleocene-L.Eocene	W USA

Genus/Species	Skull	Ht	Lt	Wt	Stage	Range
N. doreenae					Wasatchian	Colorado (US)
N. thelmae						
Niptonomys	probably Niptomomys				U.Paleocene-L.Eocene	W USA
cf. N. sp.					Wasatchian	Wyoming (US)
N. doreenae					Wasatchian	Colorado (US)
N. sp.					Wasatchian	Wyoming (US)
Nocthora	see Aotus					
Nomascus	see Hylobates					
Notanthropus	see Homo					
Notharctus	7.6 cm		41 cm	7 kg	L-M.Eocene	W USA
N. affinis					Bridgerian	Wyoming (US)
N. anceps					Bridgerian	Wyoming (US)
N. cf. Venticolus					Wasatchian	Wyoming (US)
N. crassus					Bridgerian	Wyoming (US)
N. elegans					Bridgerian	Wyoming (US)
N. formosus					Bridgerian	Wyoming (US)
N. gracilis					Bridgerian	Wyoming (US)
N. limosus	see Cantius nunienus				Wasatchian	Wyoming (US)
N. matthewi	see Smilodectes gracilis				Bridgerian	Wyoming (US)
N. minutus	see Loveina minuta				Wasatchian	Wyoming (US)
N. nunienus (nunienum)	see Cantius nunienus				Wasatchian	Wyoming (US)
N. osborni	2 cm?		23 cm?			
N. pugnax					Bridgerian	Wyoming (US)
N. robinsoni					Wasatchian-Bridgerian	Colorado, Wyoming (US)
N. robustior					Bridgerian-Uintan	Wyoming, Colorado (US)
N. rostratus					Bridgerian	Wyoming (US)
N. sp.					Wasatchian-Bridgerian	Wyoming (US)
N. sp.					Bridgerian	Wyoming (US)
N. tenebrosus	2.9 cm		91 cm	3.1 kg	Bridgerian	Wyoming, Nevada, Texas (US)
N. uintensis?					Uintan	Utah (US)
N. venticolus (ventricolus)					Wasatchian	Wyoming (US)
N. tyrannus					Bridgerian	Wyoming (US)
Nothodectes	see Plesiadapis				U.Paleocene	W USA
N. dubius	see Plesiadapis dubius				Clarkforkian	Wyoming (US)
N. gidleyi	see Nannodectes gidleyi					Colorado (US)
Notoanthropus	see Homo					
N. eurafricanus	see Homo sapiens					
N. e. archaius	see Homo sapiens					Czech Republic
N. e. recens	see Homo sapiens					France, Germany
Notopithecus	actually a Notoungulate, see Condylarth Index					
N. adapinus					Paleocene	Argentina
N. fossulatus					Paleocene	Argentina
N. summus					Paleocene	Argentina
Nuciraptor					M.Miocene	Colombia
N. rubricae	3 cm?				Laventan	Colombia
Nyanzapithecus					L-M.Miocene	Kenya
N. harrisoni				10 kg?	M.Miocene	Kenya
N. pickfordi				11 kg	M.Miocene	Kenya
N. vancouveringorum (vancouver)	9 cm			11 kg	L-M.Miocene	Kenya
Nycticeboides					U.Miocene	Pakistan, India?
N. simpsoni	3 cm?				U.Miocene	Pakistan, India?
Nycticebus					L.Miocene-Recent	Thailand
N. linglom					L.Miocene	Thailand
Nyctipithecus	see Aotus					
Olbodotes	see Mixodectes					
Olbotes	probably Olbodotes, see Mixodectes					
O. copei					Wasatchian	New Mexico (US)

Genus/Species	Skull	Ht	Lt	Wt	Stage	Range
Oldobotes	probably Olbodotes, see Mixodectes					
Oligopithecus					U.Eocene-L.Oligocene	Egypt, Oman
O. rogeri					Chadronian	Oman
O. savagei	3.8 cm				Chadronian-Orellan	Egypt
Omanodon				200 g?	L.Oligocene	Oman
O. minor					L.Oligocene	Oman
Omomys					L-M.Eocene	W USA, W Canada
O. carteri	2 cm?			290 g	Wasatchian-Uintan	Wyoming, Texas, Utah, Colorado (US)
O. cf. Carteri					Uintan	California (US)
O. cf. Vespertinus					Wasatchian	Wyoming (US)
O. lloydi				255 g	Bridgerian	Utah (US)
O. minutus	see Loveina minutus				Wasatchian	Wyoming (US)
O. sheai	see Loveina zephyri				Wasatchian	Wyoming (US)
O. sp.					Uintan-Duchesnean	Saskatchewan (Cnda)
O. vespertinus	see Steinius vespertinus				Bridgerian	Wyoming (US)
Omopithecus	see Theropithecus					
O. baringensis	see Theropithecus baringensis					
O. brumpti	see Theropithecus brumpti					
O. quadratirostris	see Theropithecus quadratirostris					
Oreopithecus		122 cm			U.Miocene	Italy, Sardinia, Moldova
O. bambolii					U.Miocene	Italy, Sardinia, Moldova
Orrorin					U.Miocene-L.Pliocene	Kenya
O. tugenensis					U.Miocene-L.Pliocene	Kenya
Otaclinus	see Galago					
Otavipithecus					M.Miocene	SW Africa to Saudi Arabia
O. namibiensis					M.Miocene	Namibia
Otocebus	see Cebus					
Otogale	see Galago					
Otolemur	see Galago					
Otoleneus	see Galago					
Otolichnus	see Galago					
Otolicnus	see Galago					
Otolincus	see Galago					
Ouranopithecus	see Graecopithecus ?				U.Miocene	Greece
O. macedoniensis	see Graecopithecus freybergi?					Greece
Ourayia					M.Eocene	W USA
O. hopsoni					Uintan	Utah (US)
O. n. sp.					Uintan	California (US)
O. sp.					Uintan	California (US)
O. travisi					Uintan-Duchesnean	California (US)
O. uintensis					Uintan	Utah, Wyoming, Texas (US)
Pachylemur	see Varecia				Recent	Madagascar
P. insignis	11.7cm			10 kg	Holocene	Madagascar
P. jullyi	12.5cm			13 kg	Holocene	Madagascar
P. sp.					Holocene	Madagascar
P. sp. Cf. Jullyi					Holocene	Madagascar
Pachypithecus	may be a Notoungulate, but newer data isn't forth coming					
P. macrognathus					Puercan?	Argentina
Paidopithecus	see Dryopithecus				U.Miocene	Germany
P. rhenanus	see Dryopithecus brancoi?				possibly Dryopithecus fontani	
Palaeopropithecus						
Palaeacodon	see Microsyops					
P. vagus					Bridgerian	Wyoming (US)
P. verus					Bridgerian	Wyoming (US)
Palaeanthropus	see Homo					
P. europaeus	see Homo sapiens					Germany
P. palestinensis	see Homo sapiens					Israel

Genus/Species	Skull	Ht	Lt	Wt	Stage	Range
<i>P. palestinus</i>	see	Homo sapiens				Israel
<i>Palaechthon</i>	4 cm		30 cm		L-M.Paleocene	W USA
<i>P. alticuspis</i>					Torrejonian	Montana (US)
<i>P. minor</i>	see	<i>Palenochtha minor</i>				Montana (US)
<i>P. nacimienti</i>	see	<i>Plesiolestes nacimienti</i>				New Mexico (US)
<i>P. problematicus</i>	see	<i>Plesiolestes problematicus</i>				Wyoming (US)
<i>P. torrejonius</i>	see	<i>Plesiolestes nacimienti</i>				
<i>P. woodi</i>					M-U.Paleocene	Wyoming (US)
<i>Palaenochtha</i>	see	<i>Palenochtha</i>			M.Paleocene	W USA
<i>P. minor</i>	see	<i>Palenochtha minor</i>			Torrejonian	Montana (US)
<i>Palaeoanthropus</i>	see	Homo				
<i>P. krapinienis</i>	see	Homo sapiens				Croatia
<i>P. najarasensis</i>	see	Homo sapiens				Tanzania
<i>Palaeochirogalus</i>	probably	Lemur			Pleistocene	Madagascar
<i>P. jullyi</i>	see	<i>Lemur insignis</i>			Pleistocene	Madagascar
<i>Palaeolemur</i>	see	<i>Adapis</i>				
<i>P. betillei</i>					L.Eocene	France
<i>P. destructus</i>	see	<i>Megaladapis edwardsi</i>			Pleistocene	Madagascar
<i>Palaeopithecus</i>	see	<i>Dryopithecus</i>				
<i>P. sivalensis</i>					U.Miocene	India, Pakistan
<i>Palaeopropithecus</i>			46 cm		Recent	Madagascar
<i>P. ingens</i>	18.4cm			45 kg	U.Holocene	Madagascar
<i>P. maximus</i>	19.1cm			52 kg	U.Holocene	Madagascar
<i>P. raybaudii</i>					U.Holocene	Madagascar
<i>P. sp. Cf. Maximus/ingens</i>					Holocene	Madagascar
<i>Palaeosimia</i>	see	<i>Dryopithecus</i>				
<i>P. rugosidens</i>						
<i>Palenochtha</i>					L-M.Paleocene	W USA, W Canada
<i>P. cf. Minor</i>					Torrejonian	Alberta (Cnda)
<i>P. minor</i>					Torrejonian	Montana (US)
<i>P. weissae</i>					Torrejonian	Wyoming (US)
<i>Paleolemur</i>	see	<i>Adapis</i>				
<i>Paleopropithecus</i>					Holocene	Madagascar
<i>P. ingens</i>					Holocene	Madagascar
<i>Paleosimia</i>	see	<i>Dryopithecus</i>				
<i>Palettia</i>	see	<i>Donrussellia</i>				
<i>P. magna</i>	see	<i>Donrussellia magna</i>				
<i>Pan</i>					L.Pliocene-Recent	Africa
<i>P. troglodytes</i>	living	Chimpanzee			M.Pliocene-Recent	Africa
<i>P. t. koolokamba</i>	probably	invalid				
<i>P. t. schweinfurthi</i>					M.Pleistocene-Recent	C E Africa
<i>P. t. troglodytes</i>					M.Pleistocene-Recent	C W Africa
<i>P. t. verus</i>					U.Pliocene-Recent	C W Africa
<i>Pandemonium</i>					L.Paleocene	W USA
<i>P. dis</i>					Puercan	Montana (US)
<i>Paniscus</i>	see	<i>Ateles</i>				
<i>Panobius</i>					M.Eocene	Pakistan
<i>P. afridi</i>					Lutetian	Pakistan
<i>Papio</i>					L.Pliocene-Recent	Africa
<i>P. atlanticus</i>					Pleistocene	Algeria
<i>P. angusticeps</i>					Pleistocene	S Africa
<i>P. baringensis</i>						Kenya
<i>P. cf. Hamadryas</i>						Ethiopia
<i>P. falconeri</i>					Pliocene	India
<i>P. hamadryas</i>						
<i>P. h. izodi</i>					Pleistocene	S Africa
<i>P. h. robinsoni</i>					Pleistocene	S Africa

Genus/Species	Skull	Ht	Lt	Wt	Stage	Range
<i>P. h. ursinus</i>	living	Hamadryas	Baboon		Pleistocene-Recent	S Africa
<i>P. ingens</i>						
<i>P. izodi</i>	possibly	<i>P. h. izodi</i> ?			L.Pleistocene	S Africa
<i>P. robinsoni</i>					L.Pleistocene	S Africa
<i>P. sp.</i>					Pleistocene	India
<i>P. sp.</i>					Villafranchian	Karamaidan (Tadzhikistan)
<i>P. subhimalayanus</i>					Pliocene	India
<i>P. wellsi</i>	15 cm				L.Pleistocene	S Africa
Paraalouatta	see	Paralouatta				
<i>P. veronai</i>	see	Paralouatta	veronai			
Paracolobus					L.Pliocene-L.Pleistocene	Kenya, Ethiopia, Tanzania, Uganda
cf. <i>P. chemeroni</i>						Ethiopia
<i>P. chemeroni</i>	16 cm	60 cms			M.Pliocene	Kenya, Ethiopia
<i>P. mutiwa</i>					M.Pliocene-L.Pleistocene	Kenya, Ethiopia
Paradapis	see	Adapis				
Paradolichopithecus					U.Pliocene-Pleistocene	Romania, France, Tajikistan
<i>P. arvernensis</i>	18 cm				U.Pliocene	Romania, France, Tajikistan
Paraloris					U.Eocene	Europe
Paralouatta					L.Miocene-Recent	Cuba
<i>P. marianae</i>					L.Miocene	Cuba
<i>P. varonai (veronai)</i>	10 cm?				M-U.Holocene	Cuba
Paranthropus	see	Australopithecus				
<i>P. aethiopicus</i>						
<i>P. boisei</i>	see	Australopithecus	boisei			
<i>P. crassidens</i>					U.Pliocene-L.Pleistocene	S Africa
<i>P. robustus</i>	see	Australopithecus	robustus			S Africa
Parapapio	see	Papio?			U.Miocene-L.Pleistocene	S Africa, Angola, Ethiopia, Tanzania, Kenya
<i>P. ado</i>					Pliocene	Tanzania, Kenya
<i>P. antiquus</i>	11.5cm				L.Pleistocene	S Africa
<i>P. broomi</i>	12.5cm				L.Pleistocene	S Africa
<i>P. cf. Broomi</i>	17 cm				L.Pleistocene	S Africa
<i>P. cf. Jonesi</i>					M.Pliocene	Ethiopia, S Africa
<i>P. cf. Whitei</i>					M-U.Pliocene	Turkana (Kenya)
<i>P. coronatus</i>	see	Cercopithecoides	williamsi			
<i>P. jonesi</i>	12 cm?				L.Pleistocene	S Africa
<i>P. major</i>	see	Gorgopithecus	major			
<i>P. sp.</i>					L.Pleistocene	E & S Africa
<i>P. whitei</i>	12.5cm				L.Pleistocene	S Africa
Parapheliscus	see	Phenacolemur?			U.Paleocene	W USA
<i>P. bjorni</i>	see	Phenacolemur	pagei		U.Paleocene	Montana (US)
Parapio					L.Pleistocene	S & E Africa
Parapithecus	3.8 cm			12 kg	L-M.Oligocene	Egypt
<i>P. fraasi</i>	3.5cm?				Fayumian	Egypt
<i>P. grangeri</i>	3.8 cm				Fayumian	Egypt
Parapresbytis					U.Pliocene	Mongolia
<i>P. eohanuman</i>					U.Pliocene	Mongolia
Paratetonius	see	Tetonius				
Paraustralopithecus	see	Australopithecus				
Paromomys					L-U.Paleocene	W USA
<i>P. depressidens</i>					Torrejonian	Montana (US)
<i>P. maurus</i>					Torrejonian	Montana (US)
<i>P. sp. Cf. Depressidens</i>					Torrejonian	Utah (US)
Parvocristes					M.Eocene	Pakistan
<i>P. oligocollis</i>					M.Eocene	Pakistan
Patasola					M.Miocene	Colombia
<i>P. magdalenae</i>					Laventan	Colombia
Pavianus	see	Papio				

Genus/Species	Skull	Ht	Lt	Wt	Stage	Range
Peloriadapis	see	Megaladapis				
P. edwardsi	see	Megaladapis edwardsi				
P. filholi	see	Megaladapis madagascariensis				
Pelycodus					L.Eocene	W USA, Europe
P. abditus	see	Cantius abditus				
P. angulatus	see	Copelemur angulatus			Wasatchian	New Mexico (US)
P. cf. Frugivorus	see	Cantius cf. Frugivorus				
P. danielsae					Wasatchian	New Mexico (US)
P. frugivorus	6 cm?				Wasatchian	Wyoming, New Mexico (US)
P. helveticus					Cuisian	Switzerland
P. jarrovi				4.5 kg	Wasatchian	Wyoming, New Mexico (US)
P. mckennai	see	Cantius mckennai				
P. mentalis	see	Antiadon mentalis, in Artiodactylid Index				
P. nunienum (munienum)	see	Pelycodus frugivorus or Notharctus nunienus				New Mexico (US)
P. pelvidens	see	Chriacus pelvidens (actually this specimen belongs to a Condylarth, see Ungulates)				
P. praetutus	see	Copelemur praetutus				
P. ralstoni					Wasatchian	Wyoming (US)
P. schidelerorum	see	Pelycodus danielsae				
P. sp. Near P. ralstoni					Bridgerian	California (US)
P. trigonodus					Wasatchian	Wyoming (US)
P. tutus	6 cm?				Wasatchian	New Mexico, Wyoming (US)
P. venticolus	see	Notharctus venticolus			Wasatchian	Wyoming (US)
Periconodon					M.Eocene	Europe
P. helleri						
P. helveticus						
P. huerzleri					Lutetian	
P. jaegeri						
P. lemoinei					Ypresian	
P. pygmaeus					Lutetian	
P. roselli					Lutetian	
Petrolemur	an	Oxycloenid?, see	Notoungulate Index			
Phenacolemur				500 g?	U.Paleocene-M.Eocene	W USA, France
cf. P. sp.	see	Elwynella oreas				
P. cf. MCGrewi					Wasatchian	Wyoming (US)
P. cf. Shifrae					Uintan	California (US)
P. cf. Simonsi					Clarkforkian	Wyoming (US)
P. citatus						
P. fuscus					Ypresian	France
P. jepseni	see	cf. Simpsonlemur jepseni				Colorado, New Mexico (US)
P. lapparenti					Ypresian	France
P. pagei (pagai)	see	Dillelemur pagei			Tiffanian-Clarkforkian	Wyoming (US)
P. praecox					Wasatchian	Wyoming (US)
P. shifrae					Wasatchian	Wyoming (US)
P. simonsi					Wasatchian	Wyoming (US)
P. sp.					Wasatchian	W USA
Picrodus					L-U.Paleocene	W USA, W Canada
P. cf. Siberlingi					Tiffanian	Wyoming (US)
P. silberlingi					Torrejonian	Montana, Wyoming (US) Alberta (Cnda)
Picromomys					L.Eocene	N America
P. petersonorum						
Piliocolobus	see	Colobus				
P. badius						
Pithecanthropus	see	Homo				
P. dubius	see	Homo dubius				Java
P. erectus	see	Homo erectus			Pleistocene	Java
P. modjokertensis	see	Homo modjokertensis				
P. rudolfensis	see	Homo rudolfensis				

Genus/Species	Skull	Ht	Lt	Wt	Stage	Range
Pithecodon	probably Hadropithecus				Pleistocene	Madagascar
P. sikorai	see Hadropithecus stenognathus					Madagascar
Pitheculites	a Marsupial, see appropriate index					
P. minimus					Eocene?	Argentina
Pitheculus	a Marsupial, see appropriate index					Argentina
P. australis					L.Miocene	Argentina
Pithecus	see Macaca					
P. antiquus	see Pliopithecus antiquus					
P. australis	see Homunculus patagonicus					
P. florentinus					Pliocene	Italy
P. f. ausonius					Pliocene	Italy
P. inuus						
P. i. Fossilis					Pleistocene	Gibraltar
P. i. Tolosanus					Pleistocene	France
P. pliocaenus					Pleistocene	G Britain
P. priscus					Pliocene	France
P. suevicus					Pliocene	Germany
P. trarensis					Pleistocene	Algeria
Pithes	see Macaca					
Pithex	see Macaca					
Pivetonia	see Pseudoloris					
Plagiomene					U.Paleocene-L.Eocene	W USA
cf. P. accola					Wasatchian	Wyoming (US)
P. accola					Clarkforkian	Wyoming (US)
P. multicuspis					Wasatchian	W USA
Planetetherium			25 cm		U.Paleocene	W USA
P. mirabile					U.Paleocene	Montana (US)
Platodontopithecus					L-M.Miocene	China
P. jianghuaiensis				15 kg	L-M.Miocene	Jiangsu (China)
Platychaerops	see Platychoerops					
Platychoerops					U.Paleocene-L.Eocene	England, France
P. daubrei	10 cm?				Ypresian	France
P. richardsoni (richardsonii)					Ypresian	England
Platyodontopithecus						
P. jianghuaiensis						
Plesiadapis	10 cm		76 cm	4.5 kg	U.Paleocene-L.Eocene	France, Germany, W USA, W Canada
P. aff. Remensis					Ypresian	
P. anceps					Tiffanian	Montana (US)
P. cf. Rex					Tiffanian	Wyoming (US)
P. chevilloni					Ypresian	France
P. churchilli					Tiffanian	Wyoming (US)
P. cooki (cookei)					Clarkforkian	Wyoming (US)
P. daubrei					L.Eocene	France
P. dubius	5 cm?				Clarkforkian	Wyoming (US)
P. farisi	see Plesiadapis fodinatus					
P. fodinatus					Tiffanian-Clarkforkian	Wyoming (US)
P. gervaisi	see Plesiadapis tricuspidens					France
P. gidleyi	see Nannodectes gidleyi					Colorado (US)
P. gingerichi					Tiffanian-Clarkforkian	Wyoming (US)
P. insignis					Thanetian	France
P. jepseni	see Plesiadapis anceps					
P. paskapooensis					U.Paleocene	Alberta (Cnda)
P. pearcei	see Plesiadapis dubius				U.Paleocene	Wyoming (US)
P. praecursor					Tiffanian	Montana (US)
P. recticuspidens					U.Paleocene	Cernay (France)
P. remensis					Thanetian	France, Switzerland
P. rex	6 cm?				Tiffanian	Montana, Wyoming (US)

Genus/Species	Skull	Ht	Lt	Wt	Stage	Range
P. rubeyi	see	Plesiadapis	dubius		U.Paleocene	Wyoming (US)
P. russelli					Ypresian	
P. simonsi					Tiffanian	Wyoming (US)
P. sp.					Ypresian	Switzerland
P. tricuspiciens		25 cm	1 m?		U.Paleocene-L.Eocene	France, Switzerland
P. trouessarti					Ypresian	France
P. walbeckensis					Thanetian	Germany
Plesianthropus	see	Australopithecus				
P. transvaalensis	see	Australopithecus	transvaalensis			
Plesiolestes					L-U.Paleocene	W USA, W Canada
P. nacimienti					Torrejonian	New Mexico (US)
P. problematicus (problematica)					Torrejonian	Wyoming (US) Alberta (Cnda)
P. sirokyi	see	Torrejonia	sirokyi			
P. wilsoni	see	Torrejonia	wilsoni			
Plesiopithecus					U.Eocene	Egypt
P. teras					U.Eocene	Egypt
Plesiopliopithecus	see	Pliopithecus			M-U.Miocene	France, Austria
P. auscitanensis					Astaracian	France
P. lockeri					Astaracian	Austria
P. priensis					Vallesian	France
P. rhodanica					Astaracian	France
Pliohylobates	see	Dryopithecus			U.Miocene	Germany
P. eppelsheimensis	see	Dryopithecus	eppelsheimensis			Germany
Pliopapio					L.Pliocene	Ethiopia
P. alemui					L.Pliocene	Ethiopia
Pliopithecus		30 cm			M-U.Miocene	Europe, China
P. antiquus					Orleanian-Vallesian	Europe (widespread), Syria
P. a. auscitanensis	see	Crouzelia	auscitanensis			
P. a. chantrei					M.Miocene	France
P. auscitanensis	see	Plesiopliopithecus	auscitanensis			
P. brancoi	see	Dryopithecus	brancoi			
P. cf. Antiquus					U.Miocene	Spain, Poland
P. goeriachensis	see	Pliopithecus	platyodon			
P. hernyaki	see	Anapithecus	hernyaki?		Vallesian	
P. legetet	see	Limnopithecus	legetet			
P. lockeri	see	Plesiopliopithecus	lockeri			
P. macinnesi	see	Dendropithecus	macinnesi			
P. piveteaui	see	Pliopithecus	antiquus			France
P. platyodon					Orleanian-Vallesian	Austria, Switzerland
P. priensis					U.Miocene	Priay II (France)
P. rhodanica	see	Plesiopliopithecus	rhodanica			
P. vindobonensis	see	Epipliopithecus	vindobonensis			Slovakia
P. zhanxiangi					Tungurian	Ningxia (China)
Pogonocebus	see	Cercopithecus				
Pondaungia					M-U.Eocene	Myanmar
P. cotteri					M-U.Eocene	Myanmar
Pongo					M.Miocene-Recent	S Asia, Java, Sumatra
P. hooijeri					M-U.Pleistocene	China
Praanthropus	see	Homo				
Praeanthropus	see	Australopithecus				
Praehomo	see	Homo				
P. europaeus	see	Homo	sapiens			Germany
P. heidelbergensis	see	Homo	sapiens			Germany
Premnoides					L-M.Paleocene	W USA
P. douglassi					Torrejonian	Wyoming (US)
Presbypithecus	see	Presbytis				
Presbytis					U.Miocene-Recent	S Asia, E Indies, India

Genus/Species	Skull	Ht	Lt	Wt	Stage	Range
<i>P. comata</i>					M.Pleistocene	Java
<i>P. sivalensis</i>					U.Pliocene	India, Pakistan
<i>Presbytiscus</i>	see <i>Pygathrix</i>					
<i>Proanthropus</i>	see <i>Homo</i>					
<i>Procolobus</i>	see <i>Colobus</i>					
<i>Proconsal</i>	see <i>Proconsul</i>					
<i>Proconsul</i>	20 cm	1.8 m		36 kg+	L-M.Miocene	Kenya, Uganda
<i>P. africanus</i>	8 cm			20 kg?	L.Miocene	Kenya
<i>P. gordonii</i>	12 cm				L.Miocene	Kenya
<i>P. hamiltoni</i>	see <i>Kamoyapithecus hamiltoni</i>					Kenya
<i>P. heseloni</i>	13 cm			20 kg	L.Miocene	Kenya
<i>P. major</i>	20 cm	1 m+		90 kg	Arikareean	Uganda, Kenya
<i>P. nyanzae</i>				50 kg?	L.Miocene	Kenya
<i>P. sp.</i>						
<i>P. vancouveringi</i>	see <i>Nyanzapithecus vancouveringorum</i>					Kenya
<i>Procynocephalus</i>					U.Pliocene-L.Pleistocene	India, China
<i>P. pinjorii</i>	see <i>Procynocephalus subhimalayanus</i>					
<i>P. subhimalayensis</i>					Pleistocene	India
<i>P. wimani</i>					U.Pliocene	Henan (China)
<i>Progalago</i>			76 cm		L.Miocene	E Africa
<i>P. doraе</i>			76 cm		L.Miocene	Kenya, Uganda
<i>P. minor</i>	see <i>Komba minor</i>				L.Miocene	Kenya
<i>P. robustus</i>	see <i>Komba robustus</i>				L.Miocene	Kenya
<i>P. shipmani</i>	see <i>Mioeoticus shipmani</i>					
<i>P. songhorensis</i>			66 cm		L.Miocene	Kenya
<i>Prohylobates</i>					L-M.Miocene	Libya, Egypt, Kenya
<i>P. n.sp.</i>					M.Miocene	Kenya
<i>P. simonsi</i>					M.Miocene	Libya
<i>P. tandyi</i>					L.Miocene	Egypt
<i>Pronothodectes</i>					L-U.Paleocene	W USA, W Canada
<i>P. cf. Matthewi</i>					Torrejonian	Montana (US)
<i>P. gaoi</i>					Torrejonian	Alberta (Cnda)
<i>P. intermedius</i>	see <i>Nannodectes intermedius</i>					Wyoming (US)
<i>P. jepi</i>					Torrejonian	Wyoming (US)
<i>P. matthewi</i>	4 cm?				Torrejonian	Montana (US) Alberta (Cnda)
<i>P. simpsoni</i>	see <i>Nannodectes simpsoni</i>					Wyoming (US)
<i>Pronycticebus</i>					L-U.Eocene	Germany, France
<i>P. gaudryi</i>	6 cm?				Bartonian	France
<i>P. neglectus</i>	see <i>Godinotia neglectus</i>				Bartonian	Germany
<i>Propithecus</i>			110 cm	7 kg	Pleistocene-Recent	Madagascar
<i>P. diadema</i>	living <i>Diademed Sifaka</i>				Holocene-Recent	Madagascar
<i>P. sp.</i>					Holocene	Madagascar
<i>P. tattersalli</i>	living <i>Sifaka</i>				Holocene-Recent	Madagascar
<i>P. verreauxi</i>	living <i>Sifaka</i>				Pleistocene-Recent	Madagascar
<i>P. v. fossilis</i>	see <i>Propithecus verreauxi</i>				Pleistocene	Madagascar
<i>Propliopithecus</i>	7 cm		41 cm		U.Eocene-M.Oligocene	Egypt, Oman
<i>P. ankei</i>	5 cm?				L-M.Oligocene	Egypt
<i>P. chirobates</i>	3 cm?				L-M.Oligocene	Egypt
<i>P. haeckeli</i>					L-M.Oligocene	Egypt
<i>P. markgrafi</i>	may belong back in <i>Moeripithecus</i>					Egypt
<i>Propotto</i>						Africa
<i>P. leakeyi</i>						
<i>Prosimia</i>	see <i>Tarsius</i>					
<i>Prosinopa</i>	see <i>Notharctus</i>					
<i>P. eximia</i>					Wasatchian	Wyoming (US)
<i>Protadapis</i>	see <i>Protoadapis</i>					
<i>Protanthropus</i>	see <i>Homo</i>					

Genus/Species	Skull	Ht	Lt	Wt	Stage	Range
<i>P. tabunensis</i>	see	Homo	sapiens			Israel
Proteopithecus				540 g	U.Eocene-M.Oligocene	Egypt
<i>P. sylviae</i>	2.5cm?				Fayumian	Egypt
Proteropithecia					M.Miocene	Argentina
<i>P. neuquenensis</i>					Friasian-Colloncuran	Neuquen (ARG)
Protoadapis					L-U.Eocene	Europe
<i>P. angustidens</i>						
<i>P. brachyrhynchus</i> (brachyrhy)	see	Cercamonius	brachyrhynchus			
<i>P. copei</i>					Ypresian	France
<i>P. crassicuspidens</i>					Ypresian	France
<i>P. curvicuspidens</i>					Ypresian	France
<i>P. filholi</i>						
<i>P. ignoratus</i>						
<i>P. klatti</i>					Lutetian	
<i>P. lemoinei</i>						
<i>P. louisi</i>	see	Donrussellia	louisi		Ypresian	
<i>P. muechelnsis</i>						
<i>P. recticuspidens</i>					Ypresian-Lutetian	France
<i>P. russelli</i>	see	Donrussellia	russelli		Ypresian	
<i>P. ulmensis</i>						
<i>P. weigelti</i>					Lutetian	
Protoanthropus	see	Homo				
<i>P. atavus</i>	see	Homo	sapiens			Germany
<i>P. heidelbergensis</i>	see	Homo	sapiens			Germany
Protoindris	probably	Archaeolemur				
? <i>Globiceps</i>	see	Archaeolemur	australis			
? <i>Majori</i>	see	Archaeolemur	australis			
Protomomys	see	Teilhardina				
Protopithecus	see	Pliopithecus?			U.Pleistocene-L.Holocene	Brazil, Argentina
<i>P. bonariensis</i>	nomen nudum				U.Pleistocene	Argentina
<i>P. brasiliensis</i>	4 cm?				U.Pleistocene-L.Holocene	Brazil
Pseudocebus	see	Cebus				
Pseudohomo	see	Homo				
<i>P. heidelbergensis</i>	see	Homo	sapiens			Germany
Pseudoloris					M.Eocene-L.Oligocene	Spain, France
<i>P. crusafonti</i>					Lutetian	France
<i>P. godinatti</i>					Suevian	Spain
<i>P. isabena</i>					Lutetian	Spain
<i>P. parvulus</i>				90 g		
<i>P. requanti</i>						
Pseudotetonius	see	Tetonius			L.Eocene	W USA
<i>P. ambiguus</i>	2.4cm?			350 g	Wasatchian	Wyoming, Colorado (US)
<i>P. antiquus</i>						
Pterolemur					U.Paleocene	E Asia
Pulverflumen					L.Eocene	N America
Purgatorius			10 cm		U.Cretaceous-L.Paleocene	W USA
<i>P. ceratops</i>					Puercan	Montana (US)
<i>P. janisae</i>						
<i>P. titusi</i>					Puercan-Torrejonian	Montana (US)
<i>P. unio</i>					Puercan	Montana (US)
Pygathrix					L.Pleistocene-Recent	China
<i>P. cf. Nemaus</i>					Pleistocene	Guangdong (China)
<i>P. sp.</i>						China
Qatrania				170 g	U.Eocene-M.Oligocene	Egypt
<i>Q. fleaglei</i>					Fayumian	Egypt
<i>Q. wingi</i>					Fayumian	Egypt
Qatratia	invalid	spelling of	Qatrania			

Genus/Species	Skull	Ht	Lt	Wt	Stage	Range
<i>Q. wingi</i>						
Rabienus	see	Tarsius				
Rahonapithecus	see	Dryopithecus				
<i>R. sabadellensis</i>	see	Dryopithecus	laietanus			
Ramapithecus	see	Sivapithecus?			M-U.Miocene	Kenya, India, Pakistan, Greece, Turkey, Hungary
<i>R. brevirostris</i>					M-U.Miocene	India
<i>R. hudienensis</i>	see	Lufengpithecus	hudienensis			China
<i>R. hungaricus</i>					M-U.Miocene	Hungary
<i>R. lufengensis</i>	probably	Lufengpithecus	lufengensis			
<i>R. punjabicus</i>					M-U.Miocene	India, Pakistan
<i>R. wickeri</i>	see	Kenyapithecus	wickeri			Kenya
Rangwapithecus	see	Dryopithecus				
<i>R. gordonii</i>					L.Miocene	Kenya
<i>R. sericus</i>	see	Anapithecus	hernyaki			
<i>R. vancouveringi</i>	see	Dryopithecus	vancouveringi			
Rencunius	see	Hoanghoni			M.Eocene	China
<i>R. zhoui</i>					M.Eocene	Henan (China)
Rhenopithecus	see	Dryopithecus				
<i>R. eppelsheimensis</i>					U.Miocene	Eppelsheim (Germany)
Rhesus	see	Macaca				
Rhinocolobus					U.Pliocene	Kenya, Ethiopia
<i>R. turkanensis (turkanaensis)</i>					M-U.Pliocene	Kenya, Ethiopia
Rhinopithecus					L.Pleistocene-Recent	China
<i>R. lantianensis</i>					L.Pleistocene	Shaanxi, Hubei (China)
<i>R. roxellana (roxellanae)</i>					M.Pleistocene	Henan (China)
<i>R. r. tingianus</i>	7 cm?				M-U.Pleistocene	Sichuan (China)
<i>R. tingianus</i>	see	<i>R. r. tingianus</i>			M.Pleistocene	Henan (China)
<i>R. sp.</i>						China
Rhinostigma	see	Cercopithecus				
Rooneyia					U.Eocene-L.Oligocene	W USA
<i>R. viejaensis</i>	4.8cm?				Chadronian-Orellan	Texas (US)
Rubienus	see	Tarsius				
Rudapithecus	see	Ramapithecus				Hungary
<i>R. hungaricus</i>	see	Dryopithecus	carinthiacus			Hungary
Sahelanthropus					U.Oligocene	Chad
<i>S. tchadensis</i>					Chattian	Chad
Saimiri					M.Miocene-Recent	S America
<i>S. bernensis</i>	see	Antillothrix	bernensis			Dominican Republic
<i>S. fieldsi</i>						
Saimiris	see	Saimiri				
Salmacis	see	Macaca				
Samburupithecus					U.Miocene	Kenya
<i>S. kiptalami</i>					Tortonian	Kenya
Sapajou	see	Cebus				
Sapaju	see	Cebus				
Sapajus	see	Cebus				
Satyrus	see	Hylobates				
Saxonella					U.Paleocene	Germany, W Canada
<i>S. crepaturae</i>	2.5cm?				Tiffanian	Germany
<i>S. naylori</i>					Tiffanian	Alberta (Canada)
Sciurocheirus	see	Galago				
Semnopithecus					Pliocene-Recent	SE Asia
<i>S. entellus</i>	living	Hanuman	Langur		Pleistocene-Recent	India
<i>S. e. fossilis</i>					Pleistocene	India
<i>S. eppelsheimensis</i>	see	Rhenopithecus	eppelsheimensis			
<i>S. monspessulanus</i>	see	Mesopithecus	monspessulanus			France, Italy
<i>S. palaeindicus</i>					Pliocene-L.Pleistocene	India, Pakistan

Genus/Species	Skull	Ht	Lt	Wt	Stage	Range
<i>S. priamus</i>	see <i>Semnopithecus entellus</i>					India
<i>S. sivalensis</i>	see <i>Presbytis sivalensis</i>					India
Serapia				720 g	U.Eocene-M.Oligocene	Egypt
<i>S. eocaena</i>	2.5cm?				Fayumian	Egypt
Shizarodon					L.Oligocene	Oman
<i>S. dhofarensis</i>					L.Oligocene	Oman
Shoshonius					L.Eocene	W USA
<i>S. bowni</i>					Bridgerian	Wyoming (US)
<i>S. cf. Cooperi</i>	see <i>Shoshonius bowni</i>					
<i>S. cooperi</i>	4 cm?			325 g	Wasatchian-Bridgerian	Wyoming, Colorado (US)
Siamopithecus					U.Eocene	Thailand
<i>S. eocaenus</i>	14 cm?				U.Eocene	Thailand
Silenus	see <i>Macaca</i>					
Simia	see <i>Pongo</i>					
<i>S. satyrus</i>						
<i>S. s. fossilis</i>					Pliocene	India
Simiolus					L-M.Miocene	Kenya
<i>S. enjiessi (enjienssi)</i>				6 kg	L.Miocene	Kenya
<i>S. n.sp.</i>					L.Miocene	Fort Ternan (Kenya)
Simonsia					M.Eocene	Europe
Simonsius	see <i>Parapithecus</i>			1.8 kg		
<i>S. grangeri</i>	see <i>Parapithecus grangeri</i>				Fayumian	Egypt
Simopithecus	see <i>Theropithecus</i>				Pliocene	Africa, Asia
<i>S. darti</i>	see <i>Theropithecus darti</i>					
<i>S. jonathani</i>		1 m q			Pliocene	Tanzania
<i>S. oswaldi</i>	see <i>Theropithecus oswaldi</i>					
Simpsonlemur					L.Eocene	W USA
cf. <i>S. jepseni</i>					Wasatchian	Colorado (US)
Sinanthropus	see <i>Homo</i>				Pleistocene	E Asia
<i>S. lantianensis (latianensis)</i>	see <i>Homo erectus</i>					China
<i>S. officinalis</i>	see <i>Homo erectus</i>					Hong Kong
<i>S. pekinensis</i>	see <i>Homo erectus pekinensis</i>					China
Sinoadapis					U.Miocene	China
<i>S. carnosus</i>					U.Miocene	Yunnan (China)
<i>S. shihuibaensis</i>					U.Miocene	Yunnan (China)
Sinopithecus	see <i>Dryopithecus</i>					
Sivaladapis				7 kg?	M-U.Miocene	India, Pakistan
<i>S. nagrii</i>					U.Miocene	India
<i>S. palaeindicus</i>					L-M.Miocene	Pakistan, India
Sivapithecus	25 cm	1.5 m?			M-U.Miocene	Turkey, India, Pakistan, China, E Africa
<i>S. africanus</i>	see <i>Proconsul nyanzae</i>					E Africa, Turkey
<i>S. aiyengari</i>	see <i>Dryopithecus</i>					
<i>S. alpani</i>	see <i>Griphopithecus alpani</i>					
<i>S. darwini</i>	see <i>Griphopithecus alpani</i>					Turkey, Czech Republic
<i>S. indicus (indica)</i>	see <i>Sivapithecus sivalensis?</i>					Pakistan, India
<i>S. lewisi</i>						
<i>S. lufengensis</i>	probably <i>Lufengpithecus lufengensis</i>					China
<i>S. meteai</i>	see <i>Ankarapithecus meteai</i>					Turkey
<i>S. occidentalis</i>	see <i>Dryopithecus laietanus</i>					
<i>S. parvada</i>	14 cm?				U.Miocene	Pakistan
<i>S. punjabicus</i>					M-U.Miocene	Nepal
<i>S. simonsi</i>					U.Miocene	Pakistan or India
<i>S. sivalensis</i>	15 cm?				U.Miocene	Pakistan, India
<i>S. yunnanensis (yuanmouensis)</i>					L.Pliocene	Yunnan (China)
Sivasimia	see <i>Pongo</i>					
Smilodectes	5.6 cm		52 cm		L-M.Eocene	W USA, Europe
<i>S. gingerichi</i>						

Genus/Species	Skull	Ht	Lt	Wt	Stage	Range
<i>S. gracilis</i>	5.6 cm		52 cm	2 kg	Bridgerian	Wyoming (US)
<i>S. mcgrewi</i>					Bridgerian	Wyoming (US)
<i>Soriacebus</i>					L.Miocene	Argentina
<i>S. adrianae</i>					Santacrucian	Santa Cruz (ARG)
<i>S. ameghinorum</i>	3 cm?			1.8 kg	Santacrucian	Santa Cruz (ARG)
<i>Sphacorhysis</i>					M.Eocene	W USA
<i>S. burntforkensis</i>	1 cm?				Bridgerian	Wyoming (US)
<i>Stachycolobus</i>	see <i>Colobus</i>					
<i>Steinius</i>					L.Eocene	W USA
<i>S. annectens</i>				605 g	Wasatchian	Wyoming (US)
<i>S. cf. Vespertinus</i>					Wasatchian	Wyoming (US)
<i>S. vespertinus</i>				355 g	Wasatchian	Wyoming (US)
<i>Stirtonia</i>					M-U.Miocene	Colombia
<i>S. tatacoensis</i>	1.6cm?				Laventan	Colombia
<i>S. victoriae</i>					Laventan	Colombia
<i>Stockia</i>					M.Eocene	W USA
<i>S. powayensis</i>	2 cm?				Uintan	California (US)
<i>Stolicnus</i>	see <i>Galago</i>					
<i>Strigorhysis</i>	see <i>Absarokius</i>				M.Eocene	W USA
<i>S. bridgeriensis</i> (bridgerensis)				445 g	Bridgerian	Wyoming, Colorado (US)
<i>S. huerfanensis</i>					Bridgerian	Colorado (US)
<i>S. rugosus</i>					Bridgerian	Wyoming (US)
<i>Subunicuspidens</i>	see <i>Platychoerops</i>					
<i>Sugrivapithecus</i>	see <i>Dryopithecus</i>					
<i>Symnocebus</i>	see <i>Cercocebus</i>					
<i>Symphalangus</i>	see <i>Hylobates</i>					
<i>Szalatavus</i>	see <i>Branisella</i>				U.Oligocene	Bolivia
<i>S. attricuspis</i>	see <i>Branisella boliviana</i>				Deseadan	Bolivia
<i>Szechuanopithecus</i>	see <i>Macaca</i>					
<i>Tabelia</i>					L.Eocene	Algeria
<i>T. hammadae</i>					L.Eocene	Algeria
<i>Talpohenach</i>	see <i>Plesiolestes</i>				M.Paleocene	W USA
<i>T. torrejoni</i> (torrejonia)	see <i>Plesiolestes nacimienti</i>					New Mexico (US)
<i>Tarka</i>					M.Eocene	N America
<i>Tarkadectes</i>					M-U.Eocene	N America
<i>Tarsier</i>	see <i>Tarsius</i>					
<i>Tarsius</i>					M.Eocene-Recent	Borneo, Thailand, China
<i>T. bancanus</i>	living <i>Tarsier</i>				Recent	Borneo
<i>T. eocaenus</i>					Lutetian	China
<i>T. syrichta</i>					Lutetian-Recent	China
<i>T. thailandica</i>					L.Miocene	Thailand
<i>Tatmanius</i>					L.Eocene	W USA
<i>T. szalayi</i>					Wasatchian	Wyoming (US)
<i>Tchadanthropus</i>	see <i>Homo</i>				Pliocene	Chad
<i>T. uxoris</i>					Pliocene	Chad
<i>Teilhardina</i>				75 g	L.Eocene	Europe, USA, China
<i>T. americana</i>				215 g	Wasatchian	Wyoming (US)
<i>T. asiatica</i>					Gashatan-Bumbanian	China
<i>T. belgica</i>				160 g	Ypresian	Belgium?
<i>T. brandti</i>					Wasatchian	Wyoming (US)
<i>T. crassidens</i>				215 g	Wasatchian	Wyoming (US)
<i>T. demissa</i>					Wasatchian	Wyoming (US)
<i>T. gallica</i>	see <i>Donrussellia gallica</i>				Neusterian	France
<i>T. sp.</i>					Wasatchian	Colorado (US)
<i>T. tenuicula</i>					Wasatchian	Wyoming (US)
<i>Telanthropus</i>	see <i>Homo</i>					
<i>T. capensis</i>	see <i>Homo sapiens capensis</i>					S Africa

Genus/Species	Skull	Ht	Lt	Wt	Stage	Range
Telmalestes	see	Notharctus				
Telmatolestes	see	Notharctus				
T. crassus	see	Notharctus crassus			Bridgerian	Wyoming (US)
Tetonius	3 cm		25 cm		L.Eocene	W USA
T. homunculus	see	Tetonius matthewi			Wasatchian	Wyoming, Colorado (US)
T. matthewi	1.7cm?			380 g	Wasatchian	Wyoming, Colorado (US)
T. mckennai					Wasatchian	Colorado (US)
T. rex	see	Plesiadapis rex				
T. sp.					Wasatchian	Wyoming (US)
Tetonoides	see	Tetonius			L.Eocene	W USA
T. pearcei				175 g		
T. sp.	see	Anemorhysis pearcei				
Thaumastolemur	see	Palaeopropithecus			Pleistocene	Madagascar
T. grandidieri					Pleistocene	Madagascar
Theropithecus		1 m	122 cm		L.Pliocene-Recent	Africa
T. atlanticus					U.Pliocene	Morocco
T. baringensis	9 cm?					
T. brumpti	14 cm?				Pliocene-L.Pleistocene	Ethiopia, Kenya
T. cf. Darti					M.Pliocene	Ethiopia
T. cf. Oswaldi					U.Pleistocene	Tanzania
T. darti	14 cm				L.Pleistocene	S Africa, Ethiopia, Kenya, Tanzania
T. delsoni	see	Theropithecus oswaldi delsoni				India
T. oswaldi		1 m		100 kg	L-M.Pleistocene	Kenya, Spain, India
T. o. cf. Darti						Ethiopia
T. o. cf. Leakeyi						Ethiopia
T. o. delsoni					L-M.Pleistocene	India
T. o. leakeyi					L-U.Pleistocene	Algeria, Morocco, Kenya, Tanzania, Ethiopia, Uganda
T. o. oswaldi					U.Pliocene-L.Pleistocene	Spain, Kenya, Tanzania, Ethiopia, Uganda, S Africa
T. quadratirostris (quadrirostris)					Pliocene	Ethiopia
Thinolestes	see	Notharctus				
T. anceps	see	Notharctus anceps			Bridgerian	Wyoming (US)
Thylacaelurus					M-U.Eocene	W Canada
T. campester					Uintan-Duchesnean	Saskatchewan (Cnda)
Tinimomys					U.Paleocene-L.Eocene	W USA
T. graybulliensis	1.5cm?				Wasatchian	Wyoming (US)
Tomitherium	see	Notharctus				
T. affine (affinis)	see	Notharctus affinis			Bridgerian	Wyoming (US)
T. frugivorum	see	Pelycodus frugivorus?				
T. jarrovii	see	Pelycodus jarrovii?				
T. rostratum (rostratus)	see	Notharctus rostratus			Bridgerian	Wyoming (US)
T. tutum	see	Pelycodus tutus?				
T. tyrannus					Bridgerian	Wyoming (US)
Torrejonia	see	Plesiolestes			M.Paleocene	W USA
T. sirokyi					Torrejonian	Wyoming (US)
T. wilsoni					Torrejonian	New Mexico (US)
Trachypithecus	see	Presbytis			U.Pliocene-Recent	China, Java, Sumatra, Sarawak
T. auratus					U.Pliocene-Recent	
T. a. robustus					M.Pleistocene	Java
T. a. sangiranensis					U.Pliocene	Java
T. cf. Phayrei					L.Holocene	China
Tremacebus			1 m		U.Oligocene-L.Miocene	Argentina
T. harringtoni	5.8cm?				Colhuehuapian	Argentina
Tricuspidens	see	Plesiadapis				
Trogolemur					M-U.Eocene	W USA, W Canada
T. amplior					Bridgerian	Wyoming (US)
T. fragilis					Bridgerian	Wyoming (US)
T. leonardi					Duchesnean	Saskatchewan (Cnda)

Genus/Species	Skull	Ht	Lt	Wt	Stage	Range
T. myodes	2.4cm?			150 g	Bridgerian	Nevada (US)
T. sp.					Duchesnean	Saskatchewan (Cnda)
Trogolemus	see Trogolemur?				M-U.Eocene	N America
Tropicolobus	see Colobus					
Turkanapithecus					L.Miocene	Kenya
T. kalakolensis				10 kg	L.Miocene	Kenya
Udabnopithecus	see Dryopithecus				U.Miocene	Georgia
U. garedziensis	see Dryopithecus fontani				Turolian	Georgia
Ugandapithecus					L.Miocene	Uganda
U. major					L.Miocene	Uganda
Uintanius				100 g	L-M.Eocene	W USA
U. ameghini	see Uintanius rutherfordi				Wasatchian-Bridgerian	Colorado, Wyoming (US)
U. rutherfordi	2 cm?			195 g	Wasatchian-Bridgerian	Colorado, Wyoming (US)
Uintalacus	see Tetonius					
Uintasorex					L-U.Eocene	W USA, W Canada
U. cf. Parvulus					Wasatchian-Bridgerian	Wyoming (US)
U. montezumicus					Uintan	California (US)
U. parvulus					Wasatchian-Bridgerian	Wyoming (US)
U. sp.					Uintan-Duchesnean	Nevada, California, Wyoming (US) Saskatchewan (Cnda)
Utahia					L-M.Eocene	W USA
U. kayi				265 g	Wasatchian-Bridgerian	Wyoming, Utah (US)
Varecia					Holocene-Recent	Madagascar
V. insignis					Holocene	Madagascar
V. variegata	living Ruffed Lemur				Holocene-Recent	Madagascar
Vetulus	see Macaca					
Victoriapithecus				5 kg	L-M.Miocene	Kenya
V. leakeyi	see V. macinnesi				M.Miocene	Kenya
V. macinnesi	12 cm?				M.Miocene	Kenya, Uganda, Zaire
Wadilemur					U.Eocene	Egypt
W. elegans					U.Eocene	Egypt
Wailekia					U.Eocene	Thailand
W. orientale (orientalis)				1.5 kg	U.Eocene	Thailand
Washakius					L-U.Eocene	W USA
W. insignis				355 g	Wasatchian-Bridgerian	Wyoming, Colorado, California (US)
W. izetti					Bridgerian	Colorado, Wyoming (US)
W. laurae					Bridgerian	Wyoming (US)
W. sp.						
W. woodringi					Uintan	California (US)
Washakus	probably Washakius				M.Eocene	N America
Worlandia					U.Paleocene-L.Eocene	W USA
W. inusitata					Clarkforkian	Wyoming (US)
Wyomomys					M.Eocene	W USA
W. bridgeri					Bridgerian	Wyoming (US)
Xanthorhysis					M.Eocene	China
X. tabrumi	2 cm?				Lutetian	China
Xenothrix					U.Pleistocene-Recent	Jamaica
X. mcgregori	4 cm?				U.Holocene	Jamaica
Xenopithecus	see Proconsul				M.Miocene	Kenya
X. hamiltoni	see Proconsul hamiltoni					
X. koruensis	see Proconsul africanus					Kenya
Xeonpithecus	see Dryopithecus, probably Xenopithecus					
Yamanius	probably Yumanius, see Washakius					
Yaquiis					M.Eocene	W USA
Y. travisi					Bridgerian	California (US)
Yumanius	see Washakius					
Zanycteris	5 cm?				U.Paleocene	W USA
Z. paleocena (paleocenus)					U.Paleocene	Colorado (US)

Genus/Species	Skull	Ht	Lt	Wt	Stage	Range
Zati	see	Macaca				
Zinjanthropus	see	Australopithecus				
Z. boisei	see	Australopithecus boisei				