

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
Adzhosuchus					U. Jurassic	Mongolia
<i>A. fuscus</i>					U. Jurassic	Mongolia
Aegyptosuchus					U. Cretaceous	Egypt
<i>A. peyeri</i>					Cenomanian	Egypt
Aelodon	see Aeolodon					
Aeollodon	see Aeolodon					
Aeolodon					U. Jurassic	Germany
<i>A. priscus</i>	16 cm		1.2 m?		Kimmeridgian	Germany
Aggiosaurus					U. Jurassic	France
<i>A. nicaeensis</i>					U. Jurassic	France
Aigialosuchus					U. Cretaceous	Sweden
<i>A. villandensis</i>					Campanian	Sweden
Akanthosuchus					Paleocene	W USA
<i>A. langstoni</i>					Torrejonian	New Mexico (US)
Akantosuchus	see Akanthosuchus					
<i>A. langstoni</i>	see Akanthosuchus		langstoni			
Albertochampsia	20 cm		1.6 m?		U. Cretaceous	Canada
<i>A. langstoni</i>	20 cm		1.6 m?		Campanian	Alberta (Cnda)
Aligator	see Alligator					
Alligator			5.8 m		Oligocene-Recent	N America, China
<i>A. ameghinoi</i>						
<i>A. australis</i>	see Proalligator		paranensis?			
<i>A. cuvieri</i>	see Alligator		mississippiensis			
<i>A. darwini</i>	see Diplocynodon		darwini			
<i>A. gaudryi</i>	see Arambourgia		gaudryi			
<i>A. hantoniensis</i>	see Diplocynodon		hantoniensis			
<i>A. helois</i>	see Alligator		mississippiensis			
<i>A. heterodon</i>	see Crocodylus		heterodon			Allognathosuchus heterodon
<i>A. lacordairei</i>	see Crocodylus		acutus			
<i>A. lucius</i>	see Alligator		mississippiensis			
<i>A. lutescens</i>	see Caiman		lutescens			
<i>A. mcgrewi</i>			2 m		Barstovian	Nebraska (US)
<i>A. mefferdi</i>					Clarendonian	Nebraska (US)
<i>A. mississippiensis</i>	living American		Alligator		M. Miocene-Recent	Florida, Nebraska, Missouri, Georgia (US)
<i>A. olseni</i>	25 cm		2.5 m?		Hemingfordian	Florida (US)
<i>A. parahybensis</i>					Pliocene	Sao Paulo (Brazil)
<i>A. prenasalis</i>			76 cm		Chadronian	S Dakota (US)
<i>A. sp.</i>					Arikareean	Texas (US)
<i>A. sp.</i>					Barstovian	Texas (US)
<i>A. sp.</i>					Duchesnean	Texas (US)
<i>A. sp.</i>					Miocene	Nebraska (US)
<i>A. styriacus</i>	see Crocodylus		styriacus			
<i>A. thompsoni</i> (thomsoni)	36 cm		2.15 m		Barstovian	Nebraska (US)
<i>A. visheri</i>			2 m		Chadronian	S Dakota (US)
Alligatorellus			30 cm		U. Jurassic	Germany
<i>A. beaumonti</i>			30 cm		U. Jurassic	Germany, France
<i>A. b. bavaricus</i>			30 cm		Tithonian	Germany
<i>A. b. beaumonti</i>			24 cm		U. Jurassic	France
Alligatorium					U. Jurassic-L. Cretaceous	Europe
<i>A. depereti</i>	see Montsecosuchus		depereti			Spain
<i>A. franconicum</i>					U. Jurassic	Germany
<i>A. meyeri</i>	40 cm		3.2 m?		U. Jurassic	France
<i>A. paintenense</i>					U. Jurassic	Germany
Allodaposuchus					U. Cretaceous	Romania, France
<i>A. affuvelensis</i>	see Allodaposuchus		precedens			France
<i>A. cf. Affuvelensis</i>	see Allodaposuchus		precedens			
<i>A. precedens</i>	33 cm?				Maastrichtian	Romania

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
Allognathosuchus					Paleocene-Eocene	France, W USA, Germany, Spain, England
cf. A. sp.					Campanian	New Jersey (US)
A. brevirostris						
A. cf. Haupti					Wasatchian	Haute-Var ( )
A. gaudryi					U.Eocene	Quercy (France)
A. haupti					Lutetian	Germany
A. heterodon					Wasatchian-Bridgerian	Wyoming (US)
A. mooki					Torrejonian	New Mexico (US)
A. novomexicanus					Torrejonian	New Mexico (US)
A. polyodon					Bridgerian	Wyoming, Colorado (US)
A. riggsi					Chadronian	S Dakota (US)
A. sp.					Wasatchian-Bridgerian	Wyoming (US)
A. sp.					Puercan	New Mexico (US)
A. sp.					Lutetian	Purga di Bolca (Italy)
A. sp.					Bridgerian	Texas (US)
A. weigelti						
A. wartheni (wertheni)					Wasatchian	Wyoming (US)
Amargasuchus					L.Cretaceous	Argentina
A. minor					Hauterivian	Neuquen (ARG)
Amphicotylus	see Goniopholis					
A. lucasii	see Goniopholis lucasii				Tithonian	Colorado (US)
Anatosuchus					L.Cretaceous	Niger
A. minor	10 cm		70 cm?		Aptian-Albian	Niger
Anglosuchus					U.Jurassic	England
A. geoffroyi					Bathonian	England
A. laticeps					Bathonian	England
Arambourgia	see Allognathosuchus					
A. gaudryi	12 cm		1 m?		U.Eocene	Quercy (France)
Araripesuchus			64 cm		L-U.Cretaceous	Brazil, Madagascar, Niger, Cameroon, Malawi
aff. A. sp.					Barremian-Aptian	Cameroon
aff. A. sp.					Aptian	Malawi
A. gomesii	11.7cm		64 cm		Aptian-Albian	Brazil
A. patagonicus (patagoniensis)	9.4 cm				Albian-Cenomanian	Argentina
A. wegneri	9 cm?				Aptian	Niger
Archaeosuchus	see Protosuchus					
A. richardsoni	see Protosuchus richardsoni					
Aromosuchus	see Paleosuchus					
Artzosuchus					U.Cretaceous	Mongolia
A. brachicephalus (brachycephalus)					Campanian	Uudensair (Mongolia)
Asiaticosuchus					M.Eocene	Papoul (France)
Asiatosuchus	70 cm		4 m		Eocene	Italy, Germany, China, Mongolia, N America
A. depressifrons					Lutetian	Italy
A. germanicus					Ypresian-Lutetian	Germany
A. grangeri	48 cm				U.Eocene	Irdin Manha (Mongolia)
A. haeckeli					Eocene	Germany
A. monsvialensis			50 cm?		Ypresian?	Spain?
A. nanlingensis					Paleocene	Hukou (China)
Atacisaurus	see Tomistoma				M.Eocene	France
A. crassiproratus	see Iberosuchus?				Lutetian	France
A. glareae					Lutetian	France
Atlantosuchus					Paleocene	N Africa
A. coupatezi						Montian Phosphates (Morocco)
Atoposaurus					U.Jurassic	France, Germany
A. jourdani					U.Jurassic	France
A. oberndorferi	2.7 cm		16 cm?		Tithonian	Germany
Australosuchus					Oligocene-Pleistocene	Australia
A. clarkae						S Australia (AU)

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
Ayllusuchus					L.Eocene	Argentina
A. fernandezi					Casamayoran	Jujuy (Argentina)
Baharijodon					U.Cretaceous	Egypt
B. carnosauroides					Cenomanian	Egypt
Balanerodus					L.Oligocene	Colombia
B. longimus					Deseadan	Colombia
Barbarenauchus					M-U.Triassic	Brazil
B. brasiliensis					Ladinian-Carnian	Brazil
Baroqueosuchus					U.Triassic-L.Jurassic	S Africa
B. haughtoni	see Protosuchus	haughtoni			L.Jurassic	Elliot Fm(S Africa)
Baroquesuchus	probably	Baroqueosuchus			L.Jurassic	S Africa
B. haughtoni	see Protosuchus	haughtoni			L.Jurassic	Elliot Fm(S Africa)
Baru					Oligocene-Miocene	S Australia & Queensland(AU)
B. darrowi						
Baryphracta						
B. deboniae						
Baurusuchus			2.15 m		U.Cretaceous-M.Eocene	Germany, Brazil
B. dietrichbergi					Lutetian	Germany
B. pachecoi	30 cm				Maastrichtian	Brazil
Bergisuchus					M.Eocene	Germany
B. dietrichbergi					M.Eocene	Germany
Bernissartia			60 cm		U.Jurassic-L.Cretaceous	Belgium,W USA, Spain
cf. B. sp.					Comanchean	Texas (US)
B. fagesi (fagesii)			91 cm		L.Cretaceous	Belgium, Spain
Bombifrons	see	Crocodylus				
B. indicus	see	Crocodylus	palustris			
B. siamensis	see	Crocodylus	siamensis			
B. trigonops	see	Crocodylus	palustris			
Borealosuchus					U.Cretaceous-L.Eocene	W USA, W Canada
B. acutidentatus	36 cm		2.8 m?		Puercan	Saskatchewan (Cnda)
B. formidabilis					Cretaceous-Paleocene	Montana (US)
B. sternbergii	30 cm		2.4 m?		Maastrichtian	Wyoming, Montana (US)
B. wilsoni					Wasatchian	Wyoming, New Mexico (US)
Botosaurus	see	Crocodylus?				
B. selaslophensis	see	Bottosaurus				
Bottosaurus					U.Cretaceous	E USA, Australia
B. belgicus	see	Carinodens belgicus			in General Reptilia Index	Belgium
B. harlani					U.Cretaceous	New Jersey (US)
B. humilis	see	Crocodylus	humilis			
B. macrorhynchus	see	Bottosaurus	harlani			
B. perrugosus	see	Leidyosuchus	canadensis			Colorado (US) Alberta (Cnda)
B. selaslophensis					U.Cretaceous	New South Wales (AU)
B. sp.					U.Cretaceous	New Jersey (US)
B. tuberculatus					U.Cretaceous	New Jersey (US)
Boverisuchus	see	Diplocynodon	or	Pristichampus		
B. magnifrons	see	Pristichampus	rollinatti			
Brachychampa					M-U.Cretaceous	W USA, W Canada
cf. B. sp.					Campanian	New Jersey, Texas (US)
B. montanensis (montana)					Campanian-Maastrichtian	Wyoming, Montana (US)
B. perrugosus					Paleocene	Colorado (US)
B. sealeyi (sealyi)	22 cm?		1.5 m?		Campanian	New Mexico (US)
B. sp.					Campanian-Maastrichtian	Wyoming, Montana (US), Alberta (Cnda)
B. sp.					Maastrichtian	New Mexico (US)
Brachydetes	see	Oweniasuchus				
B. major	nomen	dubium			Berriasian	England
B. newberryi					Westphalian	Linton, Ohio (US)
Brachygnathosuchus	see	Caiman				

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
<i>B. braziliensis</i>					U.Miocene-Pliocene	Brazil
Brachytaenius	see Geosaurus					
<i>B. perennis</i>	see Dakosaurus maximus				Jurassic	Germany
Brachyuranochampsia					L.Eocene	W USA
<i>B. eversolei</i>	39 cm		3 m?		Wasatchian	Wyoming (US)
<i>B. sp.</i>					Uintan	Wyoming (US)
<i>B. zangerli</i>					Bridgerian	Wyoming (US)
Bretesuchus					Tertiary	S America
<i>B. bonapartei</i>						
Brevirostres	see Alligator					
Caigator					Oligocene-Recent	Argentina, Brazil, Colombia
Caiman					U.Miocene	Colombia
<i>C. cf. lutescens</i>	living Broad-nosed Caiman				Pleistocene-Recent	Argentina
<i>C. latirostris</i>			1.8 m			
<i>C. l. chacoensis</i>					Pliocene	Parana (Brazil)
<i>C. lutescens</i>	1.2 m		9.6 m?		U.Miocene	Colombia
<i>C. neivensis</i>					Pliocene	Argentina
<i>C. praecursor</i>	see Alligator					
Caimanoeda	see Alligator					
Caimanoidea	see Alligator prenasalis					
<i>C. prenasalis</i>	see Alligator visheri				Oligocene	S Dakota (US)
<i>C. visheri</i>	see Alligator					
Caimanoideus	see Diplocynodon				M.Eocene	Germany
Caimanosuchus					Lutetian	Germany
<i>C. brevirostris</i>					L.Jurassic	W USA
Calsoyasuchus	38 cm				Sinemurian-Pliensbachian	Arizona (US)
<i>C. valliceps</i>					L.Cretaceous	Brazil
Candidodon					Albian	Brazil
<i>C. itapecuruense</i> (itapecuruensis)	see Capellinosuchus				L.Cretaceous	Italy
Capellinosuchus	see Capellinosuchus mutinensis					
<i>C. mutinensis</i>					L.Cretaceous	Italy
Capellinosuchus					L.Cretaceous	Italy
<i>C. mutinensis</i>					U.Cretaceous	Brazil
Caririsuchus	see Itasuchus camposi				Aptian-Albian	Brazil
<i>C. camposi</i>	see Alligator					
Cayman					U.Paleocene	W USA
Ceratosuchus					U.Paleocene	Colorado (US)
<i>C. burdoshi</i>	see Crocodilaemus					
Chaelosaurus	see Alligator					
Champa	see Crocodylus & Alligator					
Champsia	see Alligator mississippiensis					
<i>C. lucia</i>	see Crocodylus					
Champse	see Crocodylus acutus					
<i>C. acuta</i>	see Crocodylus cataphractus					
<i>C. cataphracta</i>	see Crocodylus johnstoni					
<i>C. johnsoni</i>	see Crocodylus moreletii					
<i>C. moreletii</i>	see Crocodylus palustris					
<i>C. palustris</i>	see Crocodylus rhombifer					
<i>C. planirostris</i>	see Crocodylus porosus					
<i>C. porosa</i>	see Crocodylus rhombifer					
<i>C. rhombifer</i>	see Crocodylus siamensis					
<i>C. siamensis</i>	see Crocodylus niloticus					
<i>C. vulgaris</i>					M.Eocene-U.Miocene	Colombia, E Indies
Charactosuchus					U.Miocene	Colombia
<i>C. fieldsi</i>					M.Eocene	Jamaica
<i>C. kugleri</i>					U.Cretaceous	China
Chiayusuchus					U.Cretaceous	Chia-yu-kuan (China)

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
<i>C. cingulatus</i>					L.Cretaceous	China
<i>Chimaerasuchus</i>	13 cm?		1 m?		Aptian-Albian	China
<i>C. paradoxus</i>	11 cm?		1 m?		U.Jurassic	Hubei (China)
<i>Circosaurus</i>					U.Triassic	S Africa
<i>Clarencea</i>	see <i>Sphenosuchus acutus</i>				U.Triassic	S Africa
<i>C. gracilis</i>	see <i>Clarencea</i>					
<i>Clarensia</i>	see <i>Clarencea gracilis</i>					
<i>C. gracilis</i>					U.Cretaceous	W USA
<i>Coelosuchus</i>			1.2 m		U.Cretaceous	Wyoming (US)
<i>C. reedii</i>					Miocene	Peru
<i>Colossoemys</i>					Miocene	Peru
<i>C. macrococcygeana</i>					U.Cretaceous	Argentina
<i>Comahuesuchus</i>						Neuquen, Rio Negro (ARG)
<i>C. brachybuccalis</i> (brachibuc)	see <i>Hyposaurus</i>				L.Paleocene	Zaire
<i>Congosaurus</i>	see <i>Hyposaurus bequarti</i>				Montian	Zaire
<i>C. bequarti</i>	see <i>Geosaurus</i>					
<i>Cricosaurus</i>	see <i>Geosaurus gracilis</i>				U.Jurassic	Germany
<i>C. elegans</i>	see <i>Geosaurus gracilis</i>				U.Jurassic	Germany
<i>C. grandis</i>	see <i>Geosaurus gracilis</i>				U.Jurassic	Germany
<i>C. medius</i>					U.Jurassic	Europe
<i>Crocodilaemus</i>	see <i>Crocodilaemus robustus</i>					
<i>C. jourdani</i>	11 cm		56 cm		U.Jurassic	France
<i>C. robustus</i>	see <i>Crocodilaemus</i>					
<i>Crocodileimus</i>	see <i>Crocodylus</i>					
<i>Crocodillus</i>	see <i>Crocodylus</i>					
<i>Crocodilus</i>	see <i>Crocodylus acer</i>					
<i>C. acer</i>	see <i>Diplocynodon ratelii</i>					
<i>C. aeduicus</i>	see <i>Crocodylus affinis</i>					
<i>C. affinis</i>	see <i>Allodaposuchus affuvelensis</i>					
<i>C. affulevensis</i>	see <i>Steneosaurus bollensis</i>					Altdorf (Germany)
<i>C. altorfinus</i>	see <i>Crocodylus acutus</i>					
<i>C. americanus</i>	see <i>Crocodylus acutus</i>					
<i>C. a. var. acutus</i>	see <i>Crocodylus moreletii</i>					
<i>C. a. var. moreletii</i>	see <i>Gavialis gangeticus</i>					
<i>C. arctirostris</i>	see <i>Kentisuchus toliapicus</i> & <i>Megadontosuchus arduini</i>					
<i>C. arduini</i>	see <i>Proalligator australis</i>					
<i>C. australis</i>	see <i>Thoracosaurus basifissus</i>					
<i>C. basifissus</i>	see <i>Holopsisuchus basitruncatus</i>					
<i>C. basitruncatus</i>	see <i>Crocodylus niloticus</i>					
<i>C. biniensis</i>	see <i>Crocodylus porosus</i>					
<i>C. biporcatus</i>	see <i>Crocodylus porosus</i>					
<i>C. b. raninus</i>	see <i>Crocodylus acutus</i>					
<i>C. biscutatus</i>	see <i>Pristichampsus rollinatti</i>					Spain, Italy
<i>C. bolcensis</i>	see <i>Crocodylus palustris</i>					
<i>C. bombifrons</i>	see <i>Diplocynodon ratelii</i>					
<i>C. brauniorum</i>	see <i>Streptospondylus rostro-major?</i>					
<i>C. brevirostris</i>	see <i>Diplocynodon ratelii</i>					
<i>C. bruchi</i>	see <i>Diplocynodon</i>					
<i>C. butikonensis</i>	see <i>Teleosaurus cadomensis</i>					
<i>C. cadomensis</i>	see <i>Doratodon carcharidens</i>					
<i>C. carcharidens</i>	see <i>Crocodylus cataphractus</i>					
<i>C. cataphractus</i>	see <i>Kentisuchus toliapicus</i>					Morocco
<i>C. cf. Spenceri</i>	see <i>Crocodylus chamensis</i>					
<i>C. chamensis</i>	see <i>Kentisuchus toliapicus</i>					England
<i>C. champsoides</i>	see <i>Crocodylus niloticus</i>					
<i>C. chamses</i>	see <i>Thoracosaurus neocesariensis</i>					New Jersey (US)
<i>C. clavirostris</i>	see <i>Crocodylus clavis</i>					

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
C. clavis	see	Gavialis				
C. cliftii	see	Pristichampsus	rollinatti			
C. communis	see	Crocodylus	niloticus			
C. complanatus	see	Rhamphosuchus	crassidens			
C. crassidens	see	Crocodylus	niloticus			
C. crocodilus	see	Crocodylus	mississippiensis			
C. cuvieri	see	Steneosaurus	bollensis			Altdorf (Germany)
C. cylindrirostris	see	Thoracosaurus	neocesariensis			
C. dekeyi	see	Kentisuchus	toliapicus			
C. delucii	see	Isselosaurus	dodunii		Lutetian	France
C. dodunii	see	Diplocynodon	ebertsi			
C. ebertsi	see	Diplocynodon	ratelii			Limagne Basin (France)
C. elaveris	see	Crocodylus	elliotti			
C. elliotti (elliottii)	see	Crocodylus	acutus			
C. floridanus	see	Osteolaemus	tetraspis			
C. frontatus	see	Crocodylus	siamensis			
C. galeatus	see	Tomistoma	gaudense			
C. gaudense	see	Gavialis	gangeticus			
C. gavial	see	Diplocynodon	gervaisi			
C. gervaisi (gervaisii)	see	Crocodylus	rhombifer			
C. gravesi	see	Crocodylus	grypus			
C. grypus	see	Bottosaurus	harlani			
C. harlani	see	Goniopholis	harti			
C. harti	see	Diplocynodon	hantoniensis			
C. hastingsiae	see	Crocodylus	hastingsae			
C. hastingsae	see	Crocodylus	heterodon			
C. heterodon	see	Crocodylus	niloticus			
C. hexaphractus	see	Leidyosuchus	canadensis			
C. humilis	see	Crocodylus	johnstoni			
C. johnstoni (johnstonii)	see	Crocodylus	niloticus			
C. lacunosus	see	Gavialis	leptodus & Gavialis hysudricus			
C. leptodus	see	Crocodylus	cataphractus			
C. leptorhynchus	see	Crocodylus	acutus			
C. lewyanus	see	Crocodylus	liodon			
C. liodon	see	Gavialis	gangeticus			
C. longirostris	see	Alligator	mississippiensis			
C. lucius	see	Bottosaurus	macrorhynchus or Thoracosaurus macrorhynchus			
C. macrorhynchus	see	Crocodylus	niloticus			
C. madagascariensis	see	Goniopholis	crassidens			
C. mantelli	see	Crocodylus	niloticus			
C. marginatus	see	Diplocynodon	ratelii			
C. medius	see	Proalligator	australis			
C. meridionalis	see	Crocodylus	acutus			
C. mexicanus	see	Diplocynodon				
C. monsvialensis	see	Gnathosaurus	subulatus			
C. multidentis	see	Crocodylus	niloticus			
C. multiscutatus	see	Gavialis	curvirostris			
C. naricus	see	Crocodylus	porosus			
C. natans	see	Crocodylus	niloticus			
C. niloticus	see	Holopsisuchus	obscurus			
C. obscurus	see	Crocodylus	niloticus			
C. octophractus	see	Crocodylus	niloticus			
C. octophractus	see	Crocodylus	porosus			
C. oopholis	see	Crocodylus	siamensis			
C. ossifragus	see	Crocodylus	acutus			
C. pacificus	see	Xenosuchus	paranensis			
C. paranensis	see	Dyrosaurus	phosphaticus			

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
C. phosphaticus	see	Crocodylus	pigotti			
C. pigotti	see	Crocodylus	rhombifer			
C. planirostris	see	Dakosaurus	maximus		Jurassic	Germany
C. plenidens	see	Crocodylus	polyodon			
C. polyodon	see	Crocodylus	porosus			
C. pondicherianus	see	Crocodylus	porosus			
C. porosus	see	Crocodylus	porosus			
C. p. porosus	see	Alligator	prenasalis			
C. prenasalis	see	Aeolodon	priscus		Kimmeridgian	Germany
C. priscus	see	Diplocynodon	ratelii			
C. ratelii	see	Crocodylus	ratelii			
C. rathii(rathi,rahtii)	see	Prisitichampsus	rollinatti			
C. rollinatti	see	Kentisuchus	toliapicus			
C. spenceri	see	Diplocynodon	styriacus			
C. steineri	see	Diplocynodon	styriacus			
C. styriacus	see	Crocodylus	subulatus			
C. subulatus	see	Crocodylus	niloticus			
C. suchus	see	Crocodylus	sulciferus			
C. sulciferus	see	Metriorhynchus	superciliosum			
C. superciliosum	see	Metriorhynchus	superciliosus			
C. superciliosus	see	Pelagosaurus	typus		L.Jurassic	Germany, France
C. temporalis	see	Holopsisuchus	tenebrosus			
C. tenebrosus	see	Gavialis	gangeticus			
C. tenuirostris	see	Kentisuchus	toliapicus			
C. toliapicus	see	Crocodylus	palustris			
C. trigonops	see	Asiatosuchus	germanicus			
C. vicentinus(vicetinus)	see	Crocodylus	niloticus, Crocodylus siamensis & Crocodylus palustris			
C. vulgaris	see	Crocodylus	palustris			
C. v. indicus	see	Crocodylus	wheeleri			
C. wheeleri	see	Limnosaurus	ziphodon		Bridgerian	Wyoming(US)
C. ziphodon	invalid of	Crocodylus				
Crocodylia					L.Cretaceous-Recent	Worldwide
Crocodylus	39 cm		3 m		Bridgerian	Utah(US)
C. acer	living	American	Croc		Recent	Caribbean
C. acutus	see	Crocodylus	acutus			
C. a. acutus	see	Crocodylus	acutus			
C. a. lewyanus	50 cm		4 m		Ypresian-Bridgerian	Wyoming(US)
C. affinis					Bridgerian	Wyoming(US)
C. affinis(affinis)	see	Allodaposuchus	affuvelensis			France
C. affuvelensis	see	Crocodylus	acutus			
C. americanus					Pleistocene	Cuba
C. antillensis					Miocene	Virginia, N Carolina(US)
C. antiquus					Wasatchian	Wyoming(US)
C. aptus					U.Eocene-L.Oligocene	Egypt
C. articeps(atriceps)					U.Miocene	Italy, Egypt
C. bambolii						France
C. bequereli					U.Miocene	India
C. biporcatus					L.Cretaceous	France, Portugal
C. blavieri	see	Pristichampsus	rollinatti			Italy
C. bolcensis	see	Crocodylus	sivalensis			
C. bombifrons					Bridgerian	Wyoming(US)
C. brevicollis						France
C. brongniartii					L.Miocene	Pakistan
C. bugtiensis						Switzerland?
C. butikonensis					U.Cretaceous	England
C. cantabrigiensis(cantabri)	living	Sharp-nosed	Croc		L.Pleistocene-Recent	Ethiopia
C. cataphractus					Bridgerian	Wyoming(US)

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
<i>C. cf. Affinis</i>					L.Miocene	Negev (Israel)
<i>C. cf. Pigotti</i>					Wasatchian	New Mexico (US)
<i>C. chamensis</i>					U.Miocene-Pliocene	Libya
<i>C. checchiai</i>					U.Miocene	Libya
<i>C. c. var. depressa</i>	73 cm		5.6 m		Bridgerian	Wyoming (US)
<i>C. clavus</i>	see <i>Crocodylus depressifrons</i>					France
<i>C. coelorhinus</i>					M.Miocene	Maryland
<i>C. contusor</i>						France
<i>C. cuvieri</i>	see <i>Diplocynodon ratelii</i>					
<i>C. dalpiazii</i>						France
<i>C. depressifrons</i>	45 cm				Bridgerian	Wyoming, New Mexico (US)
<i>C. ellioti (elliottii)</i>					Eocene	Virginia (US)
<i>C. fastigiatus</i>					Callovian	France
<i>C. formido</i>					Bridgerian	Wyoming (US)
<i>C. grinnelli (grinelli)</i>			3.5 m		Bridgerian	Wyoming (US)
<i>C. g. herpichanus</i>	see <i>Borealosuchus wilsoni</i>				Wasatchian	New Mexico (US)
<i>C. grypus</i>						
<i>C. hastingsae (hastingsae)</i>	8 cm?		91 cm		Wasatchian	Wyoming (US)
<i>C. heterodon</i>					Maastrichtian	Montana, Colorado (US) Alberta (Cnda)
<i>C. humilis</i>					U.Cretaceous	England
<i>C. icenicus</i>	see <i>Crocodylus bequereli</i>					
<i>C. indeterminatus</i>	living Johnston's Croc				Pleistocene-Recent	Australia
<i>C. johnstoni (johnsoni)</i>						France
<i>C. jouanneti</i>					Wasatchian-Bridgerian	Wyoming, New Mexico (US)
<i>C. liodon</i>					Burdigalian	Egypt
<i>C. lloydi (lloydii)</i>	nomen dubium				Eocene	Maryland (US)
<i>C. marylandicus</i>						France
<i>C. maunyi</i>	69 cm		5.5 m?		Fayumian	Egypt
<i>C. megarhinus</i>	living Morelet's Croc				M.Pleistocene-Recent	Guatemala, Egypt?
<i>C. moreletii</i>	see <i>C. moreletii?</i>				M.Pleistocene	Guatemala
<i>C. m. barnumbrowni</i>					Pleistocene	Guatemala
<i>C. nathani</i>					Pliocene-Recent	Queensland (AU)
<i>C. niloticus</i>	living Nile Crocodile				Pliocene-Recent	S Africa to Syria, Madagascar
<i>C. n. kaisensis</i>	see <i>Crocodylus niloticus</i>					Uganda
<i>C. n. niloticus</i>	see <i>Crocodylus niloticus</i>					
<i>C. n. pauciscutatus</i>	see <i>Crocodylus niloticus</i>					
<i>C. n. worthingtoni</i>						
<i>C. ossifragus</i>					U.Miocene-U.Pliocene	India, Perim Island
<i>C. palaeindicus</i>	living Mugger Croc				U.Miocene-Recent	India
<i>C. palustris</i>	see <i>Crocodylus cuvieri</i>					
<i>C. parisiensis</i>					Bridgerian	Wyoming (US)
<i>C. parvus</i>						
<i>C. physognathus</i>					L.Miocene	Saudi Arabia, Kenya
<i>C. pigotti</i>			3 m		Bridgerian	Wyoming (US) Kenya?
<i>C. polyodon</i>	living Saltwater Croc				Recent	Queensland (AU)
<i>C. porosus</i>	see <i>Aeolodon priscus</i>				Kimmeridgian	Germany
<i>C. priscus</i>					U.Cretaceous	Austria
<i>C. proavus</i>	see <i>Crocodylus blavieri</i>					
<i>C. provencialis</i>	living Cuban Croc				Pleistocene-Recent	Cuba
<i>C. rhombifer</i>	47 cm		3.7 m		U.Pleistocene	Madagascar
<i>C. robustus</i>					Eocene	France
<i>C. rollinatti</i>			1 m?		Bartonian	France
<i>C. rouxii</i>	see <i>Deinosuchus rugosus</i>				U.Cretaceous-Eocene	N Carolina, Georgia (US)
<i>C. rugosus</i>					L.Cretaceous	England
<i>C. saulii</i>					L.Cretaceous	New South Wales (AU)
<i>C. selaslophensis</i>					M.Miocene	New Jersey, Maryland (US)
<i>C. sericodon</i>					Eocene	New Jersey (US)



Genus/Species	Skull	Ht	Lt	Wt	Time	Range
<i>C. serratus</i>	living	Siamese	Croc		U.Pleistocene-Recent	Java
<i>C. siamensis</i>					Miocene	Maryland (US)
<i>C. sicarius</i>	see	<i>Crocodylus sivalensis</i>				
<i>C. silvalensis</i>					Pleistocene	Sri Lanka
<i>C. sinhaleyus</i>					Vindobonian	Pakistan, India, Tunisia?
<i>C. sivalensis</i>					Miocene-Pliocene	Nebraska (US)
<i>C. solaris</i>						
<i>C. spenceri</i>	58 cm		4.6 m		Bridgerian	Wyoming, Colorado (US)
<i>C. sp.</i>					U.Eocene	Arkansas (US)
<i>C. sp.</i>	see	<i>Borealosuchus wilsoni</i>			Wasatchian	New Mexico (US)
<i>C. sphenops</i>					M.Miocene	New Jersey (US)
<i>C. squankensis</i>					Cretaceous	New Mexico (US)
<i>C. starelian</i>					Puercan	New Mexico (US)
<i>C. stavelianus</i>						Italy?
<i>C. steineri</i>						
<i>C. styriacus</i>	30 cm?		3 m		Bridgerian	Wyoming (US)
<i>C. subulatus</i>					Bridgerian	Wyoming (US)
<i>C. sulciferus</i>						England
<i>C. trimmeri</i>					U.Cretaceous	France
<i>C. vetustus</i>	see	<i>Diplocynodon cfr. Ratelii &amp; Allognathosuchus sp.</i>				
<i>C. vicetinus (vicentinus)</i>					Bridgerian	Wyoming (US)
<i>C. vorax</i>	see	<i>Crocodylus niloticus</i>				
<i>C. vulgaris</i>	see	<i>Borealosuchus wilsoni</i>			Wasatchian	New Mexico (US)
<i>C. wheeleri</i>					U.Cretaceous	Bolivia, Argentina
<i>Cynodontosuchus</i>					Maastrichtian	Bolivia, Argentina
<i>C. rothi</i>	see	<i>Caiman</i>				
<i>Cynosuchus</i>						
<i>C. latirostris</i>	see	<i>Dakosaurus</i>				
<i>Dacosaurus</i>					Kimmeridgian	France?
<i>D. maximus</i>					Hauterivian	
<i>D. m. gracilis</i>	see	<i>Dakosaurus primaevus</i>				
<i>D. primaevus</i>			6.15 m		U.Jurassic-L.Cretaceous	France, Germany, England
<i>Dakosaurus</i>						
<i>D. amazonicus</i>					L.Cretaceous	France
<i>D. lapparenti</i>	see	<i>Dakosaurus maximus?</i>			Kimmeridgian	England
<i>D. lissocephalus</i>	see	<i>Dakosaurus maximus?</i>			Kimmeridgian	England
<i>D. mansellii</i>					Kimmeridgian	France, Germany, England
<i>D. maximus</i>	see	<i>Dakosaurus maximus?</i>				
<i>D. m. var. gracilis</i>					U.Jurassic?	Germany
<i>D. paradoxus</i>					U.Jurassic	France
<i>D. primaevus</i>					U.Jurassic?	Germany
<i>D. suprajurensis</i>					U.Cretaceous	W USA
<i>Dakotasuchus</i>					U.Cretaceous	Kansas (US)
<i>D. kingi</i>	2 m+	2.15 m	16 m?	13.2 t	U.Cretaceous	USA
<i>Deinosuchus</i>	see	<i>Deinosuchus rugosus</i>			U.Cretaceous	Montana, Wyoming (US)
<i>D. hatcheri</i>	see	<i>Deinosuchus rugosus</i>			Campanian	Texas (US)
<i>D. riograndensis</i>	2 m+		15 m?		Campanian	Georgia, Alabama, Mississippi (US)
<i>D. rugosus</i>					Campanian	Texas (US)
<i>D. sp.</i>					Campanian	New Jersey (US)
<i>D. sp.</i>					L.Jurassic	China
<i>Denazinosuchus</i>					U. Cretaceous	W USA
<i>D. kirtlandicus</i>					Campanian	New Mexico (US)
<i>Dianosuchus</i>	3.7cm?				Hettangian	Yunnan (China)
<i>D. changchiawanensis (changchiawaensis)</i>					L.Jurassic	China
<i>Dibothrosuchus</i>	16 cm	26 cm?	1.3 m		Hettangian	Yunnan (China)
<i>D. elaphros</i>					L.Jurassic	Yunnan (China)
<i>D. sp.</i>	see	<i>Dibothrosuchus elaphros</i>				Yunnan (China)

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
D. xingsuensis	see Caiman					
Dinosuchus	see Caiman neivensis					
D. neivensis					U.Miocene	Brazil
D. terror			3 m		M.Eocene-Pliocene	Europe, N America
Diplocynodon	see Diplocynodon darwini				Lutetian	Brown Coal (Germany)
D. aff. Darwini						
D. bantoniensis	see Diplocynodon ebertsi				Lutetian	Brown Coal (Germany)
D. cf. Ebertsi					Lutetian	Purga di Bolca (Italy)
D. cfr. Ratelii					U.Miocene	Dechbetten (Germany)
D. cfr. Gracilis	20 cm		1.4 m		Lutetian	Messel (Germany)
D. darwini	see D. ratelii?				Oligocene	Italy
D. dalpiazi (delpiazi)	see Diplocynodon darwini				Lutetian	Germany
D. ebertsi	32 cm		2.5 m?		Tertiary	France
D. gervaisi	see Diplocynodon ratelii					
D. gracile (gracilis)	see Diplocynodon ratelii				Aquitanian	France
D. g. aeduicus					L.Oligocene	Spain
D. guerini	see Asiatusuchus haeckeli					
D. haeckeli	20 cm		1.6 m?		Lutetian	Germany
D. hallense	38 cm		3 m?		Ludian	England
D. hantoniensis					M.Pliocene	Bulgaria
D. levantinum			30 cm		L.Oligocene	Spain
D. marini						
D. plenidens	28 cm		2.2 m?		Chattian-Aquitanian	France
D. ratelii					Stampian-Chattian	France
D. sp.					Campanian	New Jersey (US)
D. sp.					Aquitanian-Burdigalian	Bardenas Reales (Spain)
D. sp.	see Borealosuchus wilsoni				Wasatchian-Bridgerian	Wyoming (US)
D. stuckeri	37 cm		3 m?		Orleanian-Astaracian	Austria, France
D. styriacus						
D. tormis	see Dicrocynodon victor in the Marsupial Index					
D. victor	see Crocodylus?					
Diplocynodus	see Crocodylus polyodon & Allognathosuchus polyodon					
D. polyodon	see Borealosuchus wilsoni					
D. sphenops	see Crocodylus subulatus					
D. subulatus	see Goniopholis					
Diplosaurus	see Goniopholis felix				U.Jurassic	Colorado (US)
D. felix					U.Cretaceous	Bolivia, Argentina
Dolichochoampsa					U.Cretaceous	Salta, Jujuy (ARG) Bolivia
D. minima					M.Eocene	Belgium, England
Dollosuchus					Lutetian	Belgium, England
D. dixonii					U.Cretaceous	Austria
Doratodon					U.Cretaceous	Austria
D. carcharidens					U.Triassic	E USA
Dromicosuchus	15 cm		85 cm?		Carnian-Norian	N Carolina (US)
D. grallator					U.Triassic	Germany
Dyoplax					Carnian	Germany
D. arenaceus	86 cm		5.5 m?		U.Cretaceous-Paleocene	Africa
Dyrosaurus					Eocene?	Tunisia
D. berneti					Eocene?	Tunisia
D. choumovitchi					L.Eocene	Nigeria
D. minor					Paleocene	Tunisia
D. paucidens	71 cm		4.3 m		Albian-Lutetian	Tunisia, Algeria, Egypt, Sudan, Libya, Ivory Coast, Morocco
D. phosphaticus	see Dyrosaurus phosphaticus					Algeria
D. thevestensis					Eocene?	Tunisia
D. variabilis					L.Cretaceous	China
Edentosuchus					U.Triassic	Moenkopi Fm, Arizona (US)
E. sp.1 (undescribed)					U.Triassic	Moenkopi Fm, Arizona (US)

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
E. sp.2 (undescribed)	5 cm?		40 cm?		L.Cretaceous	Xinjiang (China)
E. tienshanensis (tienshanensis)						
E. wellsi	see Colossoemys				Pleistocene	S America
Emysuchus	see Colossoemys		macrococcygeana			
E. macrococcygeana	see Enaliosuchus					
Enaliosuchus					L.Cretaceous	Germany
Enaliosuchus					L.Cretaceous	Germany
E. macrospondylus					L.Cretaceous	Germany
E. schroderi	see Steneosaurus					
Engyomasaurus	see Steneosaurus		bollensis			Altdorf (Germany)
E. brongniarti	see Steneosaurus					
Engyommasaurus	see Aeolodon or Steneosaurus					
Engyonimasaurus	see Crocodylus					
Enneodon					Tertiary	Austria
E. ungeri					M.Jurassic	USA
Entradasuchus			18 cm?		Callovian	Utah (US)
E. spinosus					Paleocene	China
Eoalligator					Paleocene	Anhui, Guangdong (China)
E. chunyi					L-M.Eocene	Argentina
Eocaiman					Casamayorian	Colhue-Huapi (Argentina)
E. cavernensis (cavernosus)					Divesaderan	Mendoza (Argentina)
E. sp.	see Diplocynodon				M.Eocene	Germany
Eocenosuchus	15 cm		1.2 m?		Lutetian	Germany
E. weigeltii					M.Eocene-L.Oligocene	Egypt
Eogavialis					M-U.Miocene	Egypt
E. africanus					U.Eocene-L.Oligocene	Egypt
E. gavialoides					U.Triassic-L.Jurassic	W USA
Eopneumatosuchus					U.Triassic	Arizona (US)
E. colberti					L.Eocene	France, Belgium
Eosuchus	see Noteosuchus		colletti,			in General Reptilia Index
E. colletti					Ypresian	France, Belgium
E. lerichei					U.Cretaceous	China
Eotomistoma					U.Cretaceous	Inner Mongolia (China)
E. multidentata	nomen dubium?					
Eridanosaurus	actually from an extinct Rhino					Portalbera (Italy)
E. brambillae					L.Jurassic	S Africa
Erythrochampsia	see Notochampsia		longipes?		Hettangian-Sinemurian	S Africa
E. longipes	probably Eutretraurosuchus,					see Goniopholis
Eutretraurosuchus					Miocene-Pleistocene	N Africa
Euthecodon					Oligocene	Egypt, Libya, Kenya, USA?
E. arambourgi (arambourgii)					M.Pliocene	Ethiopia, Libya
E. brumpti	67 cm		5.4 m?		Burdigalian-Ruscinian	Egypt, Libya, Kenya
E. nitrae (nitirae)					U.Jurassic	W USA, Egypt
Eutretraurosuchus					U.Jurassic	Colorado (US)
E. delfsi						Colorado (US)
E. sp.						
Fruita	see Gavialis					
Garialis	see Rhamphostomopsis		neogaeus			
G. neogaea	see Gavialosuchus					
Garialosuchus	see Gavialis					
Gaviala					M.Jurassic	France
Gavialinum					Bathonian	France
G. rhodani						
G. sp.			18 m?		Miocene-Recent	S & E Asia, E USA
Gavialis					M.Pleistocene	Java
G. bengawanicus					Agenian	Pakistan
G. breviceps	84 cm		6.8 m		Vindobonian-Zanclian	India, Pakistan

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
G. browni	see	Thoracosaurus	scanicus			Crimea
G. cf. Macrorhynchus	see	Thoracosaurus	neocesariensis			
G. clavirostris					Deseadan	Colombia
G. colombianus	see	Rhamphosuchus	crassidens			
G. crassidens					L.Pliocene	India, Pakistan
G. curvirostris	see	Gavialis	curvirostris		L.Miocene	Pakistan
G. c. var. gajensis	see	Dollosuchus	dixoni		Lutetian	England
G. dixoni	see	G. fraterculus?			Maastrichtian	New Jersey (US)
G. fratencucus	see	Goniopholis	fraterculus		Maastrichtian	New Jersey (US)
G. fraterculus	living	Indian Gavial			U.Miocene-Recent	India, Perim Island, Sumatra
G. gangeticus	probably a misspelling of	G. gavialoides				
G. gavialodes					Fayumian	Egypt
G. gavialoides					U.Pliocene	India
G. hysudricus	see	Thoracosaurus	macrorhynchus			France
G. isorynchus	see	Metriorhynchus	geoffroyi			
G. jurinii					U.Pliocene	India
G. leptodus					M.Pliocene	India
G. lewisi					Eocene	New Jersey (US)
G. minor	see	Thoracosaurus	neocesariensis			
G. neocesariensis			15 m?		U.Miocene	India
G. pachyrhynchus			3 m		Pleistocene	Woodlark Island (Solomon Islands)
G. papuensis	see	Aeolodon	priscus		Kimmeridgian	Germany
G. priscus					Vindobonian	Pakistan
G. sp.	see	Gavialis	gangeticus			
G. tenuirostris			13.8m?		U.Miocene-L.Pliocene	E USA, Europe
Gavialosuchus	1.5 m?		12 m		Hemphillian	Florida (US)
G. americanus (americana)					U.Oligocene	
G. carolinensis	73 cm		5.8 m?		Vindobonian	Austria, Yugoslavia
G. eggenburgensis					Miocene	New Jersey (US)
G. sericodon						
G. sp.	see	Gavialis				
Gavialis	see	Streptospondylus	rostro-major			
G. bacheleti	see	Hyposaurus	fraterculus			
G. fraterculus	see	Streptospondylus	rostro-major			
G. lamourouxii	see	Streptospondylus	rostro-major			
G. longirostris	38 cm		2.5 m		U.Jurassic-L.Cretaceous	Europe, S America
Geosaurus	25 cm				Tithonian	Argentina
G. araucanensis	see	Neosaurus	cynodus in General Reptilia Index			France
G. cynodus			2.5 m		U.Jurassic	Germany
G. giganteus					L.Cretaceous	France
G. gigondarum			2 m		Kimmeridgian	Germany
G. gracilis	see	Dakosaurus	paradoxus			
G. grandis	see	Dakosaurus	maximus			
G. maximus					U.Jurassic	New Jersey (US)
G. mitchilli	see	Geosaurus	giganteus			Germany
G. sommeringi					Tithonian	Argentina
G. sp.					U.Jurassic	Switzerland
G. suevicus	see	Gavialis				
Gharialis	see	Rhamphosuchus	crassidens			
G. crassidens					U.Cretaceous	Canada
Gilchristosuchus	15 cm				Campanian-Santonian	Alberta (Cnda)
G. palatinus	see	Aeolodon or Steneosaurus				
Glaphyrorhynchus	see	Steneosaurus	bollensis			Germany
G. aalensis	a	Pterosaur, not a Crocodilian				
Gnathosaurus	a	Pterosaur, not a Crocodilian				
G. subulatus					U.Cretaceous	Mongolia
Gobiosuchus	6.5 cm				Campanian	Mongolia

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
<i>G. kielanae</i>					Campanian	Mongolia
<i>G. parvus</i>	60 cm		3 m		U.Jurassic-U.Cretaceous	Europe, E Asia, N America
<i>Goniopholis</i>					Bathonian	Isle of Skye (Scotland), England
cf. <i>G. sp.</i>					L.Cretaceous	Maryland (US)
<i>G. affinis</i>	see <i>Thoracosaurus bahiensis</i>					
<i>G. bahiensis</i>	28 cm		2.1 m?		Kimmeridgian	Portugal
<i>G. baryglyphaeus</i>	nomen dubium				U.Jurassic	England
<i>G. brodiei</i>					L.Cretaceous	England
<i>G. carinatus</i> ( <i>carinata</i> )					Campanian	Texas (US)
<i>G. cf. Kirtlandicus</i>	see <i>G. cf. Simus</i>				Portlandian	France
<i>G. cf. Pugnax</i>					Portlandian	France
<i>G. cf. Simus</i>					Berriasian	England
<i>G. crassidens</i>	see <i>Hyposaurus derbianus</i>				L.Cretaceous	Brazil
<i>G. derbianus</i>	25.5cm		2 m?		U.Jurassic	Colorado (US)
<i>G. felix</i>	see <i>Hyposaurus ferox</i>					
<i>G. ferox</i>	see <i>Hyposaurus fraterculus</i>					
<i>G. fraterculus</i>	38.5cm		3 m?		U.Jurassic	Wyoming (US)
<i>G. gilmorei</i>					L.Cretaceous	Brazil
<i>G. harti</i>					Maastrichtian	New Mexico (US)
<i>G. kirtlandicus</i>					Tithonian-Campanian	Colorado, New Mexico (US)
<i>G. lucasii</i>	nomen dubium				Berriasian	Germany
<i>G. minor</i>	see <i>Hyposaurus natator?</i>				Maastrichtian	New Jersey (US)
<i>G. natator</i>					Cretaceous	Brazil
<i>G. paulistanus</i>						Thailand
<i>G. phuwiangensis</i>	nomen dubium				Berriasian	Germany
<i>G. pugnax</i>	see <i>Hyposaurus rogersii</i>					
<i>G. rogersii</i>	48.5cm		3.4 m?		Berriasian	Germany, England
<i>G. simus</i>					Tithonian	Wyoming (US)
<i>G. sp.</i>					Bathonian	Scotland, England, Portugal, Germany, Belgium, Spain
<i>G. sp.</i>	42 cm		3.3 m?		U.Jurassic	Oklahoma (US)
<i>G. stovalli</i>	15 cm		1.2 m?		Berriasian	England
<i>G. tenuidens</i>	nomen dubium				Portlandian	France
<i>G. undidens</i>	see <i>Hyposaurus vebbii?</i>				U.Cretaceous	Kansas (US)
<i>G. vebbianus</i>					Oligocene-Pleistocene	Brazil
<i>Gryposuchus</i>						
<i>G. columbianus</i>					Pliocene-Pleistocene	Brazil
<i>G. jessei</i>					U.Jurassic	France
<i>Haematosaurus</i>					Kimmeridgian	France
<i>H. laeanceolatus</i>	see <i>Osteolaemus</i>					
<i>Halcrosia</i>	see <i>Osteolaemus tetraspis</i>					
<i>H. afzelii</i>	see <i>Osteolaemus tetraspis</i>					
<i>H. frontata</i>	see <i>Osteolaemus tetraspis</i>					
<i>H. nigra</i>	see <i>Geosaurus</i>					
<i>Halilimnosaurus</i>	see <i>Geosaurus giganteus</i>				Kimmeridgian	Germany
<i>H. crocodiloides</i>					M-U.Jurassic	W USA
<i>Hallopus</i>					Callovian	Colorado (US)
<i>H. victor</i>					U.Cretaceous	Morocco
<i>Hamadasuchus</i>					Cenomanian	Morocco
<i>H. rebouli</i>					Miocene	Northern Territory (AU)
<i>Harpacochampsa</i>	see <i>Allognathosuchus</i>					
<i>Hassiacosuchus</i>	see <i>Allognathosuchus haupti</i>					
<i>H. haupti</i>	see <i>Procaimanoidea kayi</i>					
<i>H. kayi</i>	probably <i>Hassiacosuchus</i>				M.Eocene	Germany
<i>Hassicosuchus</i>					M.Eocene	Messel (Germany)
<i>H. haupti</i>	see <i>Procaimanoidea kayi</i>					
<i>H. kayi</i>					Eocene	Germany
<i>Helmstedtisuchus</i>					Eocene	Germany

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
H. freyi			122 cm		U.Triassic	Argentina
Hemiprotosuchus					Norian-Rhaetian	Los Colorados (Argentina)
H. leali					U.Miocene	Venezuela
Hesperogavialis					U.Miocene	Venezuela
H. cruxenti			1.5 m		U.Triassic	W USA
Hesperosuchus	10 cm?				Carnian	Arizona, New Mexico (US)
H. agilis					Triassic	New Mexico (US)
H. sp.					L.Cretaceous	France
Heterosaurus	also cited as a dinosaur				Hauterivian	France
H. neocomiensis	see Hylaeochampsia					
Heterosuchus	see Hylaeochampsia vectiana				L.Cretaceous	England
H. valdensis					Oligocene	Spain
Hispanochampsia					Catalonien	Spain
H. mulleri					U.Cretaceous	E USA
Holops					Maastrichtian	New Jersey (US)
H. brevispinus (brevispinus)	see Holopsisuchus cordatus				Maastrichtian	New Jersey (US)
H. cordatus	see Holopsisuchus glyptodon					New Jersey (US)
H. glyptodon					Maastrichtian	New Jersey (US)
H. obscurus	see Holopsisuchus pneumaticus					New Jersey (US)
H. pneumaticus					U.Cretaceous	New Jersey (US)
H. sp.					U.Cretaceous	E USA
Holopsisuchus					Maastrichtian	New Jersey (US)
H. basitruncatus					Maastrichtian	New Jersey, Delaware (US)
H. brevispinus (brevispinus)					Maastrichtian	New Jersey (US)
H. cordatus					Maastrichtian	New Jersey (US)
H. glyptodon					Maastrichtian	New Jersey (US)
H. obscurus					Maastrichtian-Paleocene	New Jersey (US)
H. pneumaticus					U.Cretaceous	New Jersey (US)
H. sp.					Maastrichtian	New Jersey (US)
H. tenebrosus					U.Jurassic	W USA
Hoplosuchus	3.5 cm		20 cm		U.Jurassic	Utah (US)
H. kayi					U.Cretaceous	China, Europe
Hsisosuchus	27 cm		2.2 m?		U.Jurassic	Sichuan (China)
H. chungkingensis	38 cm		3 m?		M.Jurassic	Sichuan (China)
H. dashanpuensis			2 m		L.Cretaceous	England, Isle of Wight
Hylaeochampsia					L.Cretaceous	England, Isle of Wight
H. vectiana	43 cm		2.15 m		U.Cretaceous-Eocene	N & W Africa, S America, N America
Hyposaurus			3.5 m		Montian	Cabinda (Angola)
H. bequaerti					Maastrichtian	Brazil
H. derbianus	see Hyposaurus rogersii				Maastrichtian	New Jersey (US)
H. ferox	see Thoracosaurus neocesariensis					New Jersey (US)
H. fraterculus	see Hyposaurus rogersii					New Jersey (US)
H. natator	see Goniopholis natator?				Maastrichtian	New Jersey (US)
H. n. oweni	33 cm		1.6 m?		Maastrichtian	New Jersey (US)
H. rogersii	see Goniopholis vebbianus?				U.Cretaceous	Kansas (US)
H. vebbianus (vebbii)	see Crocodylus					
Ichthyosuchus	see Crocodylus subulatus					
I. Subulatus					L-M.Eocene	Portugal
Iberosuchus					L-M.Eocene	Portugal
I. Macrodon					Miocene	Venezuela
Ikanogavialis					Pliocene	Venezuela
I. Gameroi					M-U.Eocene	Argentina
Ilchunaia					M-U.Eocene	Argentina
I. Parca (Parva)	see Atacisaurus				M.Eocene	France
Isselosaurus	see Atacisaurus glareae & Atacisaurus crassiproratus					
I. Doduni	37 cm		3 m?		M-U.Cretaceous	Brazil
Itasuchus			1.7 m		Aptian	Brazil

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
I. Camposi	37 cm		3 m?		Maastrichtian	Brazil
I. Jesuinoi	see Geosaurus					
Itilimnosaurus	see Caiman					
Jacare	see Paleosuchus				Pliocene-Recent	Argentina, Brazil?
Jacaretinga	see Paleosuchus palpebrosus					
J. moschifer	see Caiman praecursor					
J. praecursor						
Kambara?						
Kanogavialis			8 m?		U. Jurassic	Tajikistan
Kansajsuchus					Santonian	Kansai (Tajikistan)
K. extensus					U. Jurassic	Kazakhstan
Karatausuchus			16 cm		Oxfordian-Kimmeridgian	Mikhailovka (Kazakhstan)
K. sharovi						
Kayentaedento						
Kayentaspheno					L. Jurassic	W USA
Kayentasuchus	13 cm?				L. Jurassic	Arizona (US)
K. walkeri					L. Eocene	England
Kentisuchus			1.5 m?		Ypresian	England, Morocco
K. toliapicus	possibly Borealosuchus				U. Cretaceous-Eocene	USA, Canada
Leidyosuchus					Campanian	New Jersey, Texas (US)
cf. L. sp.	see Borealosuchus acutidentatus					Saskatchewan (Cnda)
L. acutidentatus	36 cm		2.8 m?		U. Cretaceous	Montana, Wyoming (US), Alberta (Cnda)
L. canadensis	see Borealosuchus formidabilis					Montana (US)
L. formidabilis	see Leidyosuchus canadensis					Alberta (Cnda)
L. gilmorei	see Listrognathosuchus multidentatus					New Mexico (US)
L. multidentatus	nomen dubium				U. Paleocene	Colorado (US)
L. riggsi					Maastrichtian	Montana (US)
L. sp.					Maastrichtian	Wyoming (US)
L. sp.					Campanian	Alberta (Cnda)
L. sp.	see Borealosuchus sternbergii					Wyoming, Montana (US)
L. sternbergii (sternbergi)	see Borealosuchus wilsoni				Wasatchian	Wyoming (US)
L. wilsoni	see Steneosaurus					
Leptocranius	see Steneosaurus jugleri					
L. jugleri?	see Gavialis					
Leptorhynchus	see Gavialis					
L. cliftii	see Rhamphosuchus crassidens					
L. crassidens					Pliocene	Argentina
Leptorrhamphus					Pliocene	Entrerrios (Argentina)
L. entrerrianus			60 cm		L. Jurassic	S Africa
Lesothosuchus					Eocene	China
L. charigi	see Protosuchus haughtoni					Africa
Lianghusuchus					Eocene	Hunan (China)
L. hengyangensis					L-U. Cretaceous	Egypt, Niger, Morocco
Libycosuchus	18 cm		1.4 m?		Barremian-Cenomanian	Egypt
L. brevirostris	see Pristichampus					
Limnosaurus						
L. transsylvanicus					Bridgerian	Wyoming (US)
L. ziphodon	actually a Lizard, see General Reptilia Index					Portugal
Lisboasaurus					Kimmeridgian	Portugal
L. estesi (estesii)					Kimmeridgian	Portugal
L. mitracostatus					M. Paleocene	W USA
Listrognathosuchus					Torrejonian	New Mexico (US)
L. multidentatus					L. Jurassic	S Africa
Litargosuchus	6 cm?				L. Jurassic	S Africa
L. leptorhynchus					U. Cretaceous	Argentina
Lomasuchus	22 cm?				Campanian-Maastrichtian	Neuquen (ARG)
L. palpebrosus	36 cm				U. Cretaceous	Argentina

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
L. sp.	probably Libycosuchus					
Lybicosuchus						
Macelognathus						
M. valens	1.5 m		9.5 m		U.Jurassic-L.Cretaceous	France, Portugal, England
Machimosaurus	see Machimosaurus hugii?				Kimmeridgian	France
M. bathonicus	see Machimosaurus hugii?				Kimmeridgian	France
M. ferox					Kimmeridgian	France, Portugal, England
M. hugii	see Machimosaurus hugii?				Kimmeridgian	France
M. interruptus	see Machimosaurus hugii?				Kimmeridgian	France
M. mosae	see Machimosaurus hugii?				Kimmeridgian	France
M. rigauxi					Kimmeridgian	France
M. sp.	see Pholidosaurus					
Macrorhynchus	see Pholidosaurus meyeri					
M. meyeri	see Pholidosaurus schauburgensis					
M. schauburgensis	see Steneosaurus					
Macrospodylus	see Steneosaurus bollensis					
M. jaegeri	see Machimosaurus					
Madrimosaurus	see Machimosaurus hugii				Portlandian	Switzerland, Austria
M. hugii	76 cm		4 m		U.Cretaceous	Madagascar
Mahajangasuchus					L.Cretaceous	Malawi
Malawisuchus	7.6 cm				L.Cretaceous	Malawi
M. mwakasyungutiensis	see Macelognathus					
Marcellognathus	see Marrocosuchus					
Marrocosuchus					Eocene	Africa
Marrocosuchus						
M. zennaroi	see Crocodylus					
Mecistops	see Crocodylus cataphractus					
M. cataphractus					M.Eocene	Italy
Megadontosuchus					M.Eocene	Italy
M. arduini					Miocene	N America
Megalodelphis					Miocene	N America
M. magnidens			2 m		Pleistocene	New Caledonia Island
Mekosuchus					Holocene	New Caledonia Island
M. inexpectatus					Holocene	Efate Island (Vanuatu)
M. kalpokasi						
M. sanderi						
M. whitehunterensis					Pliocene-Pleistocene	S America
Melanosuchus	possibly Melanosuchus niger ( the living Black Caiman)					
M. fischeri	see Tomistoma					
Melitosaurus	see Tomistoma champsoides				Miocene	Malta
M. champsoides					L.Eocene	France
Menatalligator					L.Eocene	France
M. bergouniouxii					L.Cretaceous	Uruguay
Meridiosaurus					Neocomian	Uruguay
M. vallisparadisi	53 cm		4.3 m		M-U.Jurassic	France, England, Portugal, Argentina, Chile
Metriorhynchus					Kimmeridgian	France
M. acutus					U.Jurassic	Mendoza Fm (Argentina)
M. aff. Durobrivensis					Callovian	France
M. blainvillei			2.8 m		Oxfordian	France, England
M. brachyrhynchus	see Metriorhynchus brachyrhynchus					
M. brachyrhynchys					Callovian	Chile
M. casamiquelai					Callovian	Poitiers (France)
M. cf. Blainvillei					Callovian	Poitiers (France)
M. cf. Moreli					Oxfordian	England
M. cultridens	possibly M. durobrivensis?				Callovian	France?
M. dubrivense					Oxfordian-Tithonian	England, France, Argentina
M. durobrivensis (durodriver)					Oxfordian-Kimmeridgian	England



Genus/Species	Skull	Ht	Lt	Wt	Time	Range
M. geoffroyi					Portlandian	England
M. gracilis					Kimmeridgian	France
M. hastifer					Kimmeridgian	France
M. incertus	see Metriorhynchus superciliosum					England
M. jaekeli					Oxfordian	England
M. laeve (laevis)					Oxfordian	England
M. leedsii					Kimmeridgian	France
M. littoreus	69 cm		3.5 m		M. Jurassic	Oxford Clay (England)
M. "metrio"?					Callovian-Oxfordian	France
M. moreli					Kimmeridgian	England
M. palpebrosum					Tithonian	Argentina
M. potens	see Steneosaurus bollensis or Nothosaurus mirabilis					
M. priscus	see Steneosaurus rostrominor					
M. rostrominor (rostro-minor)					Tithonian	Argentina
M. sp.					Callovian-Oxfordian	France, England
M. superciliosus (superciliosum)					Bathonian	England
M. temporalis	see Metriorhynchus					
Metriorrhynchus	see Metriorhynchus					
Metriorynchus					U. Triassic-L. Jurassic	China
Microchampsia					Hettangian	Yunnan (China)
M. scutata	possibly Microsuchus					
Microsaurus					U. Cretaceous	Argentina
Microsuchus					U. Cretaceous	Argentina
M. schilleri	see Crocodylus					
Molinia	see Crocodylus acutus					
M. americana					L. Cretaceous	Spain
Montsecosuchus					L. Cretaceous	Spain
M. depereti (deperati)	see Pelagosaurus					
Mosellaesaurus	see Pelagosaurus typus				L. Jurassic	Germany
M. rostro-minor	see Pelagosaurus					
Mosellosaurus	see Pelagosaurus typus				L. Jurassic	Germany
M. mosellana?	see Crocodylus					
Motinia					U. Miocene-Pliocene	Brazil, Colombia, Venezuela
Mourasuchus					U. Miocene-Pliocene	Brazil, Venezuela
M. amazonensis	1.5 m?		12 m?		U. Miocene	La Venta (Colombia)
M. atopus					U. Jurassic	England
Mycterosuchus					U. Jurassic	England
M. nastus					L. Jurassic	Europe
Mystriosaurus	see Steneosaurus bollensis					Germany
M. bollensis	see Steneosaurus bollensis					Germany
M. brongniarti	see Steneosaurus bollensis					Germany
M. canalifer	see Steneosaurus bollensis					Germany
M. egertoni	see Steneosaurus bollensis					Germany
M. franconicus	see Steneosaurus bollensis					Germany
M. laurillardii (laurellardi)	see Steneosaurus bollensis					Germany
M. longipes	see Steneosaurus bollensis					Germany
M. macrolepidotus						
M. mendeslohi	see Steneosaurus bollensis					Germany
M. mandeslohi	see Platysuchus multiscrobiculatus					
M. multiscrobiculatus	see Steneosaurus bollensis					Germany
M. munsteri	see Steneosaurus bollensis					Germany
M. murkii	see Steneosaurus bollensis					Germany
M. schmidtii	see Steneosaurus bollensis					Germany
M. senkenbergianus	see Steneosaurus bollensis					Germany
M. speciosus	see Steneosaurus bollensis					Germany
M. stuckelyi	see Steneosaurus bollensis					Germany
M. s. anglicus	see Steneosaurus bollensis					Germany

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
M. s. bollensis	see	Steneosaurus	bollensis			England
M. s. chapmani	see	Steneosaurus	bollensis			England
M. s. germanicus	see	Steneosaurus	bollensis			Germany
M. tenuirostris	see	Steneosaurus	bollensis			Germany
M. tiedemanni	see	Goniopholis				
Nannosuchus	see	Goniopholis	simus		L.Cretaceous	England
N. gracilidens					M.Jurassic	Kirghiza
Narynsuchus	nomen nudum				Callovian	Kirghiza
N. ferganensis	see	Allognathosuchus				
Navajosuchus					Torrejonian	New Mexico (US)
N. mooki	see	Allognathosuchus	mooki			
N. novomexicanus	see	Allognathosuchus				
Navahosuchus	see	Allognathosuchus	novomexicanus			
N. novomexicanus					Paleocene	Argentina
Necrosuchus					Riochican	Chubut (Argentina)
N. ionensis	see	Mourasuchus				
Nettosuchus	see	Mourasuchus	atopus		U.Miocene	Colombia
N. atopus	see	Geosaurus				
Neustosaurus	see	Geosaurus	gigondarum?		L.Cretaceous	France
N. gigondarum (gigandarum)	6 cm?				U.Jurassic	Mongolia
Nominosuchus					Tithonian	Sharteeg (Mongolia)
N. matutinus					U.Miocene	W USA
Nordenosaurus					U.Miocene	Nebraska (US)
N. magnus	see	Notochampsia			L.Jurassic	S Africa
Nothochampsia					Paleocene	Argentina
Notocaiman					Paleocene	Santa Cruz (Argentina)
N. stromeri	10 cm		76 cm?		L.Jurassic	S Africa
Notochampsia					Hettangian-Sinemurian	S Africa
N. istedana					U.Triassic	S Africa
N. longipes	18 cm		1.4 m?		U.Jurassic-U.Cretaceous	Argentina, W USA
Notosuchus	14 cm		1.1 m?		U.Cretaceous	Argentina
N. lepidus	18 cm		1.4 m?		Maastrichtian	Neuquen (ARG)
N. terrestris	see	Crocodylus			U.Cretaceous	Argentina
Oopholis	see	Crocodylus	porosus			
O. pondicherianus	see	Crocodylus	porosus			
O. porosus					L.Eocene	W USA
Orthogenysuchus	33 cm		2.6 m?		Wasatchian	Wyoming (US)
O. olseni	see	Diplocynodon				
Orthosaurus	10 cm		1 m		U.Triassic-L.Jurassic	Lesotho, S Africa
Orthosuchus					Hettangian-Sinemurian	Lesotho, S Africa
O. stormbergi (strombergi)	see	Osteolaemus				
Osteoblepharon					Recent	Africa
Osteolaemus	living	Broad-nosed Croc			Holocene-Recent	Angola
O. tetraspis					U.Jurassic	Europe, Portugal
Oweniasuchus					Cenomanian	Portugal
O. lusitanicus	24 cm		1.9 m?		Berriasian	England
O. major	9 cm		72 cm?		U.Jurassic	England
O. minor	see	Oxysdonsaurus				
Oxydontosaurus					Oligocene	Brazil
Oxysdonsaurus					Oligocene	Parana (Brazil)
O. striatus					L.Cretaceous	W USA
Pachycheilosuchus	10 cm?		90 cm?		Aptian	Texas (US)
P. trinquei					Pliocene-Recent	S & C America
Paleosuchus	living	Dwarf Caiman				
P. palpebrosus	see	Crocodylus				
Palinia	see	Crocodylus	moreletii			
P. moreletii	see	Crocodylus	rhombofifer			

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
<i>P. rhombifer</i>					L.Miocene-Pleistocene	Australia
<i>Pallimnarchus</i>					Pleistocene	Queensland (AU)
<i>P. pollens</i>	60 cm		4.8 m?		Pleistocene	S Australia, Queensland (AU)
<i>P. sp.</i>					U.Cretaceous	Mongolia, China, Russia?
<i>Paralligator</i>					U.Cretaceous	Mongolia
<i>P. ancestralis</i>					U.Cretaceous	Mongolia
<i>P. gradilifrons</i>					U.Cretaceous	China
<i>P. sungaricus</i>					U.Triassic	W USA
<i>Parrishia</i>						
<i>P. mcreai</i>						
<i>Parussaurus</i>						
<i>P. neivensis</i>					U.Triassic-L.Jurassic	S Africa
<i>Pedeticosaurus</i>	nomen dubium				U.Triassic	S Africa
<i>P. levisi</i>	see <i>Litargosuchus leptorhynchus</i>					S Africa
<i>P. sp.</i>					L.Jurassic	China, Kirghiza
<i>Peipehsuchus</i>					Calvoian	Kirghiza
<i>P. sp.</i>					Callovia	Sichuan (China)
<i>P. teleorhinus</i>					U.Cretaceous	Brazil, Argentina
<i>Peirosaurus</i>					Campanian-Maastrichtian	Neuquen (ARG) Brazil
<i>P. tormini</i> (torminni)					L.Jurassic	Germany, France
<i>Pelagosaurus</i>	see <i>Steneosaurus bollensis</i>					Germany
<i>P. brongnarti</i>			1.75 m		L.Jurassic	Germany, France
<i>P. typus</i>						
<i>Pelagosuchus</i>	see <i>Caiman</i>					
<i>Perosuchus</i>						Colombia
<i>P. fuscus</i>					U.Jurassic-L.Cretaceous	England
<i>Petrosuchus</i>					U.Jurassic	England
<i>P. levidens</i>	see <i>Crocodylus</i>					
<i>Philas</i>	see <i>Crocodylus johnstoni</i>					
<i>P. johnstoni</i>	see <i>Deinosuchus</i>					
<i>Phobosuchus</i>	see <i>Deinosuchus riograndensis</i>					Texas (US)
<i>P. riograndensis</i>					Campanian	Texas (US)
<i>P. sp.</i>					U.Jurassic-L.Cretaceous	England
<i>Pholidosaurus</i>	see <i>Petrosuchus levidens?</i>				U.Jurassic	England
<i>P. decipiens</i>					U.Jurassic	England
<i>P. laevis</i>					L.Cretaceous	England, Germany
<i>P. meyeri</i>					U.Cretaceous	Brazil
<i>P. milwardi</i>			2 m		L.Cretaceous	England
<i>P. schauburgensis</i>	64 cm		3.2 m		Eocene	Tunisia, Mali
<i>Phosphatosaurus</i>			9 m?		Eocene	Tunisia
<i>P. gavialoides</i>					U.Cretaceous	W USA
<i>Pinacosuchus</i>					Maastrichtian	Utah (US)
<i>P. mantiensis</i>					Maastrichtian	Utah (US)
<i>P. sp.</i>	probably <i>Pinacosuchus</i>				U.Cretaceous	W USA
<i>Pinasuchus</i>					Maastrichtian	Utah (US)
<i>P. mantiensis</i>					Miocene	Peru
<i>Piscogavialis</i>					Miocene	Peru
<i>P. jugaliperforatus</i>	20 cm?		1.6 m?		Paleocene	China
<i>Planocrania</i>					U.Triassic-L.Jurassic	China
<i>Platyognathus</i>	8.5 cm				Hettangian	Yunnan (China)
<i>P. hsui</i> (hsuii)					L.Jurassic	Germany
<i>Platysuchus</i>			28 cm		L.Jurassic	Germany
<i>P. multiscrobiculatus</i>	see <i>Dakosaurus</i>					
<i>Plerodon</i>	see <i>Dakosaurus maximus</i>				Jurassic	Germany
<i>P. crocodiloides</i>	see <i>Dakosaurus</i>					
<i>Plesiosuchus</i>	see <i>Dakosaurus mansellii</i>					
<i>P. mansellii</i>	see <i>Diplocynodon</i>					

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
Pleurodon						
P. plenidens					U.Cretaceous	E USA
Pliogonodon					U.Cretaceous	N Carolina (US)
P. priscus					U.Cretaceous	E USA
Polydectes	see Deinosuchus rugosus				U.Cretaceous	N Carolina, Georgia (US)
P. biturgidus	see Pristichampsus					
Pristichamphus	see Pristichampsus					
Pristichampsia			3 m		M.Paleocene-U.Eocene	France, Germany, W USA
Pristichampsus					Uintan-Bridgerian	Texas (US)
P. cf. Vorax	probably Pristichampsus rollinati					Germany
P. geiseltalensis	probably Pristichampsus rollinati					Germany
P. magnifrons	14.5cm		1.2 m?		Bartonian	Germany, France, Spain, Italy
P. rollinati					Bridgerian-Uintan	Oregon (US)
P. sp.					Torrejonian	Wyoming (US)
P. sp.					Wasatchian	Wyoming, Colorado (US)
P. sp.					Bridgerian-Uintan	Texas, Wyoming (US)
P. vorax					Bridgerian	Wyoming (US)
Pristichampus	see Caiman					
Proalligator					Pliocene	Parana (Brazil)
P. australis	see Caiman sp.				Pliocene	Parana (Brazil)
P. paranensis					M.Eocene	W USA
Procaimanoidea					Bridgerian	Wyoming (US)
P. kayi					Uintan	Utah (US)
P. utahensis					U.Cretaceous	W USA
Prodiplocynodon	47 cm		3.7 m?		Maastrichtian	Wyoming (US)
P. langi	12.7cm	20 cm	1 m		U.Triassic-L.Jurassic	USA, Canada, S Africa
Protosuchus					L.Jurassic	S Africa
P. haughtoni					Hettangian	Nova Scotia (Cnda)
P. micmac			75 cm		Norian	Arizona (US)
P. richardsoni						
P. sp.1						
P. sp.2			2.15 m		U.Triassic	Argentina
Pseudhesperosuchus	12 cm?		122 cm		Norian	Los Colorados (Argentina)
P. jachaleri	see Metriorhynchus				U.Jurassic	Argentina
Purranisaurus	see Metriorhynchus potens				U.Jurassic	Argentina
P. potens	see Purussaurus					
Purussaurus	see Purussaurus					
Purussaurus	2 m	2.5 m	13.5 m	10 tn	Oligocene-L.Pliocene	Brazil, Peru
Purussaurus	2 m	2.5 m	13.5 m	10 tn	U.Miocene	Brazil, Peru
P. brasiliensis (brasiliicus)	see Tomistoma				M.Eocene	France
Pyrenodon			3 m		Pliocene-Pleistocene	Australia
Quinkana					L.Pliocene	N Australia (AU)
Q. babarra			3 m		Pleistocene	Queensland (AU)
Q. fortirostrum	see Gavialis					
Ramphostoma					L.Eocene	Tunisia, Mali, Nigeria
Rhabdognathus					Ypresian	Mali
cf. R. sp.					L.Eocene	Nigeria
R. rarus	see Rhabdognathus					
Rhabdosaurus					Eocene?	Tunisia
R. acutirostris	see Metriorhynchus					
Rhachaeosaurus	see Metriorhynchus					
Rhacheosaurus	see Geosaurus gracilis & Geosaurus suevicus					
R. gracilis	see Doratodon					
Rhadinosaurus	see Doratodon carcharidens					
R. alcinus	see Gavialis					
Rhampognathus	see Gryposuchus					
Rhampostoma	see Gavialis gangeticus					

Genus/Species	Skull	Ht	Lt	Wt	Time	Range	
<i>R. tenuirostris</i>			7 m?		U.Miocene-Pliocene	Argentina, Colombia	
Rhamphostomopsis					U.Miocene	La Venta (Colombia)	
cf. <i>R. sp.</i>					Pliocene	Entrerrios (Argentina)	
<i>R. intermedius</i>					Pliocene	Entrerrios (Argentina)	
<i>R. neogaeus</i>	possibly <i>Rhamphostomopsis</i> , see <i>Gryposuchus</i>						
Rhamphostomopsis	3 m?		18.5m?		Pliocene	S America, India, Pakistan	
Rhamphosuchus			15.4 m		Pliocene	India, Pakistan	
<i>R. crassidens</i>			15.4 m		Pliocene	India	
<i>R. indicus</i>	Rhynchosaurus belongs in the General Reptilia Index					China	
Rhynchosaurus					Tithonian	Shandong (China)	
<i>R. orientalis</i>					L.Cretaceous	Italy	
Rhytisodon					L.Cretaceous	Italy	
<i>R. tuberculatus</i>	see <i>Saltoposuchus</i>						
Saltaposuchus			122 cm		U.Triassic	Germany, England	
Saltoposuchus					Norian	Germany	
<i>S. connectens</i>					Rhaetian	Wales (G Britain)	
<i>S. gracilis</i>					Norian	Germany	
<i>S. longipes</i>	2 m		15 m		L-M.Cretaceous	Brazil, Niger	
Sarcosuchus					Aptian	Brazil	
<i>S. hartii</i>	1.8 m		14.4m?	8 tn +	Albian-Cenomanian	Brazil, Niger	
<i>S. imperator</i>	41 cm		3.3 m		Cretaceous	Morocco	
Sascosuccus?	see <i>Diplocynodon</i>						
Saurocainus	see <i>Diplocynodon gervaisi</i>						
<i>S. gervaisi</i> ( <i>gervaisii</i> )	48 cm		3.8 m		L.Paleocene-L.Miocene	Colombia, Argentina, Bolivia	
Sebecus					Friasian	Colombia	
<i>S. cf. Huilensis</i>					Fayumian	France	
<i>S. cf. Sp.</i>	77 cm?		6 m?		Friasian	Colombia	
<i>S. huilensis</i>	45 cm		3.5 m?		Thanetian-Ypresian	Argentina	
<i>S. icaeorhinus</i>					L.Paleocene	Bolivia	
<i>S. querejazus</i>					U.Paleocene	Itaborai (Brazil)	
<i>S. sp.1</i>					U.Eocene	Tama (Colombia)	
<i>S. sp.2</i>					U.Oligocene	La Venta (Colombia)	
<i>S. sp.3</i>					Friasian	La Venta (Colombia)	
<i>S. sp.4</i>	see <i>Steneosaurus</i>						
Sericodon	see <i>Steneosaurus jugleri</i>						
<i>S. jugleri</i>	see <i>Steneosaurus</i>						
Sericosaurus	58 cm		4.6 m		U.Cretaceous	Mongolia, Uzbekistan	
Shamosuchus					Maastrichtian	Nemegt (Mongolia)	
<i>S. ancestralis</i>					Turonian-Coniacian	Dzharakhuduk (Uzbekistan)	
<i>S. borealis</i>					Campanian	Bayanzag (Mongolia)	
<i>S. djadochtaensis</i>	36 cm		2.9 m?		Turonian-Santonian	Shireeingashuun (Mongolia)	
<i>S. gradilifrons</i>					Cenomanian	Sheichdzheili (Uzbekistan)	
<i>S. karakalpakensis</i>					Turonian-Santonian	Khongiltsav (Mongolia)	
<i>S. major</i>	see <i>Shamosuchus borealis</i>					Turonian	Dzharakhuduk (Uzbekistan)
<i>S. occidentalis</i>					Santonian	Mongolia	
<i>S. sp.</i>	28 cm		2.2 m?		Maastrichtian	Nemegt (Mongolia)	
<i>S. tersus</i>					Maastrichtian	Ulaanbulag (Mongolia)	
<i>S. ulanicus</i>	35 cm		2.8 m?		Cenomanian-Turonian	Amtgai (Mongolia)	
<i>S. ulgicus</i>	see <i>Shantungosuchus</i>						
Shantagosuchus			3 m		U.Jurassic-L.Cretaceous	China	
Shantungosuchus					L.Cretaceous	China	
<i>S. brachycephalus</i>	5 cm		33 cm		U.Jurassic	Shandong (China)	
<i>S. chuhsienensis</i>					L.Cretaceous	Inner Mongolia (China)	
<i>S. hangjinensis</i>			50 cm?		U.Jurassic	Mongolia	
Shartegosuchus	4 cm?				Tithonian	Sharteeg (Mongolia)	
<i>S. asperopalatum</i>					U.Jurassic-L.Cretaceous	China	
Sichuanosuchus	6.1 cm				U.Jurassic	Sichuan (China)	

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
<i>S. huidongensis</i> (huidongensis)	6.7 cm				L.Cretaceous	Sichuan (China)
<i>S. shunanensis</i> (shuhanensis)			91 cm		U.Cretaceous	Madagascar
<i>Simosuchus</i>			91 cm		Maastrichtian	Madagascar
<i>S. clarki</i>	see	Hyposaurus			L.Eocene	Mali
<i>Sokotosaurus</i>					Maastrichtian-Puercan	Vilquechico (Bolivia)
<i>S. aff. Ianwilsoni</i>					L.Eocene	Nigeria
<i>S. nopcsai</i>	109 cm		5.5 m?		U.Cretaceous	Nigeria
<i>Sokotosuchus</i>					U.Cretaceous	Nigeria
<i>S. ianwilsoni</i>					U.Cretaceous	Brazil
<i>Sphagesaurus</i>	14 cm?				Maastrichtian	Brazil
<i>S. huenei</i>	see	Thoracosaurus				
<i>Sphenosaurus</i>	see	Thoracosaurus neocesariensis				New Jersey (US)
<i>S. clavirostris</i>					U.Triassic-L.Jurassic	S Africa, W USA
<i>Sphenosuchus</i>	20 cm		1.4 m?		U.Triassic-L.Jurassic	S Africa
<i>S. acutus</i>					U.Triassic	Arizona (US)
<i>S. sp.</i>					M.Cretaceous	
<i>Stangerochampsia</i>					Campanian	
<i>S. maccabei</i>					L.Jurassic	E USA
<i>Stegomosuchus</i>					Carnian-L.Jurassic	Connecticut, Massachusetts (US)
<i>S. longipes</i>	see	Steneosaurus				
<i>Steneosaurus</i>	see	Steneosaurus recurvirostris				
<i>S. recurvirostris</i>	1 m		5 m		L-U.Jurassic	Europe, S America, Madagascar, N Africa
<i>Steneosaurus</i>					L.Jurassic	France
<i>S. atelestatus</i>						Tresche (Italy?)
<i>S. barettoni</i>					M.Jurassic	Madagascar
<i>S. baroni</i>					Bathonian	France?
<i>S. bathonicus</i>					Oxfordian	France
<i>S. blumenbachi</i>			5 m		L.Jurassic	Germany, England, France
<i>S. bollensis</i>					Kimmeridgian	France
<i>S. bouchardi</i>					M.Jurassic	France
<i>S. boutillieri</i>					M.Jurassic	England
<i>S. brevidens</i>	see	Steneosaurus bollensis				England
<i>S. brevior</i>					Kimmeridgian	England
<i>S. brevirostris</i>	see	Pelagosaurus typus				Germany
<i>S. bronni</i>						
<i>S. burgensis</i>					Callovian	Poitiers (France)
<i>S. cf. Heberti</i>						Verdun (France)
<i>S. cf. Obtusidens</i>					Kimmeridgian	France?
<i>S. chanuti</i>	see	Steneosaurus bollensis				England
<i>S. chapmani</i>	see	Metriorhynchus superciliosum				England
<i>S. dasycephalus</i>	75 cm		3.7 m?		Oxfordian	France, England
<i>S. durobrivensis</i> (durobrivense)					Kimmeridgian-Oxfordian	France
<i>S. edwardsi</i>	see	Cricosaurus elegans				
<i>S. elegans</i>	see	Anglosuchus geoffroyi				
<i>S. geoffroyi</i>					Liassic	Argentina
<i>S. gerthi</i>	see	Steneosaurus bollensis				England
<i>S. gracilirostris</i>	see	Metriorhynchus gracilis				
<i>S. gracilis</i>	1 m		5 m?		Bathonian-Oxfordian	France
<i>S. heberti</i>					Oxfordian	England
<i>S. hulkei</i>					Kimmeridgian	France?
<i>S. incertus</i>	72 cm		3.5 m		Callovian	France
<i>S. intermedius</i>					Tithonian-Berriasian	Germany, Portugal
<i>S. jugleri</i>					Oxfordian	England, Germany
<i>S. larteti</i>	see	Steneosaurus durobrivensis				
<i>S. l. kokeni</i>	see	Anglosuchus laticeps				
<i>S. laticeps</i>					Liassic	England
<i>S. latifrons</i>	85 cm		4.2 m?		Callovian-Oxfordian	France, England

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
<i>S. leedsi</i>	see <i>Streptospondylus rostro-major</i>					
<i>S. longirostris</i>	see <i>Dakosaurus mansellii</i>					
<i>S. mansellii</i>					Kimmeridgian	England
<i>S. megarhinus</i>					Oxfordian-Kimmeridgian	France?
<i>S. megistorhynchus</i>					Kimmeridgian	France
<i>S. morinicus</i> (moerinicus)	see <i>Mycterosuchus nasutus</i>				Bathonian	England
<i>S. nasutus</i>	75 cm		3.7 m?		Callovian-Oxfordian	France, England
<i>S. obtusidens</i>					Toarcian	France
<i>S. oplites</i>					Oxfordian	England
<i>S. oxoniensis</i>	see <i>Steneosaurus brevirostris</i> & <i>Metriorhynchus palpebrosum</i>					
<i>S. palpebrosum</i>					Bathonian	France?
<i>S. pepini</i>					U. Jurassic	Les Lourdines (France)
<i>S. pictaviensis</i>					Tithonian-Berriasian	Switzerland
<i>S. picteti</i>					Tithonian	Canjuers (France)
<i>S. priscus</i>					U. Jurassic	England
<i>S. purbeckensis</i>					Kimmeridgian	France
<i>S. recurvirostris</i>	see <i>Steneosaurus rudis</i>				Portlandian	France
<i>S. robustus</i>					Callovian	France
<i>S. roissyi</i>	see <i>Steneosaurus megistorhynchus</i>					
<i>S. rostromajor</i> (rostro-major)	see <i>Steneosaurus brevirostris</i>					
<i>S. rostrominor</i> (rostro-minor)					Kimmeridgian-Berriasian	France
<i>S. rudis</i>					L. Jurassic	Germany
<i>S. sp.</i>					Tithonian-Berriasian	England
<i>S. stephani</i>	see <i>Steneosaurus leedsi</i> ?				Oxfordian	England
<i>S. teleosauroides</i>	see <i>Metriorhynchus temporalis</i>					
<i>S. temporalis</i>	see <i>Steneosaurus</i>					
<i>Stenosaurus</i>	see <i>Cricosaurus elegans</i>					
<i>S. elegans</i>					L. Cretaceous	Niger
<i>Stolokrosuchus</i>					Aptian-Albian	Niger
<i>S. lapparenti</i>	1.8 m		11 m?		U. Cretaceous	Libya, Egypt
<i>Stomatosuchus</i>	1.8 m		11 m?		Cenomanian	Libya, Egypt
<i>S. inermis</i>	probably <i>Stangerochampsia</i>					
<i>Stangerochampsia</i>	probably <i>Stangerochampsia maccabei</i>					
<i>S. maccabei</i>	see <i>Steneosaurus</i>					
<i>Streptospondylus</i>	see <i>Steneosaurus rostromajor</i>					
<i>S. altdorfensis</i>	see <i>Steneosaurus rostromajor</i>					
<i>S. rostromajor</i> (rostro-major)	see <i>Strigosuchus</i>					
<i>Stricosuchus</i>	see <i>Strigosuchus licinus</i>					
<i>S. licinus</i>					L. Jurassic	China
<i>Strigosuchus</i>	possibly nomen dubium				Hettangian	Yunnan (China)
<i>S. licinus</i>	see <i>Stomatosuchus</i>				U. Cretaceous	Egypt
<i>Stromerosuchus</i>					Cenomanian	Egypt
<i>S. aegyptiacus</i>	see <i>Metriorhynchus</i>					
<i>Suchodus</i>	see <i>Metriorhynchus durobrivensis</i>					France
<i>S. durobrivensis</i> (durobrivense)					L. Cretaceous	England, Isle of Wight, Portugal
<i>Suchosaurus</i>					L. Cretaceous	England, Isle of Wight
<i>S. cultridens</i>					Aptian-Albian	Portugal
<i>S. girardi</i>	see <i>Suchosaurus cultridens</i>					England
<i>S. laevidens</i>	a Plesiosaur, see General Reptilia Index					Argentina
<i>Sulcusuchus</i>	a Plesiosaur, see General Reptilia Index					Rio Negro (ARG)
<i>S. erraini</i>	40 cm?				U. Jurassic	China, Thailand, Mongolia, Kirghiza
<i>Sunosuchus</i>					U. Jurassic	Xinjiang (China)
<i>S. hangjinensis</i>						
<i>S. junggarensis</i>					U. Jurassic	Gansu (China)
<i>S. miaoi</i>					Tithonian	Sharteg (Mongolia)
<i>S. shartegensis</i>					Callovian	Kirghiza
<i>S. sp.</i>					U. Jurassic	Thailand

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
S. thailandicus					U.Cretaceous	Argentina
Symptosuchus					U.Cretaceous	Argentina
S. contortidens					M-U.Cretaceous	Uzbekistan, Tajikistan
Tadzikhosuchus					Turonian	Dzharanhuduk (Uzbekistan)
T. kizylkumensis	36 cm?				Santonian	Kansai (Tajikistan)
T. macrodentis					Santonian	Kansai (Tajikistan)
T. neutralis					M.Jurassic	France
Teleidosaurus					Bathonian	France
T. bathonicus					Bathonian	France
T. calvadosi					Bajocian	France
T. cf. Gaudryi					Bathonian	France
T. gaudryi					Bathonian	France
T. joberti	preoccupied by insect, see			Terminonaris		W USA, W Canada, Europe
Teleorhinus	see Terminonaris browni			Turonian		Montana (US)
T. browni	see Terminonaris robusta			Cenomanian		Minnesota (US)
T. mesabiensis	see Terminonaris robusta			Hauterivian-Turonian		Montana (US) Saskatchewan (Cnda)
T. robustus			3 m		L-M.Jurassic	England, Germany, France
Teleosaurus					Kimmeridgian	England
T. asthenodeirus	see Steneosaurus atelestatus					France
T. atelestatus	see Metriorhynchus blainvillei					
T. blainvillei	see Metriorhynchus brachyrhynchus					
T. brachyrhynchus					L.Jurassic	England
T. brevirostris					Bathonian	France, England
T. cadomensis	see Teleidosaurus calvadosi					France
T. calvadosii	see Steneosaurus bollensis					England, Germany
T. chapmani					Kimmeridgian	France
T. deslongchampsianus	probably Teleosaurus deslongchampsianus					France
T. deslopmiansanus	see Steneosaurus edwardsi					
T. edwardsi	see Steneosaurus bollensis					England
T. eucephalus					M.Jurassic	France, England
T. geoffroyi	see Geosaurus gracilis					Germany
T. gracilis	see Metriorhynchus hastifer				Kimmeridgian	France
T. hastifer					Liassic	England
T. ischnodon					Oxfordian	Germany
T. lacunosae	see Steneosaurus larteti					
T. larteti	see Steneosaurus latifrons					
T. latifrons	see Steneosaurus megarhinus					
T. megarhinus						
T. megistorhynchus	see Steneosaurus bollensis					England, Germany
T. minimus	see Pelagosaurus typus				L.Jurassic	Germany
T. mosellana	based on a Plesiosaur vertebra, see General Reptile index					
T. neogaeus	see Steneosaurus oplites					
T. oplites					Tithonian-Berriasian	Switzerland
T. ornati					Oxfordian	Germany
T. parkinsoni	see Steneosaurus picteti					
T. picteti					Oxfordian	Germany
T. portlandi	see Aeolodon priscus				Kimmeridgian	Germany
T. priscus						France?
T. sp.					Bathonian	England
T. subulidens	see Pelagosaurus typus				L.Jurassic	Germany, France
T. temporalis					Rhaetian	Austria
T. tenuirostris	see Crocodylus					
Temsacus	1 m				M-U.Cretaceous	W USA, W Canada, Germany
Terminonaris					Turonian	Montana (US)
T. browni					Cenomanian	Bavaria (Germany)
T. cf. Browni			6 m		Turonian	Montana (US) Saskatchewan (Cnda)
T. robusta (robustus)	6.4 cm		50 cm		U.Triassic	G Britain



Genus/Species	Skull	Ht	Lt	Wt	Time	Range
Terrestrisuchus	see	Sphenosuchus	acutus?	or	Saltoposuchus gracilis	S Wales(G Britain)
T. gracilis	see	Crocodylus			Miocene	USA
Thecachamps	see	Gavialosuchus	americanus			
T. antiqua	see	Crocodylus	contusor			Maryland(US)
T. contusor	see	Crocodylus	elliotti			
T. elliottii	see	Crocodylus	fastigiatus			Virginia(US)
T. fastigiata	see	Crocodylus	marylandicus			Maryland(US)
T. marylandicus	see	Deinosuchus	rugosus			
T. rugosa	see	Crocodylus	sericodon			Maryland,New Jersey(US)
T. sericodon	see	Crocodylus	serratus			
T. serratus	see	Crocodylus	sicarius			
T. sicarius					U.Paleocene	E USA
Thecachampsoides					U.Paleocene	New Jersey, Virginia, Maryland(US)
T. minor	see	Crocodylus				
Thecocamps	see	Crocodylus	squankensis			New Jersey(US)
T. squankensis	see	Teleosaurus				
Theleosaurus			3 m		U.Jurassic	England, Spain
Theriosuchus					Barremian	Spain
T. ibericus	8 cm		64 cm?		U.Jurassic	England
T. pusillus					U.Cretaceous	Europe,N America
Thoracosaurus					L.Cretaceous	Brazil
T. bahiaensis					Maastrichtian	New Jersey(US)
T. basifissus(basfissus)					Maastrichtian	Inkerman(Russia)
T. borissiakii	see	Holopsisuchus	brevispinus			
T. brevispinus					Cenomanian-Turonian	Morocco
T. cherifiensis	see	Thoracosaurus	neocesariensis			New Jersey(US)
T. grandis	see	T. borissiakii			Maastrichtian-Paleocene	France,Russia
T. macrorhynchus					Maastrichtian	New Jersey(US)
T. meirsanus					Maastrichtian	New Jersey(US)
T. mullicensis					Maastrichtian	New Jersey, Mississippi, Maryland(US)
T. neocesariensis	55 cm		4.4 m?		Maastrichtian	Sweden,Russia
T. scanicus					Maastrichtian	New Jersey(US)
T. sp.					M.Eocene	China
Tienosuchus					Lutetian	Hunan(China)
T. hsiangi					Eocene	Mali
Tilemsisuchus					Eocene	Mali
T. lavocati					Eocene-Pleistocene	Europe,N America,Asia
Tomistoma					Lutetian-Bartonian	Egypt
T. africanum					Hemphillian	Florida(US)
T. americana	see	Euthecodon	brumpti			
T. brumpti	40 cm		3.2 m?		Lutetian	Egypt
T. cairensis					Aquitanian-Helvetian	Italy, Portugal, Sardinia
T. calaritanus					Orleanian	La Brosse(France)
T. cf. Lusitanica			9 m?		Miocene	Malta
T. champsoides					Burdigalian	Egypt,Libya
T. dowsoni					Burdigalian	Gozo Island
T. gaudense	64 cm		5 m?		Bartonian-Stampian	Egypt
T. gavialoides					Lutetian	Egypt
T. kerunense	see	Crocodylus	johnsoni			
T. krefftii					Burdigalian-Helvetian	Portugal
T. lusitanica					M.Miocene	Lecce(Italy)
T. lyceensis(lyceenis)	1 m		8 m?		U.Pliocene-L.Pleistocene	Japan
T. machikanense					Bartonian	Guangdong(China)
T. petrolica	living	False	Gharial			China
T. schlegelii					Stampian	Egypt
T. tenuirostre					L-M.Holocene	China, Japan
Toyotamaphimeia					L-M.Holocene	China, Japan

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
T. machikanensis					L-U.Cretaceous	Niger, Madagascar
Trematochampsia					Campanian	Madagascar
T. oblita					Cenomanian	Niger
T. taqueti			1.5 m		U.Triassic	Argentina, Europe?
Trialestes					Carnian	Ischigualasto (Argentina)
T. romeri	preoccupied, see Trialestes					
Triassolestes	see Trialestes romeri					
T. romeri					L.Miocene	Australia
Trilophosuchus					L.Miocene	Queensland (AU)
T. rackhami					U.Cretaceous	Kazakhstan
Turanosuchus					Santonian	Kazakhstan
T. aralensis			1.2 m?		U.Cretaceous	Uruguay
Uruguaysuchus			1.2 m?		Santonian-Campanian	Uruguay, England, Madagascar
U. aznarezi			1.2 m?		Santonian-Campanian	Uruguay
U. terrai					L.Cretaceous	England
Vectisuchus					L.Cretaceous	Isle of Wight
V. leptognathus					Pleistocene	Fiji
Volia	20 cm?				Pleistocene	Fiji
V. athollandersoni					Paleocene	N America
Wannaganosuchus						
W. brachymanus	see Wannaganosuchus?					
Wannangosuchus					Paleocene	China
Wanosuchus					Paleocene	Anhui (China)
W. atresus	see Pristichampsus					
Weigeitisuchus	see Pristichampsus					
Weigeltisuchus	see Pristichampsus rollinatti					
W. geiseltalensis	see Hyposaurus					
Wurnosaurus					L.Eocene	Nigeria
W. wilsoni	see Caiman					
Xenosuchus	see Caiman lutescens					
X. lutescens	see Proalligator paranensis				Pliocene	Parana (Brazil)
X. paranensis	see Alligator ameghinoi					
X. p. ameghinoi					U.Cretaceous	Uzbekistan
Zholsuchus					Coniacian	Uzbekistan
Z. procevus					U.Cretaceous	Uzbekistan
Zhyrasuchus					Coniacian	Uzbekistan
Z. angustifrons						
			1 m		Cretaceous	Asia