

Genus/Species	Skull	Lt	Wt	Stage	Range
Acrochordus				M.Miocene	Nepal, Pakistan, India
A. dehmi		5 m?		M-U.Miocene	Nepal, Pakistan, India
Agkistrodon				U.Pliocene-Recent	USA
A. cf. Contortrix				Blancan	Nebraska (US)
A. contortrix	living	Copperhead		Blancan-Recent	Nebraska, Kansas, Texas (US)
A. piscivorus				Irringtonian-Rancholabrean	Florida, Georgia (US)
A. sp.				U.Pliocene	Florida (US)
A. sp.				Hemphillian	Nebraska (US)
Alamitophis				U.Cretaceous-L.Eocene	Argentina, Australia
A. argentinus				Campanian-Maastrichtian	Argentina
A. elongatus				Campanian-Maastrichtian	Argentina
A. sp.				Ypresian	Australia
Albaneryx				M.Miocene	Russia, France?
Albophis				Pleistocene	Puerto Rico
A. sp.				Pleistocene	Cueva Catedral (PR)
Ameiseophis				L-M.Miocene	W USA
A. cf. Robinsoni				Barstovian	Nebraska (US)
A. robinsoni				Hemingfordian	Wyoming, S Dakota (US)
Anilioides				L.Miocene	USA
A. minuatus				Hemingfordian	Florida (US)
A. nebraskensis				Arikareean	Nebraska (US)
Anomalophis				L.Eocene	Europe
Aphelophis	see Calamagras			L-M.Oligocene	W USA
A. talpivorus	see Calamagras	talpivorus			Colorado (US)
Archaeophis				L.Eocene	Italy, Turkey
A. bolcensis				L.Eocene	Italy
A. proavus	2.8 cm	95 cm		L.Eocene	Italy
A. turkmenicus				L.Eocene	Turkmenistan
Arizona				U.Miocene-Pliocene	W USA
A. sp.				Pliocene	California (US)
A. voorhiesi				Hemphillian	Nebraska (US)
Arrhyton				Pleistocene	Puerto Rico
A. cf. Puertoricensis				Pleistocene	Cueva Catedral (PR)
Bavarioboa				L.Miocene	Germany, Czech Republic
B. hermi				Orleanian	Germany, Czech Republic
B. sp.				Orleanian	Merkur-north (Czech Republic)
Bitis				U.Pliocene-Recent	E Africa
B. sp.				U.Pliocene	d'Ahl al Oughlam (Morocco)
Boa				L.Miocene-Recent	N thru S America
B. barbouri				Arikareean	Florida (US)
Boavus				Recent	Worldwide
B. agilis	see Baovus	occidentalis			
B. brevis				Bridgerian	Wyoming (US)
B. cf. Occidentalis				Orellan	S Dakota (US)
B. idelmani		1 m		Wasatchian	Wyoming (US)
B. occidentalis				Bridgerian	Wyoming (US)
B. sp.				Bridgerian	Wyoming (US)
B. sp.				Chadronian	Colorado (US)
Boidae					
B. sp.A				Orleanian	Merkur (Czech)
B. sp.B				Orleanian	Vieux Cologne (France)
B. sp.C				Orleanian	Vieux Cologne (France)
B. sp.D				Orleanian-Astaracian	Ivancice (Czech)
Bothrodon				Pleistocene	Paraguay
B. priddii				Pleistocene	Gran Chaco (Paraguay)
Bothropis				Miocene	Europe
Bransateryx				U.Oligocene	Germany, France, Czech Republic

Genus/Species	Skull	Lt	Wt	Stage	Range
cf. B.				Astaracian	Steinheim (Germany)
B. septentrionalis				Orleanian	Germany, Czech Republic
B. sp.	see Eryx sp.			Orleanian	Vieux Cologne (France)
B. vireti				Stampian-Orleanian	France, Germany
Cadurceryx				U.Eocene	Europe
Cadurcoba				U.Eocene	France
Calamagras		60 cm		L.Eocene-L.Miocene	Europe, USA, W Canada
cf. C. primus				Wasatchian	New Mexico (US)
C. angulatus				Orellan-Arikareean	Colorado, S Dakota, Nebraska (US)
C. cf. Angulatus				Arikareean	Wyoming (US)
C. cf. Platyspondyla				Arikareean	Nebraska (US)
C. cf. Primus				Pleistocene	New Mexico (US)
C. floridanus				Hemingfordian	Florida (US)
C. gallicus				L.Eocene	France
C. minnatus				Hemingfordian	Florida (US)
C. murivorus				Orellan-Hemingfordian	Colorado, Nebraska, S Dakota, Florida (US)
C. oregonensis					
C. platyspondylus (platyspondyla)				Whitneyan-Arikareean	Nebraska, Wyoming, Florida (US)
C. primus				Bridgerian	Wyoming (US)
C. sp.				Bridgerian	Wyoming (US)
C. talpivorus	see C. murivorus			Orellan	Colorado (US)
C. truxalis	see C. murivorus			Orellan	Colorado (US)
C. turkestanicus				L.Eocene	Kirghiza
C. weigeli				Chadronian-Hemingfordian	S Dakota, Wyoming, Texas (US) Saskatchewan (Cnda)
Cardophis	see Carphophis?				
C. amoenus				M-U.Pleistocene	Florida (US)
Carphophis				M.Pleistocene-Recent	E USA
C. amoenus	living Worm Snake			Rancholabrean-Recent	Missouri, Florida (US)
Cemophora				U.Pliocene-U.Pleistocene	E USA
C. coccinea	living Scarlet Snake			Blancan-Recent	Florida (US)
Charina				M.Miocene-U.Pleistocene	W USA
C. bottae				Hemphillian-Rancholabrean	California, Washington (US)
C. prebottae				Hemingfordian-Hemphillian	W USA, Canada
Cheilophis				L-M.Eocene	USA
C. huerfanoensis				Wasatchian-Bridgerian	Colorado, New Mexico (US)
C. huerfanoidensis				Bridgerian	Colorado (US)
C. sp.				Bridgerian	Colorado (US)
Colombophis				M.Miocene	S America
Coluber				M.Oligocene-Recent	Europe, USA, Africa
cf. C. cadurci				Agenian	Germany
C. acuminatus					
C. atavus					
C. cadurci				Agenian	France
C. caspioides				Orleanian	Germany, Czech Republic
C. constrictor	living Racer			Eocene-Recent	USA (widespread)
C. dolnicensis				Orleanian	Czech Republic
C. flagellum				Irvingtonian	Arkansas (US)
C. hippocrepis	living Racer			U.Pliocene-Recent	Morocco
C. hungaricus				Turolian	Europe
C. kargii				Miocene	Germany
C. planicarinatus				Turolian	Europe
C. robertmertensi				Pliocene	
C. sp.				U.Miocene-U.Pliocene	Florida (US)
C. sp.				Irvingtonian	Arkansas (US)
C. sp.				Hemphillian	Nebraska (US)
C. sp.				Clarendonian	Kansas (US)
C. sp.				Blancan	Idaho (US)

Genus/Species	Skull	Lt	Wt	Stage	Range
<i>C. suevicus</i> (suevica)				Orleanian	Merkur (Czech)
Colubrinae					
<i>C. sp.A</i>				Orleanian	Merkur (Czech)
<i>C. sp.B</i>				Astaracian	DNV (Slovakia)
<i>C. sp.C</i>	see <i>Texasophis sp.</i>			Orleanian	Vieux Collogne (France)
<i>C. sp.D</i>				Astaracian	DNV (Slovakia)
Coniophis				U.Cretaceous-U.Eocene	W USA, France
<i>C. carinatus</i>				Bridgerian	Wyoming (US)
<i>C. cf.</i>				Maastrichtian	Wyoming (US)
<i>C. cosgriffi</i>				U.Cretaceous	New Mexico (US)
<i>C. dabeidus</i>					
<i>C. platycarinatus</i>				Bridgerian	Wyoming (US)
<i>C. precedens</i>				Maastrichtian	Wyoming (US)
<i>C. sp.</i>				Bridgerian	Wyoming (US)
<i>C. sp.</i>				Maastrichtian	Montana (US)
<i>C. sp.</i>				U.Eocene	Belarus II (France)
<i>C. sp.</i>				Torrejonian	Wyoming (US)
<i>C. sp.</i>				Albian-Cenomanian	Utah (US)
Coprophis				L.Oligocene	W USA
<i>C. dakotaensis</i>				Orellan	Big Badlands (S Dakota?)
Crotalus				U.Pleistocene-Recent	USA
<i>C. adamanteus</i>	living Rattlesnake			Blancan-Recent	Florida (US)
<i>C. a. pleistofloridensis</i>				Rancholabrean	Florida (US)
<i>C. atrox</i>	living Rattlesnake			Blancan-Recent	Texas (US)
<i>C. cf. Viridis</i>				Blancan-Irvingtonian	Nebraska, Colorado (US)
<i>C. giganteus</i>	see <i>C. adamanteus</i>			Rancholabrean	Florida (US)
<i>C. horridus</i>	living Rattlesnake			Blancan-Recent	Massachusetts, Nebraska, Pennsylvania (US)
<i>C. potterensis</i>				Rancholabrean	California (US)
<i>C. sp.</i>				U.Miocene-U.Pliocene	Florida (US)
<i>C. sp.</i>				Rancholabrean	Georgia (US)
<i>C. sp.</i>				Irvingtonian	Arkansas (US)
<i>C. sp.</i>				Blancan-Irvingtonian	California (US)
<i>C. sp.</i>				Hemphillian	Nebraska (US)
<i>C. viridis</i>	living Rattlesnake			Blancan-Recent	Nebraska, Kansas, California (US)
Crythiosaurus				Oligocene	Mongolia
<i>C. mongoliensis</i>				Oligocene	Mongolia
Dakotaophis				L-M.Miocene	W USA
<i>D. greeni</i>				Barstovian-Hemingfordian	S Dakota, Wyoming, Nebraska, Texas (US)
Daunophis				Pliocene	Burma
<i>D. langi</i>				Pliocene	Burma
Daunoplis	see <i>Daunophis</i>			Pliocene	S Asia
Dawsonophis				U.Eocene	N America
Diadophis				M.Miocene-Recent	USA
<i>D. elinorae</i>				Hemphillian-Irvingtonian	Florida (US)
<i>D. punctatus</i>	living Ringneck Snake			Irvingtonian-Recent	Florida, Missouri, Pennsylvania (US)
<i>D. sp.</i>				Blancan	California (US)
Dinylisia	10 cm	3 m		U.Cretaceous	Argentina
<i>D. patagonica</i> (patagonia)				Campanian	Argentina
Dinophis	see <i>Palaeophis</i>				
<i>D. grandis</i>	see <i>Palaeophis grandis</i>				New Jersey (US)
Dolniceophis				L.Miocene	Czech Republic
<i>D. lehmani</i>				L.Miocene	Czech Republic
Dryinoides				M.Miocene-U.Pliocene	USA
<i>D. oxyrhachis</i>				U.Miocene	Montana (US)
<i>D. sp.</i>				U.Miocene-U.Pliocene	Florida (US)
Drymarchon				U.Pliocene-U.Pleistocene	E USA
<i>D. corais</i>	living Indigo Snake			Blancan-Recent	Florida (US)

Genus/Species	Skull	Lt	Wt	Stage	Range
D. sp.				U.Pliocene	Florida (US)
Dunnophis				L-U.Eocene	Europe, USA
cf. D. sp.				Torrejonian	Wyoming (US)
D. mickoechinis				Bridgerian	Wyoming (US)
D. sp.				Bridgerian	Wyoming (US)
Elaphe (Elaphis)				M.Miocene-Recent	E Europe, N America
cf. E. sp.				Orleanian-Astaracian	Oggenhausen (Germany)
cf. E. sp.				Orleanian	Merkur (Czech Republic)
E. buisi				Blancan	Oklahoma (US)
E. cf. Guttata				Hemphillian	Nebraska (US)
E. cf. Vulpina				Blancan	Kansas (US)
E. dione				L.Pleistocene	Berezovka locality (Russia)
E. guttata	living	Corn Snake		Blancan-Recent	Florida, Arkansas, Texas, Nebraska (US)
E. kansensis	see E. nebraskensis			M.Miocene	Kansas (US)
E. longissima	living	Aesculapian		M.Pleistocene-Recent	England, Russia
E. nebraskensis				Barstovian-Hemphillian	Nebraska, Texas, S Dakota, Kansas (US) Saskatchewan (Cnda)
E. nr. Obsoleta				Blancan	Nebraska (US)
E. obsoleta	living	Rat Snake		Hemphillian-Recent	Florida, Nebraska, Kansas, Texas, Pennsylvania (US)
E. pliocenica				Blancan	Idaho, Washington (US)
E. sp.				Irvingtonian	Arkansas (US)
E. sp.				U.Miocene-L.Pleistocene	Florida (US)
E. sp.				Hemphillian	Nebraska (US)
E. sp.				Clarendonian	Kansas (US)
E. vulpina	living	Fox Snake		Hemphillian-Recent	Arkansas, Nebraska, Idaho, Texas, Washington (US)
Elaphidae					
E. sp.A				Orleanian	Vieux Collogne (France) Merkur (Czech)
E. sp.B				Orleanian	Vieux Collogne (France)
E. sp.C				Astaracian	DNV (Slovakia)
Eoanilius				U.Eocene	France, Germany, England
E. cf. Europae					Hordle Cliff (England)
E. europae				U.Eocene	France
E. oligocenicus				M-U.Oligocene	Germany
Epicrates				Pleistocene	Cuba, Puerto Rico, Bahamas
E. angulifer				Pleistocene	Casimba (Cuba)
E. cf. Innornatus				Pleistocene	Banos de Ciego Montero (Cuba) Cueva Catedral (PR)
E. sp.				Pleistocene	Cueva Catedral (PR)
E. striatus				U.Pleistocene-Recent	Bahamas
Eryx				L-M.Miocene	France, Spain
E. sp.				Orleanian	Vieux Collonge (France)
E. sp.				Aquitanian-Burdigalian	Bardenas Reales (Spain)
Estesius		1 m		U.Cretaceous	Israel, S America?
E. colberti		1 m		U.Cretaceous	Israel
Eunectes				M.Miocene	S America
Farancia				U.Miocene-Recent	E USA
F. abacura	living	Mud Snake		Hemphillian-Recent	Florida (US)
F. sp.				U.Pliocene	Florida (US)
Floridaophis				M.Oligocene	USA
F. auffenbergi (aufferbergi)				Whitneyan	Florida (US)
Geringophis				M.Oligocene-L.Miocene	W USA
G. depressus				Arikareean	Nebraska, Wyoming (US)
G. vetus				Orellan	Colorado, Nebraska (US)
G. yatkolae				Arikareean	Nebraska (US)
Gigantophis		18 m?		U.Eocene	N Africa
G. garstini					
G. sp.				Fayumian	Egypt
Goinophis				L.Miocene	W USA
G. minusculus				Arikareean	Nebraska (US)

Genus/Species	Skull	Lt	Wt	Stage	Range
Gongylophis				L.Miocene	Czech Republic
cf. G. sp.				L.Miocene	Czech Republic
Haasiophis				L-U.Cretaceous	Israel
H. terrasanctus	2.5 cm	88 cm		Cenomanian	Israel
Headonophis				U.Eocene	G Britain
H. harrisoni				U.Eocene	G Britain
Helagras				L.Paleocene-L.Oligocene	USA
H. cf. Prisciformes				Torrejonian	Wyoming (US)
H. orellanensis				Orellan	Nebraska (US)
H. prisciformes	see Helagras prisciformis				
H. prisciformis		1.8 m?		Puercan-Chadronian	New Mexico, Wyoming, Kansas (US)
Helagris	see Helagras				
H. prisciformis	see Helagras prisciformis				
Herensugae					
H. caristiorum					
Heterodon				U.Miocene-Recent	USA
H. brevis				Hemphillian	Florida (US)
H. cf. Nasicus		80 cm?		Hemphillian	Arizona (US)
H. cf. Platyrrhinus				Hemphillian-Blancan	Nebraska, Kansas (US)
H. nasicus	living	Hognose snake		Blancan-Recent	Florida, Nebraska, Colorado (US)
H. platyrrhinus (platyrrhincos)	living	Hognose snake		Blancan-Recent	Florida, Kansas, Nebraska, Texas (US)
H. plionasicus				Blancan	Kansas, Texas, Nebraska (US)
H. simus	living	Hognose snake		Irvingtonian-Recent	Florida (US)
H. sp.				U.Miocene-U.Pliocene	Florida (US)
H. sp.				Irvingtonian	Arkansas (US)
H. sp.				Hemphillian	Nebraska (US)
H. sp.				Rancholabrean	Georgia (US)
Heteropython				Miocene	Europe
Huberophis				U.Eocene	N America
Incongruelaps				U.Miocene	Australia
I. Iteratus				U.Miocene	Queensland (AU)
Indophis				U.Cretaceous	India
I. Sahnii				Maastrichtian	Naskal (India)
Kepsophis					
K. thobanus					
Lampropeltis				M.Miocene-Recent	USA, W Canada
L. calligaster				Blancan-Irvingtonian	Nebraska, Arkansas (US)
L. doliata				Hemphillian-Rancholabrean	Arkansas (US)
L. getulus (getula)	living	Kingsnake		Hemphillian-Recent	S & W USA
L. similis				Barstovian-Hemphillian	Texas, Nebraska, Kansas (US) Saskatchewan (Cnda)
L. sp.				Hemphillian	Nebraska (US)
L. sp.				Blancan	Idaho (US)
L. sp.				Blancan-Rancholabrean	California (US)
L. triangulum	living	Milksnake		Hemphillian-Recent	Florida, Missouri, Nebraska, Oklahoma, Kansas, Texas (US)
Laophis	see Crotalus?			Tertiary	Salonica
L. crotaloides				Tertiary	Salonica
Lapparentophis				L.Cretaceous	N Africa
L. defrennei					
Lichanura				U.Miocene	W USA
L. sp.	indeterminate			Hemphillian	Nebraska (US)
Lithophis	see Lithophis				
Lithophis				M.Eocene	W USA
Macroprotodon				U.Pliocene-Recent	Morocco
cf. Macroprotodon				U.Pliocene	d'Ahl al Oughlam (Mrcco)
Macrovipera				U.Pliocene	Morocco
M. cf. Mauritanica				U.Pleistocene	El Harhoura 1 cave (Mrcco)
M. sp.		1 m?		U.Pliocene	d'Ahl al Oughlam (Mrcco)

Genus/Species	Skull	Lt	Wt	Stage	Range
Madtsoia		9.2 m		L.Eocene	Argentina, Niger, Brazil
M. bai		10 m?		Casamayoran	Argentina
M. camposi				U.Palaeocene	Brazil
M. cf. Laurasiae				Maastrichtian	Madagascar
M. laurasiae				Maastrichtian	Spain
M. madagascariensis				Maastrichtian	Madagascar
M. sp. (cf. M.bai)					Argentina
M. sp. (cf. M.madagascariensis)					Niger
Malpolon				L.Pliocene-Recent	Europe (Spain?, France?), Morocco
M. monspessulanus				U.Pleistocene	Morocco
M. sp.				U.Pliocene	Morocco
Masticophis				M.Miocene-Recent	USA
M. cf. Flagellum				Blancan	Texas (US)
M. flagellum	living	Coachwhip		Blancan-Recent	Florida, California, Nebraska (US)
M. sp.				U.Pliocene	Florida (US)
M. sp.				Hemphillian	Nebraska (US)
M. sp.				Clarendonian	Kansas (US)
Mesophis				U.Cretaceous	Hercegovina
M. nopcsai	.9 cm?	42 cm?		Neocomian	Hercegovina
Michauxophis				U.Pliocene	France
M. occitanus				Villanyan	France
Micrurus				U.Miocene-U.Pleistocene	USA, France
M. aff. Gallicus				Orleanian	Vieux Collogne (France)
M. cf. Gallicus	see Micrurus aff. Gallicus				Vieux Collogne (France)
M. fulvius	living	Coral snake		Hemphillian-Recent	Florida, Texas (US)
M. gallicus				Orleanian-Astaracian	France, Germany
M. sp.				Arikareean-Villafranchian	Florida (US)
M. sp.				M.Miocene	Nebraska (US)
Micoluber				U.Miocene	W USA
M. dalquesti				Hemphillian	Texas (US)
Mionatrix				M.Miocene	China
Moeriophis	see Pterospheusus				
Montypythonoides		8 m		L.Oligocene-M.Miocene	Australia
M. riversleighensis		8 m		L.Oligocene-M.Miocene	Queensland (AU)
Morelia				L.Oligocene-Recent	Northern Territory & Queensland (AU)
Naja				M.Miocene-Recent	N Africa, Europe
N. antiqua				Astaracian	Morocco
N. austriaca	see Naja romani				
N. cf. Romani				Orleanian	Vieux Collogne (France)
N. depereti					
N. iberica					
N. romani				Orleanian-Turolian	Austria, Germany
N. sp.				Agenian	Spain
N. sp.1				Orleanian	Vieux Collogne (France)
N. suevica	see Coluber suevicus				
Nanowana				L-M.Miocene	Australia
N. godthelpi				L-M.Miocene	Queensland (AU)
N. schrenki				L-M.Miocene	Queensland (AU)
Natricinae					
N. sp. A				Orleanian	Vieux Collogne (France)
N. sp. B				Orleanian	Vieux Collogne (France)
N. sp. C				Orleanian	Merkur (Czech) Vieux Collogne (France)
N. sp. D				Orleanian	Vieux Collogne (France)
Natrix				M.Miocene-Recent	Europe, USA
N. aff. Natrix				L.Pleistocene	Soglasie-Korostelev (Russia)
N. aff. Sansaniensis				Orleanian	Vieux Collogne (France) Merkur (Czech) Petersbuch (Germany)
N. cf. Tessellata				Pleistocene?	Cherny Yar Sands (Russia)

Genus/Species	Skull	Lt	Wt	Stage	Range
N. cyclopion	possibly Nerodia?			Hemphillian-Rancholabrean	Florida (US)
N. erythrogaster	possibly Nerodia?			Irvingtonian-Rancholabrean	Florida (US)
N. hillmani				Clarendonian	Kansas (US)
N. longivertebrata				Astaracian-Villanyan	
N. maura				M.Pleistocene	England
N. merkuriensis		30 cm?		Orleanian	Czech Republic
N. mlynarskii				M-U.Oligocene	France
N. natrix	living Grass Snake			L.Pleistocene-Recent	England, Russia
N. parva					
N. sansaniensis				Orleanian-Astaracian	France, Czech Republic
N. sipedon	possibly Nerodia?			Irvingtonian-Rancholabrean	Florida (US)
N. sp.				Rancholabrean	Florida (US)
N. taxispilota	possibly Nerodia?			Irvingtonian-Rancholabrean	Florida (US)
N. tessellata				M.Pleistocene	England
Nebraskophis				M.Oligocene-U.Miocene	USA
N. skinneri				Barstovian-Hemphillian	Nebraska (US)
N. oligogenicus				Whitneyan	Florida (US)
Neonatrix				M-U.Miocene	W USA, France
cf. N. sp.				Orleanian	Petersbuch (Germany)
N. cf. Europaea				Orleanian	Vieux Collogne (France)
N. crassa				M.Miocene	France
N. elongata				Hemingfordian-Hemphillian	Nebraska, S Dakota, Texas (US)
N. europaea				L-M.Miocene	France
N. inferna				M-U.Miocene	W USA
N. magna				Barstovian	Nebraska (US)
N. nova				Orleanian	Czech Republic
N. sp.				Astaracian	DNV (Slovakia)
Nerodia				U.Miocene-Recent	USA
N. cf. Hibbardii				Blancan	Texas (US)
N. cyclopion	living Water Snake			Blancan-Recent	Florida (US)
N. erythrogaster	living Water Snake			Blancan-Recent	Florida, Texas (US)
N. fasciata	living Water Snake			Blancan-Recent	Florida, Georgia (US)
N. hibbardii				Blancan	Idaho (US)
N. rhombifera	living Water Snake			Blancan-Recent	Nebraska (US)
N. sipedon	living Water Snake			Blancan-Recent	Nebraska, Kansas (US)
N. sp.				U.Miocene-L.Pleistocene	Florida, Nebraska (US)
N. sp.				Blancan	Kansas (US)
N. taxispilota	living Water Snake			Blancan-Recent	Florida (US)
Nessovophis				U.Eocene	Uzbekistan
N. tamdy	see Palaeophis tamdy				Uzbekistan
N. zhylga				Bartonian	
Neurodromicus				L.Oligocene-M.Miocene	USA
N. dorsalis		1.2 m		Orellan	Colorado (US)
N. stanolseni				Hemingfordian	Florida (US)
Nigerophis				Paleocene	Niger
N. mirus					
Notechis				Pleistocene-Recent	S Australia (AU)
Nubianophis					
N. afaahus					
Ogmophis				U.Eocene-M.Pliocene	USA, Canada
O. angulatus	see Calamagras angulatus				Colorado (US)
O. cf. Miocompactus				Arikareean-Hemingfordian	Nebraska, Wyoming (US)
O. compactus		1.5 m		Chadronian-Orellan	Saskatchewan (Cnda) Nebraska (US)
O. fraquiovus				Oligocene	Colorado or Wyoming (US)
O. miocompactus				Arikareean-Hemingfordian	Nebraska, S Dakota, Texas (US)
O. oregonensis				Duchesnean-Blancan	Georgia, Texas (US)
O. pauperrimus				Hemingfordian	Florida (US)

Genus/Species	Skull	Lt	Wt	Stage	Range
<i>O. pliocompactus</i>				Clarendonian-Hemphillian	Kansas, Texas (US)
<i>Opheodrys</i>				U.Pliocene-U.Pleistocene	E USA
<i>O. aestivus</i>				Rancholabrean	Florida (US)
<i>O. vernalis</i>				Blancan-Rancholabrean	Florida, Indiana (US)
<i>Ophidium</i>				U.Miocene-Pliocene	S America
<i>Ophiodon</i>	a fish			Miocene	France
<i>O. antiquus</i>				Miocene	France
<i>Ophiomorphus</i>		1 m		U.Cretaceous	Israel
<i>O. colberti</i>	see <i>Estesius colberti</i>				Israel
<i>Pachyophis</i>		1 m		U.Cretaceous	Europe
<i>P. woodwardi</i>				Neocomian	Yugoslavia
<i>Pachyrhachis</i>		1.2 m?		L-U.Cretaceous	Israel
<i>P. problematicus</i>		1.2 m?		L-U.Cretaceous	Israel
<i>Palaeoelaphe</i>				Pliocene	N America
<i>Palaeomalpolon</i>				L-M.Pleistocene	E Europe
<i>Palaeonaja</i>				M.Miocene-L.Pliocene	Europe
<i>P. romani</i>	see <i>Naja cf. Romani</i> or <i>Naja sp.1</i>				
<i>Palaeonatrix</i>				M.Miocene	Poland
<i>P. lehmani</i>				Orleanian	Germany, Czech Republic
<i>P. silesiaca</i>				Astaracian	Poland
<i>Palaeophis</i>		9 m+		U.Cretaceous-M.Eocene	N & W Africa, Great Britain
<i>P. africanus</i>				Lutetian	Nigeria
<i>P. casei</i>		.5 m		Wasatchian	Mississippi (US)
<i>P. cf. Casei</i>					
<i>P. cf. Littoralis</i>	indeterminate material				
<i>P. colossaeus</i>		9 m+		Lutetian	Mali
<i>P. ferganicus</i>				Ypresian	Kirghizia
<i>P. grandis</i>				Lutetian	New Jersey (US)
<i>P. halidanus</i>				Ypresian	New Jersey (US)
<i>P. littoralis</i>				U.Cretaceous-Lutetian	New Jersey (US)
<i>P. maghrebianus</i>				Ypresian	Morocco
<i>P. nessovi</i>				Priabonian	Kazakhstan
<i>P. porcatus</i>				Eocene	England
<i>P. sp.</i>				L.Eocene	Great Britain
<i>P. sp.</i>				Duchesnean	Texas (US)
<i>P. tamdy</i>				Bartonian	Uzbekistan
<i>P. toliapicus</i>				Ypresian	England
<i>P. typhaeus</i>				Bartonian	England
<i>P. udovichenkoi</i>				Bartonian-Priabonian	Ukraine
<i>P. virginianus</i>		53 cm?		Ypresian	Virginia (US)
<i>P. zhylan</i>				Thanetian-Ypresian	Kazakhstan
<i>Palaeopython</i>		2 m		M.Eocene-Oligocene	Germany, France, Sardinia
<i>P. cadurcensis</i>				Headonian	France
<i>P. ceciliensis</i>	indeterminate material				Germany
<i>P. sardus</i>				Astaracian	Sardinia
<i>Paleofarancia</i>				U.Miocene-Pleistocene	USA
<i>P. brevispinosus</i>				Pleistocene	Florida (US)
<i>Paleoheterodon</i>				M.Miocene	W USA
<i>P. sp.</i>				Clarendonian	Kansas (US)
<i>P. tiheni</i>				Barstovian-Hemphillian	Nebraska, S Dakota, Texas (US)
<i>Paleophis</i>	see <i>Palaeophis</i>				
<i>P. sp.</i>		1.5 m		L.Cretaceous-Oligocene	England
<i>Paleopython</i>	see <i>Palaeopython</i>			M.Eocene-Oligocene	Germany
<i>Paleryx</i>				U.Eocene	Germany
<i>P. spinifer</i>	indeterminate material				Germany
<i>Paracoluber</i>				L-U.Miocene	W USA
<i>P. cf. Storeri</i>				Hemphillian	Nebraska (US)

Genus/Species	Skull	Lt	Wt	Stage	Range
<i>P. storeri</i>				Hemingfordian-Hemphillian	Wyoming, Texas (US) Saskatchewan (Cnda)
Paraepicrates				M.Eocene	USA
<i>P. brevispondylus</i>				Bridgerian	Wyoming (US)
Paraoxybelis				L.Miocene	E USA
<i>P. floridanus</i>				Hemingfordian	Florida (US)
Patagoniophis				U.Cretaceous-L.Eocene	Argentina
<i>P. parvus</i>				Campanian-Maastrichtian	Argentina
<i>P. sp.</i>				Ypresian	Australia
Pilemophis	probably Pylmophis				
<i>P. sansaniensis</i>	see <i>Natrix sansaniensis</i>				
Pituophis				U.Pliocene-Recent	USA
<i>P. catenifer</i>				Blancan	Washington (US)
<i>P. melanoleucus</i> (melanoleuca)	living Pine Snake			Blancan-Recent	Florida, Arizona, Nebraska, Kansas, Texas, Georgia, Colorado (U)
<i>P. sp.</i>				Blancan	Arizona (US)
<i>P. sp.</i>				Blancan	Kansas (US)
Platyspondylia				U.Oligocene	France, Germany
cf. <i>P. sp.</i>				U.Oligocene	Germany
<i>P. lepta</i>				Chattian	France
<i>P. sp.</i>				Chattian	France
<i>P. sudrei</i>				Bartonian	France
Plesiotortrix				U.Eocene-Oligocene	Europe
Podophis				U.Cretaceous	Lebanon
<i>P. descouensi</i>				U.Cretaceous	Lebanon
Pouitella				U.Cretaceous	Europe
<i>P. pervetus</i>				Cenomanian	Europe
Protagras	see <i>Boavus?</i>			M.Eocene	W USA
<i>P. lacustris</i>		1.2 m?		Bridgerian	Wyoming (US)
Protropidonotus				M.Miocene	Europe
Provipera				L.Miocene	Europe
Pseudechis				Pleistocene-Recent	S Australia (AU)
Pseudocemophora				L.Miocene-U.Pleistocene	E USA
<i>P. antiqua</i>				Hemingfordian-Rancholabrean	Florida (US)
<i>P. cf. Antiqua</i>				Hemingfordian	Wyoming (US)
Pseudoepicrates		2 m+		L.Miocene	E USA
<i>P. stanolseni</i>				Hemingfordian	Florida (US)
Pseudonaja				Pleistocene-Recent	S Australia (AU)
Pseudopicrates	see <i>Pseudoepicrates</i>				
Pterophenus	see <i>Pterosphepus</i>				
Pterosphepus		2 m+		M-U.Eocene	N & S America, N Africa, S Asia
<i>P. biswasi</i>				Ypresian	India
<i>P. cf. Schucherti</i>				U.Eocene	Florida (US)
<i>P. kutchensis</i>				Ypresian	India
<i>P. muruntau</i>	nomen dubium			Bartonian	Uzbekistan
<i>P. scheinfurthi</i>	see <i>P. schweinfurthi?</i>				
<i>P. schucherti</i>				Priabonian-Rancholabrean	E & C USA
<i>P. schweinfurthi</i>				Fayumian	Egypt, Libya, Angola
<i>P. sheppardi</i>				Priabonian	Ecuador
<i>P. sp.</i>				Fayumian	Egypt
<i>P. sp.</i>				Uintan	Georgia (US)
<i>P. sp.</i>				M.Eocene	Pondaung (Myanmar)
<i>P. sp.</i>				Ypresian	Panandhro (India)
Pterygoboa				L-U.Miocene	W USA
<i>P. miocenica</i>				Hemingfordian	S Dakota, Nebraska (US)
Ptyas				Pleistocene-Recent	Asia
Pylmophis				Oligocene-Miocene	Europe
<i>P. sansaniensis</i>	see <i>Natrix sansaniensis</i>				
Python				L.Miocene-Recent	E Africa

Genus/Species	Skull	Lt	Wt	Stage	Range
<i>P. cadurcense</i>				L.Miocene	Quercy (France)
<i>P. cf. Molurus</i>				Vallesian-Turolian	Pakistan
<i>P. euboicus</i>					
<i>P. maurus</i>					
<i>P. molurus</i>	living	Indian Python		Vallesian-Recent	Pakistan
<i>P. sp.</i>				Vallesian-Turolian	Pakistan
<i>P. sp.</i>				Vindobonian	Pakistan
<i>P. sp.</i>				Orleanian	Vieux Collonges (France)
Regina				U.Miocene-Recent	USA
<i>R. alleni</i>	living	Snake		Irvingtonian-Recent	Florida (US)
<i>R. grahami</i>	living	Snake		Blancan-Recent	Nebraska (US)
<i>R. intermedia</i>				Blancan-Irvingtonian	Florida (US)
<i>R. sp.</i>				U.Miocene-U.Pleistocene	Florida, Georgia (US)
Rhadinaea				U.Pliocene-U.Pleistocene	USA
<i>R. flavilata</i>	living	Woods snake		Irvingtonian-Recent	Florida (US)
Rhamphotyphlops				M.Miocene	Queensland (AU)
Rhinoceilus				U.Pliocene	W USA
<i>R. lecontei</i>				Blancan	Texas, Nebraska (US)
Rionegrophis				U.Cretaceous	Argentina
<i>R. madtsioioides</i>				U.Cretaceous	Argentina
Rottophis				U.Oligocene	Germany
<i>R. atavus</i>				Chattian	Germany
Russellophis				L.Eocene	N America
<i>R. tenuis</i>					
Salvadora				M.Miocene-Recent	W USA
<i>S. paleolineata</i>				Barstovian-Hemphillian	Nebraska, Texas, S Dakota (US)
<i>S. sp.</i>					S Dakota (US)
Sanjuanophis				L.Eocene	W USA
<i>S. froehlichorum</i> (froehlich)				Wasatchian	New Mexico (US)
Sansanosaurus				Miocene	Europe
Scaptophis				Miocene	Europe
Scytalophis				Oligocene	Europe
Simoliophis				U.Cretaceous	France
<i>S. sauvagei</i>					
Sistrurus				U.Miocene-Recent	USA
<i>S. catenatus</i>	living	Massassauga		Blancan-Recent	Kansas, Texas (US)
<i>S. miliarius</i>	living	Rattler		Blancan-Recent	Florida (US)
<i>S. sp.</i>				U.Miocene	Florida (US)
Stilosoma				U.Miocene-Recent	E USA
<i>S. extenatum</i>	living	Snake		Blancan-Recent	Florida (US)
<i>S. vetustum</i>				Hemphillian	Florida (US)
Storeria				U.Pleistocene-Recent	E USA
<i>S. dekayi</i>	living	Brown Snake		Rancholabrean-Recent	Florida (US)
<i>S. sp.</i>				U.Pleistocene	Missouri (US)
Symoliophis	see	Simoliophis			
Tachyophis				Oligocene	Europe
Tallahattaophis				M.Eocene	USA
<i>T. dunni</i>				Bridgerian	Alabama (US)
Tantilla				U.Pliocene-U.Pleistocene	E USA
<i>T. coronata</i>				Irvingtonian-Rancholabrean	Florida (US)
<i>T. sp.</i>				U.Pliocene	Florida (US)
Tauntonophis				Pliocene	W USA
<i>T. morganorum</i>		40 cm?		Blancan	Washington (US)
Texasophis				M.Oligocene-U.Miocene	France, Germany, W USA
<i>T. bohemicus</i>				Chattian-Orleanian	Germany, Czech Republic
<i>T. fossilis</i>				Miocene	Texas (US)
<i>T. galbreathi</i>				Orellan	Colorado (US)

Genus/Species	Skull	Lt	Wt	Stage	Range
T. meini				Astaracian	France
T. sp.				Orleanian	Vieux Collogne (France)
T. wilsoni				Clarendonian	W USA
Thamnophis				U.Miocene-Recent	USA
T. cf. Sirtalis				Hemphillian	Texas (US)
T. elegans	living	Garter Snake		Irvigtonian-Recent	Colorado (US)
T. marcianus	living	Garter Snake		Blancan-Recent	Texas (US)
T. proximus	living	Ribbon Snake		Blancan-Recent	Missouri, Nebraska, Texas (US)
T. radix	living	Garter Snake		Blancan-Recent	Nebraska (US)
T. sauritus	living	Ribbon Snake		Irvigtonian-Recent	Missouri (US)
T. sirtalis	living	Garter Snake		Blancan-Recent	USA (widespread)
T. sp.				U.Miocene-Rancholabrean	Florida, Nebraska (US)
T. sp.				U.Pleistocene	Missouri (US)
T. sp.				Blancan-Irvigtonian	California (US)
T. sp.				Clarendonian-Blancan	Kansas (US)
T. sp.				Blancan	Idaho (US)
Titanophis	see	Palaeophis			
Tregophis				U.Miocene	W USA
T. brevirachis				Clarendonian	Kansas (US)
Tropidonotus				M-U.Oligocene	Germany
T. atavus	see	Rottophis atavus		Chatthian	Germany
Tropidophis				L.Pleistocene-Recent	USA, Cayman Islands
T. caymanensis				U.Pleistocene-Recent	Cayman Islands
T. sp.				Irvigtonian	Florida (US)
Typhlops				U.Oligocene-Recent	USA, Cayman Islands
T. biminiensis				U.Pleistocene-Recent	Cayman Islands
T. caymanensis				U.Pleistocene-Recent	Cayman Islands
T. edwardsi	see	Omoiotyphlops edwardsi			in General Reptilia Index
T. sp.				U.Oligocene-U.Miocene	Florida (US)
Vectophis				U.Eocene	G Britain
V. wardi				U.Eocene	G Britain
Vialovophis	see	Palaeophis			
V. zhylan	see	Palaeophis zhylan			
Vipera				U.Miocene-Recent	Spain, Germany, Czech, Russia, Ukraine
V. antiqua				Orleanian	Germany, Czech Republic
V. berus				M.Pleistocene	England
V. platyspondyla				Orleanian	Germany, Czech Republic
V. sp.				Orleanian	Merkur-north (Czech Republic)
V. ukrainica				U.Miocene	Ukraine
V. ursini				Pleistocene?	Cherny Yar Sands (Russia)
Viperinae					
V. sp.A				Orleanian	Vieux Collogne (France)
V. sp.B				Orleanian	Vieux Collogne (France)
Virginia				U.Pliocene	E USA
V. sp.				U.Pliocene	Florida (US)
Wonambi		5.1 m		Miocene-Pleistocene	Africa, Australia
W. barriei		3 m		Pleistocene	
W. naracoortensis		5.1 m		Pleistocene	S Australia (AU), Africa?
W. naracourtensis	see	Wonambi naracoortensis			Africa
W. sp.					Australia
W. sp. (cf. Naracoortensis)					
Woutersophis				M.Eocene	Europe
W. novus					
Yurlunggur				Miocene	Australia
Y. camfieldensis				Miocene	Queensland (AU) ?
Y. sp.1					Australia
Y. sp.2					Australia

